

Business Requirements Document

Joiner-Mover-Leaver (JML) Identity Lifecycle Automation

Prepared by: Shraddha Sisodiya

Portfolio Sample — fictional enterprise IAM scenario; not affiliated with, based on, or representing any real company or client.

1. Document Control

Document Title	BRD – JML Identity Lifecycle Automation
Project Sponsor	Head of Identity & Access Management
Business Analyst	Shraddha Sisodiya
Status	Draft for Review
Version	1.0

2. Purpose

This document defines the business requirements for automating the Joiner-Mover-Leaver (JML) identity lifecycle process across a mid-size enterprise organization. It addresses delays in provisioning new employees, inconsistent access updates during role changes, and incomplete access revocation at termination, by translating these operational risks into structured, testable requirements for an automated identity lifecycle workflow.

3. Business Problem

Employee access is currently provisioned, modified, and revoked through a largely manual process coordinated between HR, IT, and department managers. This creates three recurring risks:

- Delayed onboarding: new hires often wait several days for full system access because provisioning requests depend on manual email requests between HR and IT.
- Orphaned access after role changes: when employees move between departments, prior access is frequently not revoked, leading to excess privilege and potential Segregation of Duties (SoD) conflicts.

- Incomplete offboarding: terminated employees' accounts are sometimes deactivated days after their last working day, creating a security and audit exposure window.

4. Business Objectives

1. Reduce new-hire provisioning time from an average of 3 days to under 4 hours.
2. Ensure access changes during role transfers are automatically reconciled against the new role's access profile, removing access no longer required.
3. Achieve same-day account deactivation for all terminated employees, triggered directly from the HRIS record.
4. Reduce Segregation of Duties (SoD) conflicts arising from accumulated, unrevoked access.

5. Scope

In Scope

- Automated account provisioning triggered by a new-hire record in the HRIS system.
- Automated access reconciliation triggered by a role/department change event.
- Automated account deactivation triggered by a termination event, effective same-day.
- Role-Based Access Control (RBAC) mapping between job roles and required system access.
- Manager attestation workflow for any access exceptions outside the standard RBAC profile.

Out of Scope

- Provisioning for contractors and third-party vendors (handled under a separate process).
- Physical access and badge systems.

6. Stakeholders

Stakeholder	Role	Interest
Head of IAM	Sponsor	Reduced security exposure, audit readiness
HR Operations	Process Trigger Owner	Accurate, timely HRIS data feeding provisioning
IT Security & Compliance	Approval Authority	SoD conflict prevention, audit evidence
Department Managers	Access Approvers	Fast access for new/transferred staff
IAM Operations Team	Process Operators	Reduced manual ticket volume

7. Functional Requirements

ID	Requirement	Priority
FR-01	System shall automatically create a new-hire account and assign baseline RBAC access upon receiving a new-hire HRIS record.	Must
FR-02	System shall automatically reconcile access against the new role's RBAC profile	Must

ID	Requirement	Priority
	upon a role/department change event, revoking access no longer applicable.	
FR-03	System shall automatically deactivate all system access upon receiving a termination event from the HRIS, effective same-day.	Must
FR-04	System shall flag any access request that creates a Segregation of Duties (SoD) conflict for manager and compliance review.	Must
FR-05	System shall route non-standard access requests (outside the RBAC baseline) to the requesting manager for attestation.	Should
FR-06	System shall maintain a full audit trail of every provisioning, modification, and deactivation event.	Must
FR-07	System shall provide the IAM team a dashboard of pending, completed, and overdue JML events.	Should

8. Non-Functional Requirements

- Termination-triggered deactivation must complete within 4 hours of the HRIS event to minimize exposure window.
- All JML audit trail data must be retained for a minimum of 3 years in line with compliance policy.
- The RBAC mapping must be reviewable and updatable by IAM operations without requiring code changes.

9. Assumptions & Constraints

- HRIS records are the authoritative source of truth for employment status, department, and role.
- RBAC role-to-access mappings will be defined and maintained jointly by IAM and department managers.
- Existing ticketing and identity platforms will be integrated with, rather than replaced.

10. Acceptance Criteria

- Given a new-hire record is received from the HRIS, when the automated workflow runs, then the employee's account and baseline access are provisioned without manual IT intervention.
- Given an employee's department changes in the HRIS, when the reconciliation job runs, then access tied to the prior role is revoked and access for the new role is granted automatically.
- Given a termination event is received, when the deactivation workflow runs, then all system access is revoked within 4 hours, with a logged audit record.