

Enterprise RAG Standalone Deployment Guide

First Time Setup

1. Open PowerShell

```
cd "C:\EnterpriseRAG"  
(or wherever you copied the project)
```

2. Load the Docker image

```
docker load -i project-rag-agent.tar
```

Wait until you see:
Loaded image: project-rag-agent:latest

3. Verify Ollama

```
ollama list
```

Expected:
NAME
llama3.2:latest
nomic-embed-text:latest

4. Start Ollama

```
ollama serve
```

If Ollama is installed as a Windows service or already running in the background, you can skip this step.

5. Open another PowerShell

```
cd "C:\EnterpriseRAG"
```

6. Start the application

```
docker compose up -d
```

7. Verify containers

```
docker ps
```

Expected:
rag_enterprise Up (healthy)

8. Open the application

```
http://localhost:8000
```

Every Time You Restart the PC

```
ollama serve
```

```
cd "C:\EnterpriseRAG"
```

```
docker compose up -d
```

Open:
<http://localhost:8000>

Stop the Application

```
docker compose down
```

Check Logs

```
docker logs rag_enterprise
```

Restart the Application

```
docker compose restart
```

Check Running Containers

```
docker ps
```

Complete Deployment Commands

```
# Go to project folder
cd "C:\EnterpriseRAG"

# Load Docker image (first time only)
docker load -i project-rag-agent.tar

# Verify Ollama models
ollama list

# Start Ollama (if not already running)
ollama serve

# Open another PowerShell
cd "C:\EnterpriseRAG"

# Start Enterprise RAG
docker compose up -d

# Verify
docker ps

# Open
http://localhost:8000
```