

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Login functionality	14.432 s	1	0	1	0	8	2	1	5	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login functionality	User should add products in cart


TAG	Scenario				Feature					
Name	T	P	F	S	T	P	F	S		
@smoke	1	0	1	0	1	0	1	0		
@regression	1	0	1	0	1	0	1	0		

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login functionality	1	0	1	0	14.432 s

SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login functionality	User should add products in cart	8	2	1	5	14.429 s

DETAILED SECTION -- 7 --

Login functionality

FAILED	DURATION - 14.432 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 11:29:09.394 pm /	// 11:29:23.826 pm /	Pass - 0	1	Pass - 2	l 🦰 a 📜 🛭
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

User should add products in cart



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I click on the products tab	PASSED	10.129 s
3	Then I add product Men TShirt to the cart	FAILED	0.005 s
	io.cucumber.core.exception.CucumberException: Step [I add product Men TShirt to the cart] is defined with 1 parameters at 'com. automationexercise.steps.LoginSteps.iAddProductMenTShirtToTheCart(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I add product Men TShirt to the cart at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect. Delegating Method Accessor Impl. invoke (Delegating Method Accessor Impl. java: 43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runlnSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	$at\ org. testng. internal. invokers. Test Method Worker. invoke Test Methods (Test Method Worker. java: 148)$		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testrig.rDEARemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
-			
4	And I click on continue shopping link	SKIPPED	0.000 s
5	And I add product Blue Top to the cart	SKIPPED	0.000 s
6	And I click view cart in popup	SKIPPED	0.000 s
7	Then I verify product "Blue Top" in shopping cart	SKIPPED	0.000 s
8	Then I verify product "Men Tshirt" in shopping cart	SKIPPED	0.000 s
	AFTER - com.automationexercise.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.511 s
	User should add products in cart		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	Complet spore-source CMS & DUP CONtext for your part of entire format insurements and of the context format insurements and the context format insurements are all the context		