

# Cucumber Report

21 Dec 2023, 15:22:06

Start : Dec 21, 3:21:45.471 pm

End : Dec 21, 3:22:04.623 pm

Duration : 19.152 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search functionality</u>	19.152 s	1	0	1	0	7	1	1	5

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search the buy car with model</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@regression	1	0	1	0	1	0	1	0
@author_shraddha	1	0	1	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	1	0	1	0	19.152 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>Search the buy car with model</u>	7	1	1	5	19.142 s

## Search functionality

<b>FAILED</b>	DURATION - 19.152 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 3:21:45.471 pm // 3:22:04.623 pm /					

## Search the buy car with model

<b>FAILED</b>	DURATION - 19.142 s		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 3:21:45.481 pm // 3:22:04.623 pm /				
Search functionality				
@regression @author_shraddha @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab io.cucumber.core.exception.CucumberException: Step [I mouse hover on {string} tab] is defined with 0 parameters at 'com.au.carsguide.steps.BuySteps.iMouseHoverOnTab()'. However, the gherkin step has 1 arguments: * "buy+sell" Step text: I mouse hover on "buy+sell" tab at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
3	And I click 'Search Cars' link	SKIPPED	0.001 s
4	And I select make "Audi"	SKIPPED	0.000 s
5	And I select model "A1"	SKIPPED	0.000 s
6	And I click on Find My Next Car tab	SKIPPED	0.000 s
7	Then I should see the make Audi in result	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.373 s
	Search the buy car with model		
	