


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Search functionality	33.223 s	3	0	3	0	26	6	2	18	
Search functionality	3.076 s	1	0	1	0	4	0	1	3	


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Search functionality	Search the buy car with model
2		Search the buy car with model
3		Search the used car with model
4		User Should Navigate To Login Page SuccessFully

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	2	0	2	0	1	0	1	0
@regression	4	0	4	0	2	0	2	0
@author_shraddha	3	0	3	0	1	0	1	0
@sanity	2	0	2	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Search functionality	3	0	3	0	33.223 s
2	Search functionality	1	0	1	0	3.076 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search functionality	Search the buy car with model	8	5	1	2	27.321 s
2		Search the buy car with model	8	1	1	6	3.087 s
3		Search the used car with model	10	0	0	10	2.749 s
4		User Should Navigate To Login Page SuccessFully	4	0	1	3	3.076 s

DETAILED SECTION -- 7 -

Search functionality

FAILED	DURATION - 33.223 s	Scenarios		Steps	
		Total - 3		Total - 26	
/ 2:01:39.867 pm //	' 2:02:13.090 pm /	Pass - 0	3	Pass - 6	26
		Fail - 3	, J	Fail - 2	20 🦊
		Skip - 0		Skip - 18	


Search the buy car with model



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.294 s
3	And I click 'Search Cars' link	PASSED	1.235 s
4	And I select make "Audi"	PASSED	0.365 s
5	And I select model "A1"	PASSED	0.111 s
6	And I select price "\$5,000"	FAILED	20.106 s
	org.openqa.selenium.NoSuchElementException: Cannot locate option with value: \$5,000 For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.Select.findOptionsByValue(Select.java:289) at org.openqa.selenium.support.ui.Select.selectByValue(Select.java:194) at com.au.carsguide.utility.Utility.selectByValueFromDropDown(Utility.java:158) at com.au.carsguide.pages.HomePage.selectPrice(HomePage.java:76) at com.au.carsguide.steps.BuySteps.iSelectPrice(BuySteps.java:48) at ?.I select price "\$5,000"(file:///C:/Users/shrad/IdeaProjects/cargurus-cucumber/src/test/resources/features/buy.feature:13) * Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
7	And I click on Find My Next Car tab	SKIPPED	0.000 s
8	Then I should see the make Audi in result	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.391 s
	Search the buy car with model		
	COT galde whether the control of th		
	New & Used Car Search - carsguide Sept 20 Carl Fee Search - carsguide		

Search the buy car with model




#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	FAILED	0.030 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.111) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [461652b6522e2b567c128dd6a28791b0, findElement {using=xpath, value=//a[normalize-space()='buy + sell']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.111, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\Users\shrad\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55533}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55533/devtoo, se:cdpVersion: 120.0.6099.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 461652b6522e2b567c128dd6a28791b0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2.jdk.proxy2.\$Prox		
3	And I click 'Search Cars' link	SKIPPED	0.001 s
4	And I select make "BMW"	SKIPPED	0.000 s
5	And I select model "1 Series"	SKIPPED	0.002 s
6	And I select price "\$5,000"	SKIPPED	0.000 s
7	And I click on Find My Next Car tab	SKIPPED	0.002 s
8	Then I should see the make BMW in result	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.111) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [461652b6522e2b567c128dd6a28791b0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.111, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\Users\shrad\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55533}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55533/devtoo, se:cdpVersion: 120.0.6099.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 461652b6522e2b567c128dd6a28791b0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)		
	at com.au.carsguide.utility.Utility.getScreenShot(Utility.java:353)		
	at com.au.carsguide.steps.Hooks.tearDown(Hooks.java:17)		

Search the used car with model




#	Step / Hook Details	Status	Duration
	BEFORE - com.au.carsguide.steps.Hooks.setUp()	FAILED	2.440 s
	org.openqa.selenium.WebDriverException: unknown error: failed to change window state to 'maximized', current state is 'minimized' (Session info: chrome=120.0.6099.111) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d6538081b24daec9def7bf897d949a53, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.111, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\Users\shrad\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55609}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55609/devtoo, se:cdpVersion: 120.0.6099.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d6538081b24daec9def7bf897d949a53 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:684) at com.au.carsguide.browserfactory.ManageBrowser.selectBrowser(ManageBrowser.java:38) at com.au.carsguide.steps.Hooks.setUp(Hooks.java:12)		
1	Given I am on homepage	SKIPPED	0.001 s
2	When I mouse hover on "buy+sell" tab	SKIPPED	0.000 s
3	And I click 'Used' link	SKIPPED	0.000 s
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.000 s
5	And I select make "honda"	SKIPPED	0.000 s
6	And I select model "jazz"	SKIPPED	0.000 s
7	And I select location "Edgware"	SKIPPED	0.000 s
8	And I select price "\$5000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "honda" in results	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.304 s
	Search the used car with model		

Search functionality

User Should Navigate To Login Page SuccessFully



#	Step / Hook Details	Status	Duration
1	Given I am on Home Page	FAILED	0.001 s
	Step undefined		
2	When I mouse hover on buy+sell tab	SKIPPED	0.000 s
3	And I click on Used link	SKIPPED	0.001 s
4	Then Verify that "Used Cars For Sale" message display	SKIPPED	0.000 s