
Start: Dec 21, 11:54:42.512 am End: Dec 21, 11:55:07.957 am **Duration**: 25.445 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 5 SKIPPED - 0 SKIPPED - 0 SKIPPED - 16 24 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 80 80 80 90 90 10 20 % 100 100

Feature		Scenario				Step				
Name	Duration	T	P	F	S	T	P	F	S	
Search functionality	19.739 s	2	0	2	0	20	5	2	13	
Search functionality	5.691 s	1	0	1	0	4	0	1	3	


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Search functionality	Search the buy car with model
2		Search the used car with model
3		User Should Navigate To Login Page SuccessFully

TAG		Scenario			Feature			
Name	T	P	F	S	T	P	F	S
@smoke	1	0	1	0	1	0	1	0
@regression	3	0	3	0	2	0	2	0
@author_shraddha	2	0	2	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Search functionality	2	0	2	0	19.739 s
2	Search functionality	1	0	1	0	5.691 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search functionality	Search the buy car with model	10	3	1	6	12.035 s
2		Search the used car with model	10	2	1	7	7.645 s
3		User Should Navigate To Login Page SuccessFully	4	0	1	3	5.691 s

DETAILED SECTION -- 7 --

Search functionality

FAILED	DURATION - 19.739 s	Scenarios		Steps	
		Total - 2		Total - 20	
/ 11:54:42.512 am //	/ 11:55:02.251 am /	Pass - 0	2	Pass - 5	20
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 13	

Search the buy car with model




#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.278 s
3	And I click 'Search Cars' link	PASSED	1.925 s
4	Then I navigate to 'new and used car search' page	FAILED	0.012 s
	io.cucumber.core.exception.CucumberException: Step [I navigate to {string} page] is defined with 0 parameters at 'com.au.carsguide.steps. BuySteps.iNavigateToNewAndUsedCarSearchPage()'. However, the gherkin step has 1 arguments: * 'new and used car search' Step text: I navigate to 'new and used car search' page at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testing.SuiteRunner.run(SuiteRunner.java.330) at org.testing.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testing.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testing.SuiterCurinerWorker.run(SuiterCurinerWorker.java.93) at org.testing.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testing.TestNG.runSuitesLocally(TestNG.java:1200) at org.testing.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testing.TestNG.runSuites(TestNG.java:1210) at org.testing.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
5	And I select make "BMW"	SKIPPED	0.000 s
6	And I select model "1 Series"	SKIPPED	0.000 s
7	And I select location "NT-All"	SKIPPED	0.000 s
8	And I select price "\$5,000"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.001 s
10	Then I should see the make BMW in result	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.868 s
	Search the buy car with model		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	Cart guide entering to the control of the control		
	Search SURVA Case for Cale The Control of Case of Cas		
	Cars Part Sale By Make		


Search the used car with model



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.240 s
3	And I click 'Used' link	FAILED	0.004 s
	Step undefined		
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.000 s
5	And I select make "honda"	SKIPPED	0.002 s
6	And I select model "jazz"	SKIPPED	0.000 s
7	And I select location "Edgware"	SKIPPED	0.001 s
8	And I select price "\$5000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "honda" in results	SKIPPED	0.000 s

Search functionality

User Should Navigate To Login Page SuccessFully



#	Step / Hook Details	Status	Duration
1	Given I am on Home Page	FAILED	0.000 s
	Step undefined		
2	When I mouse hover on buy+sell tab	SKIPPED	0.000 s
3	And I click on Used link	SKIPPED	0.000 s
4	Then Verify that "Used Cars For Sale" message display	SKIPPED	0.001 s