Cucumber Report

Start : Dec 21, 12:57:22.762 pm

End : Dec 21, 12:57:45.044 pm

Duration : 22.282 s

| Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 5
FAILED - 2	FAILED - 3	FAILED - 3
SKIPPED - 0	SKIPPED - 0	SKIPPED - 16

2

3

24

40 50 60
30   Pass %   70
20   80
10   90
     0 %
0   100

40 50 60
30   Pass %   70
20   80
10   90
     0 %
0   100

40 50 60
30   Pass %   70
20   80
10   90
     20 %
0   100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Search functionality	_17.262 s_	_2_	_0_	_2_	_0_	_20_	_5_	_2_	_13_
Search functionality	_5.005 s_	_1_	_0_	_1_	_0_	_4_	_0_	_1_	_3_

#	Feature Name	Scenario Name
1	*Search functionality*	*Search the buy car with model*
2		*Search the used car with model*
3		*User Should Navigate To Login Page SuccessFully*

| TAG | Scenario | | | | Feature | | | |
Name	T	P	F	S	T	P	F	S
@smoke	1	0	1	0	1	0	1	0
@regression	3	0	3	0	2	0	2	0
@author_shraddha	2	0	2	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Search functionality	2	0	2	0	17.262 s
2	Search functionality	1	0	1	0	5.005 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search functionality	Search the buy car with model	10	3	1	6	10.786 s
2		Search the used car with model	10	2	1	7	6.417 s
3		User Should Navigate To Login Page SuccessFully	4	0	1	3	5.004 s

Search functionality

FAILED	DURATION - 17.262 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 20 Pass - 5 Fail - 2 Skip - 13	
/ 12:57:22.762 pm // 12:57:40.024 pm /					

Search the buy car with model

FAILED	DURATION - 10.786 s		Steps Total - 10 Pass - 3 Fail - 1 Skip - 6	
/ 12:57:22.774 pm // 12:57:33.560 pm /				
Search functionality				
@smoke @regression @author_shraddha @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.443 s
3	And I click 'Search Cars' link	PASSED	1.611 s
4	Then I navigate to 'new and used car search' page	FAILED	0.008 s

	io.cucumber.core.exception.CucumberException: Step [I navigate to {string} page] is defined with 0 parameters at 'com.au.carsguide.steps. BuySteps.iNavigateToNewAndUsedCarSearchPage()'. However, the gherkin step has 1 arguments: * 'new and used car search' Step text: I navigate to 'new and used car search' page
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
5	And I select make "BMW"	SKIPPED	0.001 s
6	And I select model "1 Series"	SKIPPED	0.000 s
7	And I select location "NT-All"	SKIPPED	0.001 s
8	And I select price "$5,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make BMW in result	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.621 s
	Search the buy car with model		

#	Step / Hook Details	Status	Duration

Search the used car with model

FAILED	*DURATION - 6.417 s*		
/ 12:57:33.607 pm // 12:57:40.024 pm /			
Search functionality			
@regression @author_shraddha			

Steps
Total - 10
Pass - 2
Fail - 1
Skip - 7

10

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.207 s
3	And I click 'Used' link	FAILED	0.005 s
	Step undefined		
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.001 s
5	And I select make "honda"	SKIPPED	0.001 s
6	And I select model "jazz"	SKIPPED	0.000 s
7	And I select location "Edgware"	SKIPPED	0.000 s
8	And I select price "$5000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "honda" in results	SKIPPED	0.000 s

Search functionality

FAILED	DURATION - 5.005 s		Scenarios		Steps	
/ 12:57:40.039 pm // 12:57:45.044 pm /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 4 Pass - 0 Fail - 1 Skip - 3	4

User Should Navigate To Login Page SuccessFully

FAILED	DURATION - 5.004 s		Steps	
/ 12:57:40.040 pm // 12:57:45.044 pm /			Total - 4 Pass - 0 Fail - 1 Skip - 3	4
Search functionality				
@regression				

#	Step / Hook Details	Status	Duration
1	Given I am on Home Page	FAILED	0.001 s
	Step undefined		
2	When I mouse hover on buy+sell tab	SKIPPED	0.001 s
3	And I click on Used link	SKIPPED	0.000 s
4	Then Verify that "Used Cars For Sale" message display	SKIPPED	0.000 s