

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Country dropDown	8.534 s	1	0	1	0	3	2	1	0	
Visa Confirmation steps	17.617 s	2	0	2	0	16	12	2	2	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Country dropDown	Verify the following country available in country dropdown list
2	Visa Confirmation steps	An Australian Coming To UK For Tourism
3		A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@smoke	2	0	2	0	2	0	2	0
@regression	3	0	3	0	2	0	2	0
@author_shraddha	3	0	3	0	2	0	2	0
@sanity	3	0	3	0	2	0	2	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Country dropDown	1	0	1	0	8.534 s
2	Visa Confirmation steps	2	0	2	0	17.617 s

SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Country dropDown	Verify the following country available in country dropdown list	3	2	1	0	8.518 s
2	Visa Confirmation steps	An Australian Coming To UK For Tourism	7	6	1	0	10.063 s
3		A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card	9	6	1	2	7.536 s

DETAILED SECTION -- 7 -

Country dropDown

FAILED	DURATION - 8.534 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 3:56:08.390 pm //	3:56:16.924 pm /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	📜 ĭ 📕
		Skip - 0		Skip - 0	

Verify the following country available in country dropdown list



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on start button	PASSED	0.581 s
3	Then I can see following country into dropdown	FAILED	0.021 s
	albania bhutan british-protected-person haiti kazakhstan mozambique norway portugal russia zambia io.cucumber.core.exception.CucumberException: Could not convert arguments for step [I can see following country into dropdown] defined at 'gov.uk.check.visa.steps.CountryDropDownSteps.iCanSeeFollowingCountryIntoDropdown(java.lang.String)'. at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotConvertArguments(PickleStepDefinitionMatch.java:112) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:56)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runlnSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	Caused by: io.cucumber.datatable.CucumberDataTableException: Can't convert DataTable to java.lang.String. The table contained more then		
	one item: [albania, bhutan, british-protected-person, haiti, kazakhstan, mozambique, norway, portugal, russia, zambia]		

#	Step / Hook Details	Status	Duration
	at io.cucumber.datatable.CucumberDataTableException.cantConvertTo(CucumberDataTableException.java:22) at io.cucumber.datatable.DataTableTypeRegistryTableConverter.toSingleton(DataTableTypeRegistryTableConverter.java:124) at io.cucumber.datatable.DataTableTypeRegistryTableConverter.convert(DataTableTypeRegistryTableConverter.java:91) at io.cucumber.datatable.DataTable.convert(DataTable.java:478) at io.cucumber.core.stepexpression.StepExpressionFactory.lambda\$createExpression\$0(StepExpressionFactory.java:66) at io.cucumber.core.stepexpression.DataTableArgument.getValue(DataTableArgument.java:20) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:47)		
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify the following country available in country dropdown list College of the control of the c	PASSED	0.698 s

Visa Confirmation steps

Scenarios		Steps	
Total - 2		Total - 16	
Pass - 0	2	Pass - 12	16
Fail - 2		Fail - 2	10
Skip - 0		Skip - 2	
	Total - 2 Pass - 0 Fail - 2	Total - 2 Pass - 0 Fail - 2	Total - 2 Pass - 0 Fail - 2 Total - 16 Pass - 12 Fail - 2

An Australian Coming To UK For Tourism




#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.001 s

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
2	When Click on start button	PASSED	0.529 s
3	Then Select a Nationality 'Australia'	PASSED	0.307 s
4	And Click on Continue button	PASSED	0.505 s
5	And Select reason 'Tourism'	PASSED	2.177 s
6	And Click on Continue button	PASSED	0.210 s
7	And verify result 'You will not need a visa to come to the UK'	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [verify result {string}] is defined with 0 parameters at 'gov.uk.check visa.steps. VisaConfirmationSteps.verifyResultYouWillNotNeedAVisaToComeToTheUR(): However, the gherkin step has 1 arguments: * 'You will not need a visa to come to the UR' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java.42) at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java.42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java.10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java.84) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java.51) at io.cucumber.core.runner.PickleStepTestStep.java.56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java.51) at io.cucumber.core.runner.Runner.runPickle(Runner.java.75) at io.cucumber.core.runner.Runner.runPickle(Runner.java.132) at io.cucumber.testing.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java.132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java.137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java.23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberRunner.java.129) at io.cucumber.testing.TestNGCucumberExecutionContext.runTestCase(CucumberRunner.java.129) at io.cucumber.testing.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java.129) at io.cucumber.testing.AbstractTestNGCucumberTests.runScenario(TestNGCucumberRunner.java.137) at java.base/jdk.internal.reflect.NativeMethodAccessorimpl.invoke(NativeMethodAccessorimpl.java.77) at java.base/jdk.internal.reflect.NativeMethodAccessorimpl.invoke(NativeMethodAccessorimpl.java.77) at java.base/jdk.internal.reflect.NativeMethodAccessorimpl.invoke(NativeMethodAccessorimpl.java.139) at org.testng.internal.invokers.testMethod.invoke(MethodInvocationAejper.java.139) at org.testng.		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:105)		
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario) An Australian Coming To UK For Tourism College and OULK Without at Statistical to the Mandator and the Australian and the Austr	PASSED	0.481 s

A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card



#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.002 s
2	When Click on start button	PASSED	0.429 s
3	Then Select a Nationality 'Colombia'	PASSED	0.214 s
4	And Click on Continue button	PASSED	0.245 s
5	And Select reason 'Join partner or family for a long stay'	PASSED	2.117 s
6	And Click on Continue button	PASSED	0.299 s

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
7	And Select state My partner of family member have uk immigration status 'yes'	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [Select state My partner of family member have uk immigration status {string}] is defined with 0 parameters at 'gov.uk.check.visa.steps.VisaConfirmationSteps.selectStateMyPartnerOfFamilyMemberHaveUkImmigrationStatusYes()'. However, the gherkin step has 1 arguments: * 'yes' Step text: Select state My partner of family member have uk immigration status 'yes' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And Click on Continue button	SKIPPED	0.000 s
9	And verify result 'You'll need a visa to join your family or partner in the UK'	SKIPPED	0.000 s
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.552 s
	A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card		
	Coales as DOULX Notes were seried at the first find the first find at the series of the first find at		