

# Cucumber Report

19 Dec 2023, 16:03:23

Start : Dec 19, 4:02:44.210 pm

End : Dec 19, 4:03:18.852 pm

Duration : 34.642 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 20  
FAILED - 4  
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Country dropDown</u>	7.094 s	1	0	1	0	3	2	1	0
<u>Visa Confirmation steps</u>	27.500 s	3	0	3	0	27	18	3	6

#	Feature Name	Scenario Name
1	<u>Country dropDown</u>	<u>Verify the following country available in country dropdown list</u>
2	<u>Visa Confirmation steps</u>	<u>An Australian Coming To UK For Tourism</u>
3		<u>A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months</u>
4		<u>A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@smoke	2	0	2	0	2	0	2	0
@regression	4	0	4	0	2	0	2	0
@author_shraddha	4	0	4	0	2	0	2	0
@sanity	3	0	3	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Country dropDown</u>	1	0	1	0	7.094 s
2	<u>Visa Confirmation steps</u>	3	0	3	0	27.500 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Country dropDown</u>	<u>Verify the following country available in country dropdown list</u>	3	2	1	0	7.085 s
2	<u>Visa Confirmation steps</u>	<u>An Australian Coming To UK For Tourism</u>	7	6	1	0	9.564 s
3		<u>A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months</u>	11	6	1	4	7.631 s
4		<u>A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card</u>	9	6	1	2	10.237 s

## Country dropDown

<b>FAILED</b>	DURATION - 7.094 s	Scenarios		Steps	
/ 4:02:44.210 pm // 4:02:51.304 pm /		Total - 1		Total - 3	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


### Verify the following country available in country dropdown list

<div>FAILED</div> <div>DURATION - 7.085 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:02:44.219 pm // 4:02:51.304 pm /</div>				
<div>Country dropDown</div>				
<div>@smoke @regression @author_shraddha @sanity</div>				



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on start button	PASSED	1.191 s
3	Then I can see following country into dropdown	FAILED	0.034 s
	<div> <div>albania</div> <div>bhutan</div> <div>british-protected-person</div> <div>haiti</div> <div>kazakhstan</div> <div>mozambique</div> <div>norway</div> <div>portugal</div> <div>russia</div> <div>zambia</div> </div>		
	io.cucumber.core.exception.CucumberException: Could not convert arguments for step [I can see following country into dropdown] defined at 'gov.uk.check.visa.steps.CountryDropDownSteps.iCanSeeFollowingCountryIntoDropdown(java.lang.String)'. at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotConvertArguments(PickleStepDefinitionMatch.java:112) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:56)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>Caused by: io.cucumber.datatable.CucumberDataTableException: Can't convert DataTable to java.lang.String. The table contained more than one item: [albania, bhutan, british-protected-person, haiti, kazakhstan, mozambique, norway, portugal, russia, zambia]</p>		





#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.datatable.CucumberDataTableException.cantConvertTo(CucumberDataTableException.java:22) at io.cucumber.datatable.DataTableTypeRegistryTableConverter.toSingleton(DataTableTypeRegistryTableConverter.java:124) at io.cucumber.datatable.DataTableTypeRegistryTableConverter.convert(DataTableTypeRegistryTableConverter.java:91) at io.cucumber.datatable.DataTable.convert(DataTable.java:478) at io.cucumber.core.stepexpression.StepExpressionFactory.lambda\$createExpression\$0(StepExpressionFactory.java:66) at io.cucumber.core.stepexpression.DataTableArgument.getValue(DataTableArgument.java:20) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:47) </pre>		
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.611 s
	Verify the following country available in country dropdown list		
			

## Visa Confirmation steps


FAILED	DURATION - 27.500 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 27 Pass - 18 Fail - 3 Skip - 6	
/ 4:02:51.352 pm // 4:03:18.852 pm /					

## An Australian Coming To UK For Tourism



FAILED		DURATION - 9.564 s			Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 4:02:51.352 pm // 4:03:00.916 pm /						
Visa Confirmation steps						
@smoke @regression @author_shraddha @sanity						

#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	When Click on start button	PASSED	0.474 s
3	Then Select a Nationality 'Australia'	PASSED	0.312 s
4	And Click on Continue button	PASSED	0.443 s
5	And Select reason 'Tourism'	PASSED	2.195 s
6	And Click on Continue button	PASSED	0.372 s
7	And verify result 'You will not need a visa to come to the UK'	FAILED	0.004 s
<p>io.cucumber.core.exception.CucumberException: Step [verify result {string}] is defined with 0 parameters at 'gov.uk.check.visa.steps. VisaConfirmationSteps.verifyResultYouWillNotNeedAVisaToComeToTheUK()'. However, the gherkin step has 1 arguments: * 'You will not need a visa to come to the UK' Step text: verify result 'You will not need a visa to come to the UK'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)  at org.testng.TestRunner.privateRun(TestRunner.java:848)  at org.testng.TestRunner.run(TestRunner.java:621)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p>			


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.403 s
	An Australian Coming To UK For Tourism		
			

## A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months

<div>FAILED</div> <div>DURATION - 7.631 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 4:03:00.933 pm // 4:03:08.564 pm /				
Visa Confirmation steps				
@regression @author_shraddha				

#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.003 s
2	When Click on start button	PASSED	0.455 s
3	Then Select a Nationality 'Chile'	PASSED	0.221 s
4	And Click on Continue button	PASSED	0.459 s
5	And Select reason 'Work, academic visit or business'	PASSED	2.203 s
6	And Click on Continue button	PASSED	0.289 s

#	Step / Hook Details	Status	Duration
7	<p>And Select intended to stay for 'longer than 6 months'</p> <p>io.cucumber.core.exception.CucumberException: Could not invoke step [Select intended to stay for {string}] defined at 'gov.uk.check.visa.steps. VisaConfirmationSteps.selectIntendedToStayForLongerThanMonths(int)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)  at org.testng.TestRunner.privateRun(TestRunner.java:848)  at org.testng.TestRunner.run(TestRunner.java:621)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)  at org.testng.SuiteRunner.run(SuiteRunner.java:336)  at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)  at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)  at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)  at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void gov.uk.check.visa.steps. VisaConfirmationSteps.selectIntendedToStayForLongerThanMonths(int) throws java.lang.InterruptedException at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 39 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre>		
8	And Click on Continue button	SKIPPED	0.001 s
9	And Select have planning to work for 'Health and care professional'	SKIPPED	0.001 s
10	And Click on Continue button	SKIPPED	0.001 s
11	And verify result 'You need a visa to work in health and care'	SKIPPED	0.001 s
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.742 s
	A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months		
			

**A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card**

<b>FAILED</b>	<b>DURATION - 10.237 s</b>		<b>Steps</b> Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 4:03:08.615 pm // 4:03:18.852 pm /				
Visa Confirmation steps				
@regression @author_shraddha @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.001 s
2	When Click on start button	PASSED	0.886 s
3	Then Select a Nationality 'Colombia'	PASSED	0.411 s
4	And Click on Continue button	PASSED	0.291 s
5	And Select reason 'Join partner or family for a long stay'	PASSED	2.190 s
6	And Click on Continue button	PASSED	0.291 s
7	And Select state My partner of family member have uk immigration status 'yes'	FAILED	0.003 s
	io.cucumber.core.exception.CucumberException: Step [Select state My partner of family member have uk immigration status {string}] is defined with 0 parameters at 'gov.uk.check.visa.steps.VisaConfirmationSteps.selectStateMyPartnerOfFamilyMemberHaveUkImmigrationStatusYes()'. However, the gherkin step has 1 arguments: * 'yes' Step text: Select state My partner of family member have uk immigration status 'yes' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
8	And Click on Continue button	SKIPPED	0.001 s
9	And verify result 'You'll need a visa to join your family or partner in the UK'	SKIPPED	0.002 s
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.752 s
	A Colombian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card		
	