Cucumber Report


Duration: 31.869 s Start: Dec 19, 3:57:12.588 pm End: Dec 19, 3:57:44.457 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 20 SKIPPED - 0 SKIPPED - 0 SKIPPED - 6 30 40 50 60 40 50 60 40 50 60 30 Pass % 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 66 % 100 100

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Country dropDown	7.525 s	1	0	1	0	3	2	1	0
Visa Confirmation steps	24.292 s	3	0	3	0	27	18	3	6

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Country dropDown	Verify the following country available in country dropdown list
2	Visa Confirmation steps	An Australian Coming To UK For Tourism
3		A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months
4		A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card

TAG		Scenario			Feature			
Name	T	P	F	S	T	P	F	S
@smoke	2	0	2	0	2	0	2	0
@regression	4	0	4	0	2	0	2	0
@author_shraddha	4	0	4	0	2	0	2	0
@sanity	3	0	3	0	2	0	2	0



#	Feature Name	T	P	F	S	Duration
1	Country dropDown	1	0	1	0	7.525 s
2	<u>Visa Confirmation steps</u>	3	0	3	0	24.292 s

SCENARIOS SUMMARY



-- 6 --


#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Country dropDown	Verify the following country available in country dropdown list	3	2	1	0	7.515 s
2	Visa Confirmation steps	An Australian Coming To UK For Tourism	7	6	1	0	8.223 s
3		A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months	11	6	1	4	8.068 s
4		A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card	9	6	1	2	7.962 s

DETAILED SECTION -- 7 -

Country dropDown

Scenarios		Steps	
Total - 1		Total - 3	
Pass - 0	1	Pass - 2	3
Fail - 1		Fail - 1	📜 ĭ 📕
Skip - 0		Skip - 0	
	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1 Total - 3 Pass - 2 Fail - 1

Verify the following country available in country dropdown list



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	When I click on start button	PASSED	0.716 s
3	Then I can see following country into dropdown	FAILED	0.032 s
	albania bhutan british-protected-person haiti kazakhstan mozambique norway portugal russia zambia io.cucumber.core.exception.CucumberException: Could not convert arguments for step [I can see following country into dropdown] defined at 'gov.uk.check.visa.steps.CountryDropDownSteps.iCanSeeFollowingCountryIntoDropdown(java.lang.String)'. at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotConvertArguments(PickleStepDefinitionMatch.java:112) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:56)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runlnSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	Caused by: io.cucumber.datatable.CucumberDataTableException: Can't convert DataTable to java.lang.String. The table contained more then		
	one item: [albania, bhutan, british-protected-person, haiti, kazakhstan, mozambique, norway, portugal, russia, zambia]		

#	Step / Hook Details	Status	Duration
	at io.cucumber.datatable.CucumberDataTableException.cantConvertTo(CucumberDataTableException.java:22) at io.cucumber.datatable.DataTableTypeRegistryTableConverter.toSingleton(DataTableTypeRegistryTableConverter.java:124) at io.cucumber.datatable.DataTableTypeRegistryTableConverter.convert(DataTableTypeRegistryTableConverter.java:91) at io.cucumber.datatable.DataTable.convert(DataTable.java:478) at io.cucumber.core.stepexpression.StepExpressionFactory.lambda\$createExpression\$0(StepExpressionFactory.java:66) at io.cucumber.core.stepexpression.DataTableArgument.getValue(DataTableArgument.java:20) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:47)		
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify the following country available in country dropdown list Control and Control an	PASSED	0.679 s

Visa Confirmation steps

FAILED DURATION - 24.292 s	Scenarios		Steps	
	Total - 3		Total - 27	
/ 3:57:20.165 pm // 3:57:44.457 pm /	Pass - 0	3	Pass - 18	27
	Fail - 3		Fail - 3	📜 -' 🗾
	Skip - 0		Skip - 6	

An Australian Coming To UK For Tourism



#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.001 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
2	When Click on start button	PASSED	0.833 s
3	Then Select a Nationality 'Australia'	PASSED	0.287 s
4	And Click on Continue button	PASSED	0.379 s
5	And Select reason 'Tourism'	PASSED	2.167 s
6	And Click on Continue button	PASSED	0.263 s
7	And verify result 'You will not need a visa to come to the UK'	FAILED	0.003 s
	io.cucumber.core.exception.CucumberException: Step [verify result {string}] is defined with 0 parameters at 'gov.uk.check.visa.steps. VisaConfirmationSteps.verifyResultYouWillNotNeedAVisaToComeToTheUK()'. However, the gherkin step has 1 arguments: * 'You will not need a visa to come to the UK' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.executeStep_java:56) at io.cucumber.core.runner.PickleStepTestStep.java:56) at io.cucumber.core.runner.TestStep.run(TestStep.java:58) at io.cucumber.core.runner.TestStep.executeStep.run(TestStep.java:58) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.core.runner.RestCase.run(TestCase.java:84) at io.cucumber.core.runner.RestNecutionContext.lambda\$runTestCase\$(CucumberRunner.java:137) at io.cucumber.core.runtime.Rethrowing ThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.Rethrowing ThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.Rethrowing ThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.InterScase(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.CucumberExecutionContext.InterScase(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.InterScase(ScucumberExecutionContext.java:137) at io.cucumber.core.runtime.CucumberExecutionContext.InterScase(ScucumberExecutionContext.java:137) at io.cucumber.core.nuntime.CucumberExecutionContext.InterScase(ScucumberExecutionContext.java:137) at io.cucumb		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.797 s
	An Australian Coming To UK For Tourism		
	Scales in SOLIA. We are server or an		
	secret for my stiffige and recovery percent function. Not be our considered with performance for the stiffige and date or parts when their services.		
	Annual and Annual annua		
	One of Injury reed a UK vision Information based on your MAGRICATION		

A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months



#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.006 s
2	When Click on start button	PASSED	0.454 s
3	Then Select a Nationality 'Chile'	PASSED	0.315 s
4	And Click on Continue button	PASSED	0.252 s
5	And Select reason 'Work, academic visit or business'	PASSED	2.118 s
6	And Click on Continue button	PASSED	0.258 s


DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
7	And Select intended to stay for 'longer than 6 months'	FAILED	0.009 s
	io.cucumber.core.exception.CucumberException: Could not invoke step [Select intended to stay for {string}] defined at 'gov.uk.check.visa.steps. VisaConfirmationSteps.selectIntendedToStayForLongerThanMonths(int)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void gov.uk.check.visa.steps. VisaConfirmationSteps.selectIntendedToStayForLongerThanMonths(int) throws java.lang.InterruptedException at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) 39 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoker.java:66)		
8	And Click on Continue button	SKIPPED	0.001 s
9	And Select have planning to work for 'Health and care professional'	SKIPPED	0.001 s
10	And Click on Continue button	SKIPPED	0.001 s
11	And verify result 'You need a visa to work in health and care'	SKIPPED	0.000 s
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.655 s
	A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months Conin on 60/UK With the first and extraction to the first transfer for for the first transfer for		

A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card



#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.000 s
2	When Click on start button	PASSED	0.450 s
3	Then Select a Nationality 'Colombia'	PASSED	0.261 s
4	And Click on Continue button	PASSED	0.302 s
5	And Select reason 'Join partner or family for a long stay'	PASSED	2.122 s
6	And Click on Continue button	PASSED	0.338 s
7	And Select state My partner of family member have uk immigration status 'yes'	FAILED	0.006 s
	io.cucumber.core.exception.CucumberException: Step [Select state My partner of family member have uk immigration status [string]] is defined with 0 parameters at 'gov.uk.check.visa.steps.VisaConfirmationSteps.selectStateMyPartnerOfFamilyMemberHaveUkImmigrationStatusYes()'. However, the gherkin step has 1 arguments: * 'yes' Step text: Select state My partner of family member have uk immigration status 'yes' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runScenario\$1(TestNGCucumberRunner.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.testng.TestNGCucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.AbstractTestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:139)		

DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And Click on Continue button	SKIPPED	0.000 s
9	And verify result 'You'll need a visa to join your family or partner in the UK'	SKIPPED	0.000 s
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.494 s
	A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card		
	Contain an COULK This care on confusion from the residency and the law confusion was a street of the confusion of the confus		
	Information based on your and the state of t		