

## Meeting Room Booking :

### Tech used :

1. Spring boot
2. Hibernate
3. Aspect oriented Programming
4. swagger
5. Actuator

### DBScript :

MYSQL version 5.7 version is used.


Database script is attached with source code .

**Path :** src/DBScript

**To create table :** TableCreationScript.sql

**To insert into table :** insertDataScript

Table Relations :



**Assumption :**

1. Always Room is booked for 30 minutes .

i.e if booking time is : 12:00 AM then room booked for 12:00 AM to 12:30 PM.

**Swagger URL :**

<http://localhost:8080/swagger-ui.html#/>

**Note: Port 8080 should be changed according to provided port.**

**Controller :****1. AvailableRoomController :**

**URL :** <http://localhost:8080/availableRooms>

**Method Type :** GET

**Description :** This method will give you information about available room with building Name, Floor, roomName and meetingroomType(4 seater or 8 seater).

**Response :** Get the json which consist of all information about rooms.

i.e. [

```
{
  "roomId": 1,
  "roomName": "MR1",
  "building": "BA1",
  "floor": 1,
  "meetingRoomType": "4"
},
{
  "roomId": 2,
  "roomName": "MR2",
  "building": "BA1",
  "floor": 1,
  "meetingRoomType": "4"
},
{
  "roomId": 3,
  "roomName": "MR3",
  "building": "BA1",
  "floor": 1,
  "meetingRoomType": "8"
}
]
```

**2. BookingController :**

**URL :** <http://localhost:8080/booking>

**Request Method :** POST

**Request Body :**

```
[
  {
    "bookingName": "UserName",
    "roomName": "MR2",
    "building": "BA1",
    "floor": 1,
    "meetingRoomType": "4",
    "bookedDateTimeTo": "2017-01-13T17:03:00",
    "bookedDateTimeFrom": "2017-01-13T17:09:42"
  }
]
```

**Description :**

This controller books room with above mentioned requirement.

**Response :**

If room available with mentioned requirement :

Message : **Room Bo oked Successfully with Reference Id referenceId.**

If room is not available with above given requirement :

Message : **No rooms with following requirement is available**

### **3. BookingCancel Controller**

**URL :** /bookingCancel/{referenceId}

**Request Method Type :** POST

**Description :**

It deletes entry of given referenceID from the database so that room will be available for the following time. Parameter {referenceId} can be taken from database table "BookingDetail".

**Response :**

if reference Id is available :

**Message :** Booking Cancelled Successfully

