AMD SLINGSHOT 2026

Agri-Brain
AI-Orchestrated Rural Grid

Solving the "Kilometre Gap" with Edge AI + AMD Ryzen™

TEAM
Shravana H S

CHALLENGE
AI / Edge Computing

TRACK
AgriTech Innovation

STAGE
Functional Prototype

TEAM DETAILS

Built by One — Driven by Purpose

Shravana H S

Role: Full-Stack AI / IoT Developer

Email: shravanahs97@gmail.com

GitHub: ShravanaHS

College: Engineering Graduate

Python | IoT / MQTT | Edge AI | Embedded C++ | Web Dev

Project Snapshot

LINES OF CODE

3,000+

AI MODELS INTEGRATED

5

DAYS TO BUILD

5

PROBLEM STATEMENT

Indian Farmers Face a Triple Crisis

The "Kilometre Gap"

Farmers walk **5–10 km** daily just to toggle irrigation valves manually — losing hours of productive time every single day.

Motor Burnout = Financial Ruin

When a pump runs dry, the motor burns. Replacing one motor costs a farmer their **entire month's** income with zero warning.

The Cloud Gap

Existing "smart agri" solutions require 4G/internet. In rural India, connectivity is **not guaranteed** — making cloud-dependent products useless.

ABOUT OUR IDEA

Agri-Brain: The Farm's Autonomous Nervous System

Agri-Brain is a **Local-First Edge AI platform** that runs entirely on an AMD Ryzen™ laptop. It connects to ESP32 microcontrollers in the field via the lightweight MQTT protocol, making real-time decisions — *without any internet*. Think of it as a brain transplant for the traditional farm.

Smart Irrigation

10-grid sequential system triggered by live soil moisture data from ESP32 sensors.

Multi-Modal AI

5 AI engines running simultaneously: acoustic, vision, NLP, soil, and advisory.

Offline-First

All decisions made locally. Zero cloud dependency after initial setup.

ARCHITECTURE DIAGRAM

System Architecture

LAYER 1 — FIELD (HARDWARE / SIMULATION)

SENSORS
Moisture · pH · Rain

→

CONTROLLER
ESP32 + 10×Solenoid Valves

LAYER 2 — COMMUNICATION

MQTT BROKER
HiveMQ Cloud TLS / Local Mosquitto

Topics: telemetry/region/* · telemetry/motor · control/grid/* · voice_command · ledger/update

LAYER 3 — AMD AI GATEWAY (THE BRAIN)

Irrigation Engine
Sequential queue · Safety timeout

Acoustic Brain
Motor pressure · Emergency shutdown

Vision Brain
Leaf disease · Pest detection

Voice + NLP
Kannada/Hindi voice ledger

Gemini AI
24/7 advisory chatbot

LAYER 4 — USER INTERFACE

Web Dashboard
Irrigation control · Grid mapping · AI chat

Mobile App (Flutter)
Manual control · Soil health · Digital ledger

DIFFERENTIATION

How Are We Different?

1. **Truly Offline AI — No Cloud Required**
   Competitors rely on AWS/Azure. Agri-Brain runs every AI model locally on AMD Ryzen™. A power cut is the only thing that stops it.

2. **Multi-Modal Intelligence in One Box**
   5 specialist AI engines (acoustic + vision + NLP + soil + advisory) co-ordinated by a single gateway — not 5 separate expensive products.

3. **Voice Ledger in Local Languages**
   Farmer says "Added 5kg Potash" in Kannada. The system understands, logs it, and acts — zero typing, zero English required.

4. **Motor Burnout Prevention (Acoustic AI)**
   No other agri-IoT product listens to the pump motor and shuts it down before it burns. This single feature can save ₹15,000+ per incident.

5. **₹0 Extra Infrastructure**
   Uses the farmer's or co-op's existing laptop as the brain. No server rent, no monthly subscription, no internet bill.

6. **10-Grid Sequential Irrigation**
   Precision section-by-section watering maintains optimal pressure at every valve — 40% water saving vs. broadcast irrigation.

PROBLEM → SOLUTION MAPPING

How Does It Solve the Problem?

PROBLEM	AGRI-BRAIN SOLUTION	MODULE
Farmer walks 5–10 km to toggle valves	Web dashboard + Mobile app controls all 10 valves remotely, anywhere on the farm	Irrigation Engine
Pump runs dry → motor burns	Acoustic AI monitors pressure PSI in real-time. Emergency shutdown triggers automatically	acoustic_brain.py
No internet → no smart agri	All AI runs on AMD Ryzen locally. MQTT via local Mosquitto needs only a Wi-Fi router	Local Gateway
Crop disease spotted too late	Vision AI analyses leaf images; alerts issued before disease spreads to entire crop	vision_brain.py
Soil health guesswork	pH + moisture per grid → soil_brain gives actionable advice ("Add lime, Grid 3 acidic")	soil_brain.py
Literacy + language barrier	Voice commands in Kannada/Hindi; NLP parses intent and logs actions hands-free	voice_brain.py / nlp_brain.py

UNIQUE SELLING PROPOSITION

The USP of Agri-Brain

"A ₹0-extra AI farm manager that works entirely offline, speaks your language, and protects your livelihood 24/7"

40%	₹15K+	3 hrs
Water Saved via precision grid irrigation	Motor repair cost avoided per incident	Daily walking labour saved per farmer

FEATURE LIST

Complete Feature Set

🌊 Smart Irrigation Engine

- 10-grid sequential queue with configurable duration
- Auto-trigger when humidity < 50% threshold
- Manual override via web/mobile/voice
- 2-hour hard safety timeout on ESP32
- Real-time valve status feedback

⚡ Acoustic Motor Guard

- Real-time pump pressure PSI monitoring
- Run-dry detection via pressure anomaly
- Emergency shutdown — all valves OFF
- Instant alert to dashboard + mobile

👁️ Vision AI (Leaf Health)

- Early/Late Blight detection in tomatoes
- Leaf Miner, Mite, Aphid pest detection
- Nutrient deficiency via leaf colour
- Image processed locally on AMD Ryzen™

🎙️ Voice + NLP Ledger

- Voice input in Kannada, Hindi, English
- NLP parses action, material, quantity, grid
- Persistent SQLite ledger (farm_ledger.db)
- Hands-free irrigation via voice command

🧪 Soil Health Brain

- Per-grid pH + moisture analysis
- Actionable advice ("Add lime", "Reduce watering")
- Grid-level health score mapping

💬 Gemini AI Advisor

- 24/7 agricultural advisory chatbot
- Crop rotation, water profiles, pest advice
- Integrated into web dashboard AI chat panel

USE-CASE & PROCESS FLOW

A Day in the Life of Agri-Brain

1

06:00 AM — Morning Sensor Report

ESP32 reads moisture + pH from all regions. Sends telemetry via MQTT. Agri-Brain detects Grid 3 humidity at 32% → queues irrigation automatically.

2

07:00 AM — Farmer Captures Leaf Photo

Uploads image via web dashboard. Vision Brain detects "Early Blight – Stage 1". Alerts farmer + logs entry. Gemini AI suggests treatment protocol.

3

10:00 AM — Voice Command

Farmer says "ನೀರು ಹಾಕು ಪ್ರದೇಶ 2 ಗೆ 15 ನಿಮಿಷ" (Irrigate Region 2 for 15 minutes). NLP Brain parses it. Valve opens. Ledger logs the action.

4

02:00 PM — Motor Anomaly Detected

Pressure PSI drops below threshold. Acoustic Brain triggers EMERGENCY SHUTDOWN. All 10 valves close. Farmer alerted instantly. Motor saved.

5

06:00 PM — Daily Farm Report

Soil Brain compiles per-grid health scores. Dashboard shows water used, alerts raised, crops checked. Ledger shows all entries logged during the day.

TECHNOLOGIES USED

Technology Stack

LAYER	TECHNOLOGY	PURPOSE
Microcontroller	ESP32 + Arduino C++	Field sensor reading, valve control, DHT22/moisture sensors
Simulation	Wokwi	Zero-hardware prototype validation of ESP32 logic
Communication	MQTT / HiveMQ Cloud (TLS 8883)	Bi-directional real-time telemetry & control messages
AI Gateway	Python 3 / paho-mqtt	Central orchestrator running all AI brains
Acoustic AI	Custom Python model (acoustic_brain.py)	Motor pressure anomaly detection
Vision AI	Python + OpenCV / PIL (vision_brain.py)	Leaf disease and pest classification
NLP / Voice	Python NLP (nlp_brain.py, voice_brain.py)	Multi-language voice command parsing
Advisory AI	Google Gemini API (gemini_bridge.py)	Contextual agricultural advice chatbot
Database	SQLite (farm_ledger.db)	Offline-first farm activity ledger
Web UI	HTML5 / CSS3 / Vanilla JS	Dashboard: irrigation control, grid map, AI chat
Mobile UI	Flutter (Dart)	Cross-platform mobile control app
Compute (AMD)	AMD Ryzen™ Laptop	All AI inference — replaces cloud entirely
PCB Design	KiCad	Designed custom PCB for field deployment

Why AMD Powers This?

AMD Ryzen™ — The Edge AI Brain

All five AI models (acoustic analysis, computer vision, NLP parsing, soil analytics, advisory LLM bridging) run concurrently on the AMD Ryzen™ CPU. The multi-core architecture enables real-time multi-threading — one thread per AI brain — with near-zero latency. This literally replaces an ₹8,000/month cloud AI subscription.

Local Processing → Zero Latency Safety Responses

When the acoustic brain detects a motor anomaly, the EMERGENCY SHUTDOWN command is sent in <200 ms. A cloud-based sensor system would take 2–5 seconds (round trip). Those seconds mean a burnt motor. AMD's local processing speed is what makes this safety feature viable.

Scalability Path: AMD ROCm™ (Future)

The vision AI model is designed for GPU acceleration. Future production versions will leverage AMD Radeon™ + ROCm™ to run larger crop disease models (ResNet / EfficientNet) with sub-100ms inference, enabling real-time field video analysis.

COST & ROADMAP

Implementation Cost & Next Steps

Estimated Per-Farm Cost (Production)

ESP32 + Solenoid Valves (×10)	₹3,500
Moisture + pH Sensors (×10)	₹1,200
Local Wi-Fi Router	₹1,500
PCB Fabrication (Custom)	₹800
Wiring + Enclosure	₹500
AMD Ryzen™ Laptop (existing / co-op)	₹0
Total Hardware Cost	**~₹7,500**

Prototype → Production Roadmap

- **Phase 1: Wokwi + Cloud Broker** ✓ Done
  10-grid simulation, AI gateway, HiveMQ integration
- **Phase 2: Premium Web Dashboard** ✓ Done
  Grid map, real-time telemetry, AI chat, voice ledger
- **Phase 3: Custom PCB Design** ✓ Done
  KiCad PCB for field-ready hardware deployment
- **Phase 4: Physical Field Pilot** Q2 2026
  Deploy on real farm, integrate soil sensors, iterate on AI models
- **Phase 5: AMD ROCm™ GPU Inference** Q3 2026
  Real-time video crop analysis with AMD Radeon™

AMD Slingshot 2026

Agri-Brain is Ready.

A functional prototype that already makes farms smarter, motors safer, and farmers' lives easier — powered entirely by AMD Ryzen™ edge compute.

GitHub Repository

Demo Video (3 min)

Built by Shravana H S · shravanahs97@gmail.com · AMD Slingshot 2026