

Quiz navigation

[Show one page at a time](#)

Status	Finished
Started	Sunday, 12 January 2025, 8:01 PM
Completed	Sunday, 12 January 2025, 8:24 PM
Duration	23 mins 23 secs

Correct

Flag question

Constraints:

 $1 \leq N \leq 10^{12}$

- The test case contains a single integer N.

For each test case, print a single line containing the string "1" if you can make exactly N rupees or "0" otherwise.



13/01/2025



REC-CIS

SAMPLE INPUT

1

SAMPLE OUTPUT

1

SAMPLE INPUT

2

SAMPLE OUTPUT

0

Answer: (penalty regime: 0 %)

Reset answer

1

2

3

4

5

6

7

/*
* Complete the 'myFunc' function below.
*
* The function is expected to return an INTEGER.
* The function accepts INTEGER n as parameter.
*/

REC-CIS

print(sum(myfunc(200)))

1

Passed all tests! ✓

Question 2

Correct

Marked out of 1.00

Flag question

Find the number of ways that a given integer, X , can be expressed as the sum of the N^{th} powers of unique, natural numbers.

For example, if $X = 13$ and $N = 2$, we have to find all combinations of unique squares adding up to 13 . The only solution is $2^2 + 3^2$.

Function Description

Complete the powerSum function in the editor below. It should return an integer that represents the number of possible combinations.

powerSum has the following parameter(s):

- X: the integer to sum to
- N: the integer power to raise numbers to

Input Format

The first line contains an integer X .

The second line contains an integer N .

Constraints

REC-CIS

$$1 \leq X \leq 1000$$

$$2 \leq N \leq 10$$

Output Format

Output a single integer, the number of possible combinations calculated.

Sample Input 0

10

2

Sample Output 0

1

Explanation 0

If $X = 10$ and $N = 2$, we need to find the number of ways that 10 can be represented as the sum of squares of unique numbers.

$$10 = 1^2 + 3^2$$



Type here to search



08:48
13/01/2025



REC-CIS

This is the only way in which **10** can be expressed as the sum of unique squares.

Sample Input 1

100

2

Sample Output 1

3

Explanation 1

$$100 = (10^2) = (6^2 + 8^2) = (1^2 + 3^2 + 4^2 + 5^2 + 7^2)$$

Sample Input 2

100

3

REC-CIS

Sample Output 2

1

Explanation 2

100 can be expressed as the sum of the cubes of **1, 2, 3, 4**.

(1 + 8 + 27 + 64 = 100). There is no other way to express **100** as the sum of cubes.

Answer: (penalty regime: 0 %)

Reset answer

```

1  /*
2   * Complete the 'powerSum' function below.
3   *
4   * The function is expected to return an INTEGER.
5   * The function accepts following parameters:
6   * 1. INTEGER x
7   * 2. INTEGER n
8   */
9
10 #include<math.h>
11
12 int powerSum(int x, int m, int n)
13 {
14
15     int p=pow(m,n);
16
17

```