

	Technique/Technology	Grade%		Technique/Technology	Grade%
	A custom function	2		Use an If statement	5
	A custom function using parameters	5		Use an If ... Else statement	5
	Use an array	2		Use an If ... Else If statement	5
	Use a jQuery plug in	10		Use a switch statement with at least 3 cases and 1 default	10
	Use an AngularJS nested form	15		Use a For loop	5
	Use a global variable	2		Use a While loop	5
	Use a locally scoped variable	2		Use a Do While loop	5
	Use comments throughout	5		Use getElementsByTagName()	2
	Use an Immediately Invoked Function Expression (IIFE)	10		Use getElementsByClassName()	2
	Use an object	2		Use querySelectorAll()	2
	Use an object with a method (function property)	5		Use the createElement() method	2
	Use an object with an array for a property value	5		Use the createTextNode() method	2
	Access an objects property using dot notation	2		Use the appendChild() method	2
	Access an objects method using dot notation	2		Use the removeChild() method	2
	Create an object literal	2		Use the document.write() method	2
	Create an object using a constructor	5		Use the innerHTML property	2
	Create a Date object	5		Use the getAttribute() method	2
	Use the 'this' keyword effectively	5		Use the removeAttribute() method	2
	Use a built-in method for the window object	2		Use the addEventListener() method	2
	Use a built-in method for the document object	2		Use the event Target property	5
	Use a built-in method for the string object	2		Use the event stopPropagation() method	10
	Use a built-in method for the number object	2		Use a Focus event	2
	Use a built-in method for the Math object	2		Use a Blur event	2
	Use a built-in method for the Date object	2		Use a Click event	2
	Access a built-in property for the window object	2		Use screenX/screenY to determine the mouse position	5
	Access a built-in property for the document object	2		Use a keydown/keyup/keypress event	2
	Access a built-in property for the string object	2		Use 5 jQuery methods	10
	Use a logical AND operator	5		Use 10 jQuery methods	15
	Use a logical OR operator	5		Create an XMLHttpRequest object	15
	Use a logical NOT operator	5		Use the XMLHttpRequest object to get XML/JSON data	15
	Use a 3rd party API	10		Use jQuery UI	10
	Use local/session storage	5		Use a Try ... Catch statement	5
	Use the History object	10		Use form validation on 2 inputs	10