# Perceptron

## April 22, 2021

- 0.1 AI experiential learning
- 0.1.1 Name: Ventrapragada Sai Shravani
- 0.1.2 PRN:17070123120
- 0.1.3 Batch: G-5 (2017-21)
- 0.1.4 Importing Libraries

```
[]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
```

#### 0.1.5 Loading Data

Using Iris flower dataset contains 4 features that describe them and belonging to 3 classes For linear separability of data we use Iris Sentosa and Iris versicolor

```
[]: def load_data():
    URL_='https://archive.ics.uci.edu/ml/machine-learning-databases/iris/iris.

data'
    data = pd.read_csv(URL_, header = None)
    print(data)


# make the dataset linearly separable
    data = data[:100]
    data[4] = np.where(data.iloc[:, -1]=='Iris-setosa', 0, 1)
    data = np.asmatrix(data, dtype = 'float64')
    return data
data = load_data()
```

```
0
              2
                  3
                                4
          1
0
    5.1
        3.5 1.4 0.2
                        Iris-setosa
    4.9
        3.0 1.4 0.2
1
                        Iris-setosa
        3.2 1.3 0.2
2
    4.7
                        Iris-setosa
3
    4.6 3.1 1.5 0.2
                       Iris-setosa
4
    5.0 3.6 1.4 0.2
                       Iris-setosa
```

```
3.0 5.2 2.3 Iris-virginica
145
    6.7
146
    6.3
         2.5 5.0
                  1.9
                        Iris-virginica
147
    6.5
              5.2 2.0
                        Iris-virginica
         3.0
148
    6.2
         3.4
              5.4
                  2.3
                        Iris-virginica
    5.9
         3.0
              5.1
                        Iris-virginica
149
                   1.8
```

[150 rows x 5 columns]

### 0.1.6 Visualising the dataset




#### 0.1.7 Creating a function for perceptron

```
[]: def perceptron(data, num_iter):
       features = data[:, :-1]
       labels = data[:, -1]
       # set weights to zero
       w = np.zeros(shape=(1, features.shape[1]+1))
       misclassified_ = []
       for epoch in range(num_iter):
           misclassified = 0
           for x, label in zip(features, labels):
               x = np.insert(x,0,1)
               y = np.dot(w, x.transpose())
               target = 1.0 if (y > 0) else 0.0
               delta = (label.item(0,0) - target)
               if(delta): # misclassified
                   misclassified += 1
                   w += (delta * x)
           misclassified_.append(misclassified)
       return (w, misclassified_)
   num_iter = 10
   w, misclassified_ = perceptron(data, num_iter)
```

### 0.1.8 Plotting epoch and missclassification

```
[]: epochs = np.arange(1, num_iter+1)
  plt.plot(epochs, misclassified_)
  plt.xlabel('iterations')
  plt.ylabel('misclassified')
  plt.show()
```



```
[]: wget -nc https://raw.githubusercontent.com/brpy/colab-pdf/master/colab_pdf.py from colab_pdf import colab_pdf colab_pdf('Perceptron.ipynb')
```

```
--2021-04-22 07:54:38-- https://raw.githubusercontent.com/brpy/colab-
pdf/master/colab_pdf.py
Resolving raw.githubusercontent.com (raw.githubusercontent.com)...
185.199.109.133, 185.199.110.133, 185.199.108.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com) | 185.199.109.133 | :443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1864 (1.8K) [text/plain]
Saving to: colab_pdf.py
colab_pdf.py
                   100%[========>]
                                                 1.82K --.-KB/s
                                                                    in Os
2021-04-22 07:54:38 (45.9 MB/s) - colab_pdf.py saved [1864/1864]
Mounted at /content/drive/
WARNING: apt does not have a stable CLI interface. Use with caution in scripts.
```

WARNING: apt does not have a stable CLI interface. Use with caution in scripts.

Extracting templates from packages: 100%