```
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

```
import kagglehub
import os

# Load dataset

# Download latest version
path = kagglehub.dataset_download("rahulvyasm/netflix-movies-and-tv-shows")

print("Path to dataset files:", path)

# Assuming the CSV file is named 'netflix_titles.csv' within the downloaded path
csv_file_name = "netflix_titles.csv" # This is a common filename for this dataset
full_csv_path = os.path.join(path, csv_file_name)

# Check if the file exists before reading
if os.path.exists(full_csv_path):
    # Specify encoding as 'latin1' to handle potential UnicodeDecodeError
    df = pd.read_csv(full_csv_path, encoding='latin1')
    print(f"Dataset '{csv_file_name}' loaded into DataFrame 'df'.")
else:
    print(f"Error: Could not find '{csv_file_name}' at '{full_csv_path}'.")
    print("Please inspect the downloaded directory structure to find the correct CSV file name.")
    df = None
```

```
Using Colab cache for faster access to the 'netflix-movies-and-tv-shows' dataset.
Path to dataset files: /kaggle/input/netflix-movies-and-tv-shows
Dataset 'netflix_titles.csv' loaded into DataFrame 'df'.
```

```
# Basic info
print(df.info())
print(df.isnull().sum())
```

```
 #   Column        Non-Null Count  Dtype
---  ------        --------------  -----
 0   show_id       8809 non-null   object
 1   type          8809 non-null   object
 2   title         8809 non-null   object
 3   director      6175 non-null   object
 4   cast          7984 non-null   object
 5   country       7978 non-null   object
 6   date_added    8799 non-null   object
 7   release_year  8809 non-null   int64
 8   rating        8805 non-null   object
 9   duration      8806 non-null   object
 10  listed_in     8809 non-null   object
 11  description   8809 non-null   object
 12  Unnamed: 12   0 non-null      float64
 13  Unnamed: 13   0 non-null      float64
 14  Unnamed: 14   0 non-null      float64
 15  Unnamed: 15   0 non-null      float64
 16  Unnamed: 16   0 non-null      float64
 17  Unnamed: 17   0 non-null      float64
 18  Unnamed: 18   0 non-null      float64
 19  Unnamed: 19   0 non-null      float64
 20  Unnamed: 20   0 non-null      float64
 21  Unnamed: 21   0 non-null      float64
 22  Unnamed: 22   0 non-null      float64
 23  Unnamed: 23   0 non-null      float64
 24  Unnamed: 24   0 non-null      float64
 25  Unnamed: 25   0 non-null      float64
dtypes: float64(14), int64(1), object(11)
memory usage: 1.7+ MB
None
show_id            0
type               0
title              0
director        2634
cast             825
country          831
date_added        10
release_year       0
rating             4
duration           3
listed_in          0
description        0
Unnamed: 12     8809
```

```
Unnamed: 16     8809
Unnamed: 17     8809
Unnamed: 18     8809
Unnamed: 19     8809
Unnamed: 20     8809
Unnamed: 21     8809
Unnamed: 22     8809
Unnamed: 23     8809
Unnamed: 24     8809
Unnamed: 25     8809
dtype: int64
```

```
# Handling missing values
df['director'].fillna('Unknown', inplace=True)
df['cast'].fillna('Unknown', inplace=True)
df['country'].fillna('Unknown', inplace=True)
```

```
/tmp/ipykernel_6871/810504010.py:2: FutureWarning: A value is trying to be set on a copy of a DataFrame or Series through ch
The behavior will change in pandas 3.0. This inplace method will never work because the intermediate object on which we are

For example, when doing 'df[col].method(value, inplace=True)', try using 'df.method({col: value}, inplace=True)' or df[col]


  df['director'].fillna('Unknown', inplace=True)
/tmp/ipykernel_6871/810504010.py:3: FutureWarning: A value is trying to be set on a copy of a DataFrame or Series through ch
The behavior will change in pandas 3.0. This inplace method will never work because the intermediate object on which we are

For example, when doing 'df[col].method(value, inplace=True)', try using 'df.method({col: value}, inplace=True)' or df[col]


  df['cast'].fillna('Unknown', inplace=True)
/tmp/ipykernel_6871/810504010.py:4: FutureWarning: A value is trying to be set on a copy of a DataFrame or Series through ch
The behavior will change in pandas 3.0. This inplace method will never work because the intermediate object on which we are

For example, when doing 'df[col].method(value, inplace=True)', try using 'df.method({col: value}, inplace=True)' or df[col]


  df['country'].fillna('Unknown', inplace=True)
```

```
# Convert date
df['date_added'] = pd.to_datetime(df['date_added'], errors='coerce')
```

```
# Movies vs TV Shows
sns.countplot(x='type', data=df)
plt.title("Movies vs TV Shows")
plt.show()
```




```
# Top countries
top_country = df['country'].value_counts().head(10)
top_country.plot(kind='bar')
plt.title("Top 10 Countries")
plt.show()
```




```
# Release trend
df['release_year'].value_counts().sort_index().plot()
plt.title("Content Release Trend")
plt.show()
```