



Shree Gopala Sanwaria Chemicals

Manufacturing Excellence Since 1998 | Hisar, Haryana

Product Catalogue

2025 – 2026 Edition

METAL INGOTS

- Zinc Ingots — Primary (SHG)
- Zinc Ingots — Secondary (Remelt)
- Aluminium Ingots (Secondary)
- Brass Ingots — Primary
- Brass Ingots — Secondary
- Copper Ingots — Secondary

METAL POWDERS

- Zinc Powder (Zinc Dust)


CHEMICALS

- Zinc Chloride
- Zinc Sulphate
- Zinc Oxide
- Copper Sulphate
- Manganese Sulphate
- Ferrous Sulphate (Iron Sulphate)
- Magnesium Sulphate
- Zinc Flux — Powder & Liquid
- Ammonium Chloride
- Zinc Stearate
- Zinc Active Oxide
- Aluminium Sulphate
- Zinc Phosphate

SHREE GOPALA SANWARIA CHEMICALS (SGSC)

Hisar, Haryana, India | www.shreegopalagroup.com
shreegopalsanwariachemicals@gmail.com | +91 9999665479

METAL INGOTS



METAL INGOTS

PRODUCT RANGE

Products in this section:

1. Zinc Ingots — Primary (SHG)
2. Zinc Ingots — Secondary (Remelt)
3. Aluminium Ingots (Secondary)
 4. Brass Ingots — Primary
 5. Brass Ingots — Secondary
 6. Copper Ingots — Secondary

Zinc Ingots — Primary (SHG)

CAS 7440-66-6 | Purity: ≥99.995%

METALS

PRODUCT OVERVIEW

Shree Gopala Sanwaria Chemicals supplies Special High Grade (SHG) Primary Zinc Ingots conforming to IS 209 and LME specifications. Sourced from certified primary smelters, these ingots deliver exceptional purity for critical galvanizing, die-casting, and alloying applications across India and export markets.



TECHNICAL SPECIFICATIONS

Zn Content	≥ 99.995%
Lead (Pb)	≤ 0.003%
Iron (Fe)	≤ 0.002%
Cadmium (Cd)	≤ 0.001%
Copper (Cu)	≤ 0.001%
Weight/ingot	18 – 25 kg
Standard	IS 209 / LME

KEY APPLICATIONS

- 1 Hot-dip galvanizing of steel structures, pipes & sheets

2 Die-casting of automotive & electrical components

3 Zinc alloy production (brass, bronze, zamak)

4 Battery anode & zinc-air cell manufacturing
- 5 Chemical manufacturing feedstock (ZnCl₂, ZnO)

6 Anti-corrosion primers and protective coatings

7 Export supply to galvanizing plants in Middle East & SE Asia

8 Zinc salt & chemical intermediate manufacturing



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

25 kg ingots in 1 MT strapped lifts • 20-ft / 40-ft containers • Min order: 5 MT

Zinc Ingots — Secondary (Remelt)

CAS 7440-66-6 | Purity: 98.0 – 99.5%

METALS

PRODUCT OVERVIEW

Our Secondary / Remelt Zinc Ingots are produced from recycled zinc scrap through a controlled remelt and refining process. They offer a cost-effective alternative to primary zinc for die-casting, galvanizing additions, and brass production where ultra-high purity is not required.



TECHNICAL SPECIFICATIONS

Zn Content	98.0 – 99.5%
Lead (Pb)	≤ 0.5%
Iron (Fe)	≤ 0.05%
Aluminium (Al)	≤ 0.05%
Weight/ingot	18 – 25 kg
Grade	Secondary / Remelt
Origin	Recycled zinc scrap

KEY APPLICATIONS

- 1 Secondary die-casting for non-critical components
- 2 Galvanizing bath kettle additions
- 3 Brass & bronze alloy production
- 4 Zinc-based sacrificial anode manufacture
- 5 Foundry alloying and metallurgical use
- 6 Cost-optimised industrial applications
- 7 Remelt & refinery operations
- 8 Zinc dross and skimmings processing



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

25 kg ingots in ~1 MT lifts • Flexible lots from 5 MT • FCL/LCL shipping available

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com
+91 9999665479

Aluminium Ingots (Secondary)

CAS 7429-90-5 | Grades: LM2, LM4, LM6, ADC-12

METALS

PRODUCT OVERVIEW

We supply secondary Aluminium Ingots (Al ≥98%) conforming to IS 617 and international alloy specifications (LM-series, ADC-12). Our ingots are widely used by die-casters, foundries, and re-rollers across India, offering consistent chemistry and reliable supply.



TECHNICAL SPECIFICATIONS

Al Content (Secondary)	≥ 98.0%
Si content	Up to 12% (alloy grades)
Fe	≤ 0.8%
Grades	LM2, LM4, LM6, ADC-12
Weight/ingot	18 – 25 kg
Standard	IS 617 / BIS
Origin	Secondary / Remelt

KEY APPLICATIONS

- 1 Pressure die-casting (automotive parts)
- 2 Gravity & sand casting for engineering components
- 3 Re-rolling into sheets, foils, and strips
- 4 Electrical conductor alloy manufacturing
- 5 Construction and architectural extrusions
- 6 Heat exchanger and cookware manufacture
- 7 Automotive & two-wheeler alloy wheels
- 8 Export supply to foundries in South Asia



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

7–8 kg T-bar ingots in 1 MT bundled lifts • FCL/LCL shipments • Min order: 5 MT

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com
+91 9999665479

Brass Ingots — Primary

Cu: 58–63% | Zn: Balance | IS 319 / IS 291

METAL INGOTS

PRODUCT OVERVIEW

Shree Gopala Sanwaria Chemicals supplies Primary Brass Ingots conforming to IS 319 and IS 291 specifications. With copper content of 58–63% and balance zinc, these ingots offer excellent machinability, corrosion resistance, and castability for precision engineering and decorative applications.



TECHNICAL SPECIFICATIONS

Cu Content	58 – 63%
Zn Content	Balance (37–42%)
Pb	≤ 3.5%
Fe	≤ 0.30%
Sn	≤ 0.50%
Grade	LG2 / LG3 / IS 319
Weight/ingot	18 – 25 kg

KEY APPLICATIONS

- 1

Plumbing fittings, valves & taps (IS 319 grade)
- 2

Electrical connectors, terminals & switchgear parts
- 3

Precision turned components & fasteners
- 4

Architectural & decorative hardware
- 5

Bearing bushes, thrust washers & bearing cages
- 6

Hydraulic & pneumatic valve bodies
- 7

Musical instruments & medallions
- 8

Export quality sanitary fittings

PACKAGING & SUPPLY

6–8 kg ingots in ~1 MT bundled lifts • Min order: 3 MT • FCL/LCL available

Brass Ingots — Secondary

Cu: 55–62% | Zn: 35–42% | Recycled Grade

METAL INGOTS

PRODUCT OVERVIEW

Our Secondary Brass Ingots are produced from high-grade recycled brass scrap through controlled melting and refining. They offer a cost-effective solution for die-casting and non-critical applications where primary-grade chemistry is not essential.



TECHNICAL SPECIFICATIONS

Cu Content	55 – 62%
Zn Content	35 – 42%
Pb	≤ 4.0%
Fe	≤ 0.50%
Grade	Secondary / Remelt
Origin	Recycled brass scrap
Weight/ingot	18 – 25 kg

KEY APPLICATIONS

- 1 Die-casting of non-critical brass components
- 2 Decorative castings & gift articles
- 3 Furniture fittings & hardware
- 4 Automotive brass parts (non-precision)
- 5 Industrial casting & foundry use
- 6 Lamp bases and decorative metal items
- 7 Cost-optimised plumbing accessories
- 8 Secondary remelt and refinery operations



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

6–8 kg ingots in ~1 MT bundled lifts • Min order: 3 MT • Flexible lot sizes

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com
+91 9999665479

Copper Ingots — Secondary

CAS 7440-50-8 | Cu ≥ 98.5% | Recycled Grade

METAL INGOTS

PRODUCT OVERVIEW

SGSC supplies Secondary Copper Ingots (Cu ≥98.5%) produced from high-purity copper scrap and cathode remelt. Our copper ingots are widely used by wire drawers, alloy manufacturers, and electrical equipment producers, offering reliable chemistry and consistent physical properties at competitive pricing.



TECHNICAL SPECIFICATIONS

Cu Content	≥ 98.5%
Pb	≤ 0.05%
Fe	≤ 0.05%
Sn	≤ 0.05%
Grade	Secondary / Remelt
Weight/ingot	18 – 25 kg
Origin	Copper scrap / cathode remelt

KEY APPLICATIONS

- 1

Wire drawing & electrical cable manufacturing
- 2

Electrical windings, motors & transformers
- 3

Plumbing pipes, fittings & heat exchangers
- 4

Copper alloy & brass production
- 5

Printed circuit board & electronics manufacturing
- 6

Renewable energy — solar & EV applications
- 7

Industrial machinery & equipment
- 8

Architectural copper cladding & roofing

- ✓

BIS Certified
- ✓

COA with Every Batch
- ✓

PAN India Delivery
- ✓

Custom Grades

PACKAGING & SUPPLY

5–10 kg ingots in ~1 MT bundled lifts • Min order: 3 MT • FCL/LCL available

METAL POWDERS



METAL POWDERS

PRODUCT RANGE

Products in this section:

1. Zinc Powder (Zinc Dust)

Zinc Powder (Zinc Dust)

CAS 7440-66-6 | All mesh: 100, 200, 325, 500

METAL POWDERS

PRODUCT OVERVIEW

SGSC supplies Zinc Powder / Zinc Dust in all standard mesh sizes — 100, 200, 325, and 500 mesh — in Primary ($\geq 99.9\%$ Zn) and Secondary grades. Secondary grade: Metallic Zn $\geq 91\%$, Total Zn $\geq 95\%$. Used across paints, chemicals, pharmaceuticals, and hydrometallurgical processes.



TECHNICAL SPECIFICATIONS

Primary grade (Metallic Zn)	$\geq 99.9\%$
Secondary — Metallic Zn	$\geq 91.0\%$
Secondary — Total Zn	$\geq 95.0\%$
Available mesh	100 / 200 / 325 / 500
Particle size	45 μm – 150 μm
Apparent density	2.5 – 3.5 g/cc
Moisture	$\leq 0.05\%$

KEY APPLICATIONS

- 1

Zinc-rich anti-corrosion paints & epoxy primers
- 2

Chemical synthesis as a reducing agent
- 3

Pharmaceutical & nutritional intermediates
- 4

Galvanic / sacrificial cathodic protection
- 5

Cementation process in hydrometallurgy
- 6

Pyrotechnics and specialty chemical reactions
- 7

Electronic & automotive coating formulations
- 8

Dental cement and healthcare applications



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

25 kg HDPE bags with inner PE liner • 50 kg steel drums • Palletised • Min order: 500 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

CHEMICALS



CHEMICALS

PRODUCT RANGE

Products in this section:

1. Zinc Chloride
2. Zinc Sulphate
3. Zinc Oxide
4. Copper Sulphate
5. Manganese Sulphate
6. Ferrous Sulphate (Iron Sulphate)
7. Magnesium Sulphate
8. Zinc Flux — Powder & Liquid
9. Ammonium Chloride
10. Zinc Stearate
11. Zinc Active Oxide
12. Aluminium Sulphate
13. Zinc Phosphate

Zinc Chloride

CAS 7646-85-7 | Formula: ZnCl₂

CHEMICALS

ZnCl₂

PRODUCT OVERVIEW

Zinc Chloride is a white deliquescent solid manufactured by dissolving zinc metal or zinc oxide in hydrochloric acid. SGSC produces high-purity anhydrous and liquid grades used as a flux in galvanizing, a catalyst in organic synthesis, and as a wood preservative.



TECHNICAL SPECIFICATIONS

ZnCl ₂ Assay	≥ 98.0% (anhydrous)
Zn content	≥ 47.0%
Iron (Fe)	≤ 0.001%
Lead (Pb)	≤ 0.001%
Sulphate	≤ 0.01%
pH (5% soln)	4.0 – 6.0
Form	White solid / 50% liquid

KEY APPLICATIONS

- 1

Galvanizing flux (prevents oxide formation on steel)
- 2

Textile processing, sizing & mercerizing
- 3

Paper & pulp manufacturing auxiliary
- 4

Catalyst in Friedel-Crafts organic synthesis
- 5

Wood preservation & fire retardant treatment
- 6

Dry cell / Leclanche battery electrolyte
- 7

Soldering flux for electronics & PCB assembly
- 8

Water purification and disinfection agent



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

50 kg HDPE bags • 250 kg drums • IBC tankers (liquid grade) • Bulk on request

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Page 12 of 25

Confidential — For Client Use Only

Zinc Sulphate


CAS 7446-20-0 (Mono) | 7446-19-7 (Hepta)

CHEMICALS

ZnSO4

PRODUCT OVERVIEW

SGSC manufactures Zinc Sulphate Monohydrate ($\text{ZnSO}_4 \cdot \text{H}_2\text{O}$, $\text{Zn} \geq 33\%$) and Heptahydrate ($\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$, $\text{Zn} \geq 21\%$). The world's most consumed zinc salt — essential in agriculture, rayon manufacturing, and electroplating.



TECHNICAL SPECIFICATIONS

Monohydrate ($\text{ZnSO}_4 \cdot \text{H}_2\text{O}$)	$\text{Zn} \geq 33.0\%$
Heptahydrate ($\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$)	$\text{Zn} \geq 21.0\%$
Assay	$\geq 98.0\%$
Iron (Fe)	$\leq 0.002\%$
Lead (Pb)	$\leq 0.001\%$
Heavy metals	$\leq 0.001\%$
Appearance	White crystalline powder

KEY APPLICATIONS

- 1 Zinc micronutrient fertiliser — soil and foliar spray
- 2 Animal & poultry feed supplement
- 3 Rayon / viscose fibre coagulation bath
- 4 Electroplating & galvanising bath additive
- 5 Pharmaceutical zinc supplement formulations
- 6 Textile dyeing & printing mordant
- 7 Micronutrient in animal nutrition (cattle, sheep)
- 8 Zinc supplement in aquaculture & fish feeds

✓
BIS Certified

✓
COA with Every Batch

✓
PAN India Delivery

✓
Custom Grades

PACKAGING & SUPPLY

50 kg HDPE bags with inner PE liner • 500 kg / 1000 kg jumbo bags • Min order: 1 MT

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Page 13 of 25

Confidential — For Client Use Only

Zinc Oxide

CAS 1314-13-2 | Formula: ZnO

CHEMICALS

ZnO

PRODUCT OVERVIEW

Zinc Oxide is a versatile white powder manufactured via the French (indirect) process. SGSC's ZnO is used across rubber vulcanization, ceramics, paints, cosmetics, and pharmaceuticals. Available in standard and high-surface-area grades per specification.



TECHNICAL SPECIFICATIONS

ZnO Content	≥ 99.5%
Lead (Pb)	≤ 0.001%
Cadmium (Cd)	≤ 0.001%
Iron (Fe)	≤ 0.003%
Loss on ignition	≤ 0.5%
Oil absorption	12 – 18 g/100g
Process	French / Direct process

KEY APPLICATIONS

- 1 Rubber vulcanization activator (accelerates cure)

2 Paints & coatings as a UV stabiliser

3 Ceramics, glazes & glass manufacturing

4 Cosmetics & sunscreen (UV filter / SPF boost)
- 5 Pharmaceutical & medicinal topical creams

6 Animal feed micronutrient (EU E6 additive)

7 Electrical varistor (surge protection) components

8 Concrete & cement additive / accelerator



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

25 kg multi-wall paper bags • 50 kg HDPE bags • 1 MT bulk bags • Min order: 500 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Page 14 of 25

Confidential — For Client Use Only

Copper Sulphate

CAS 7758-99-8 | Formula: CuSO4.5H2O

CHEMICALS

CuSO4

PRODUCT OVERVIEW

Copper Sulphate Pentahydrate (Blue Vitriol) is a striking blue crystalline solid with widespread applications in agriculture, electroplating, water treatment, and fungicide formulations. SGSC supplies both technical and agriculture-grade material.



TECHNICAL SPECIFICATIONS

CuSO4·5H2O Assay	≥ 98.0%
Cu content	≥ 25.0%
Iron (Fe)	≤ 0.005%
Insolubles	≤ 0.05%
pH (5% soln)	3.5 – 4.5
Appearance	Blue crystals/powder
Grade	Technical & Agriculture

KEY APPLICATIONS

- 1

Agriculture — Bordeaux mixture & fungicide sprays
- 2

Electroplating & copper refining bath additive
- 3

Water treatment & algae / microbial control
- 4

Veterinary medicine — footbaths for livestock
- 5

Pigment, dye & printing ink manufacturing
- 6

CCA wood preservation treatment
- 7

Swimming pool & water body algae control
- 8

Mineral supplement in animal & poultry feed



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

50 kg HDPE bags • 25 kg bags • 250 kg drums • Min order: 500 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Manganese Sulphate

CAS 10034-96-5 | Formula: $\text{MnSO}_4 \cdot \text{H}_2\text{O}$

CHEMICALS

MnSO_4

PRODUCT OVERVIEW

Manganese Sulphate Monohydrate is a pale pink crystalline powder used as a micronutrient fertiliser, animal feed additive, and in electrolytic manganese dioxide (EMD) production for batteries. SGSC supplies high-purity grades for agricultural and industrial use.



TECHNICAL SPECIFICATIONS

MnSO ₄ ·H ₂ O Assay	≥ 98.0%
Mn content	≥ 31.8%
Iron (Fe)	≤ 0.003%
Heavy metals	≤ 0.001%
Appearance	Pale pink powder
pH (5% soln)	4.5 – 6.5
Grade	Technical & Agriculture

KEY APPLICATIONS

- 1 Micronutrient fertiliser for Mn-deficient soils
- 2 Animal & poultry feed supplement
- 3 Electrolytic manganese dioxide (EMD) for batteries
- 4 Ceramic glaze colourant
- 5 Textile dyeing auxiliary
- 6 Chemical catalyst and process intermediate
- 7 Li-ion battery cathode material (NMC precursor)
- 8 Boron-Manganese micronutrient blend formulations



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

50 kg HDPE bags • 25 kg bags • 500 kg / 1000 kg jumbo bags • Min order: 500 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Page 16 of 25

Confidential — For Client Use Only

Ferrous Sulphate (Iron Sulphate)

CAS 7782-63-0 | Formula: $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$

CHEMICALS

FeSO_4

PRODUCT OVERVIEW

Ferrous Sulphate Heptahydrate (Green Vitriol) is a pale green crystalline solid produced as a by-product of industrial processes. Widely used in water treatment, cement colouring, plant nutrition, and as a reducing agent in chemical synthesis.



TECHNICAL SPECIFICATIONS

FeSO ₄ ·7H ₂ O Assay	≥ 98.0%
Fe content	≥ 20.0%
Free acid (H ₂ SO ₄)	≤ 0.3%
Heavy metals	≤ 0.002%
Appearance	Pale green crystals
Grade	Technical & Agriculture
Solubility	~26 g/100 ml at 20°C

KEY APPLICATIONS

- 1

Water & effluent treatment (phosphate removal)
- 2

Cement & concrete colouring agent
- 3

Iron micronutrient for plants (chlorosis treatment)
- 4

Reducing agent in organic & inorganic synthesis
- 5

Haematite / iron oxide pigment production
- 6

Dietary iron supplement formulations
- 7

Soil pH correction (acidifying agent)
- 8

Drinking water purification auxiliary



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

50 kg HDPE bags • 25 kg bags • 500 kg jumbo bags • Min order: 500 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Page 17 of 25

Confidential — For Client Use Only

Magnesium Sulphate

CAS 10034-99-8 | Formula: $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$

CHEMICALS

MgSO_4

PRODUCT OVERVIEW

Magnesium Sulphate Heptahydrate (Epsom Salt) is a white crystalline product used in agriculture as an Mg and S source, in the textile and paper industries, as a pharmaceutical laxative, and in bath salts. SGSC supplies technical and agricultural grades.



TECHNICAL SPECIFICATIONS

MgSO ₄ ·7H ₂ O Assay	≥ 99.0%
Mg content	≥ 9.8%
Iron (Fe)	≤ 0.002%
Heavy metals	≤ 0.001%
Appearance	White crystals/powder
Grade	Technical & Agriculture
Solubility	~71 g/100 ml at 20°C

KEY APPLICATIONS

- 1 Magnesium micronutrient fertiliser (soil & foliar)
- 2 Pharmaceutical laxative & IV infusion
- 3 Textile processing & fabric printing
- 4 Paper & pulp manufacturing additive
- 5 Bath salts, cosmetics & personal care
- 6 Fireproofing & construction materials
- 7 Concrete / cement admixture
- 8 Swimming pool & water body pH stabiliser



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

50 kg HDPE bags • 25 kg bags • 1 MT bulk bags • IBC on request • Min order: 500 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Zinc Flux — Powder & Liquid

CAS 14639-97-5 | Formula: $\text{ZnCl}_2 \cdot 2\text{NH}_4\text{Cl}$

CHEMICALS

$\text{ZnCl}_2 \cdot 2\text{NH}_4\text{Cl}$

PRODUCT OVERVIEW

Zinc Flux (Zinc Ammonium Chloride) is a critical pre-treatment chemical used in hot-dip galvanizing to remove residual oxides from steel surfaces, ensuring optimal adhesion of the zinc coating. SGSC supplies high-purity flux in dry powder form and ready-to-use liquid solution for galvanizing plants across India.



TECHNICAL SPECIFICATIONS

Assay ($\text{ZnCl}_2 \cdot 2\text{NH}_4\text{Cl}$)	$\geq 98.0\%$
ZnCl_2 content	56 – 60%
NH_4Cl content	40 – 44%
Fe content	$\leq 0.001\%$
Available forms	Dry Powder & Liquid Solution
pH (10% solution)	3.5 – 4.5
Grade	Galvanizing / Industrial

KEY APPLICATIONS

- Pre-flux bath in hot-dip galvanizing plants
- Flux additive in batch galvanizing operations
- Surface cleaning & oxide removal on steel
- Continuous galvanizing line flux treatment
- Zinc alloy coating pre-treatment
- Soldering flux in electronics & plumbing
- Metallurgical flux in foundry operations
- Tin plating and electroplating auxiliary



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

50 kg HDPE bags • 25 kg bags • 1000 L IBC liquid solution • Min order: 500 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Page 19 of 25

Confidential — For Client Use Only

Ammonium Chloride

CAS 12125-02-9 | Formula: NH4Cl

CHEMICALS

NH4Cl

PRODUCT OVERVIEW

Ammonium Chloride (Sal Ammoniac) is a white crystalline inorganic salt with diverse industrial applications. SGSC supplies technical and industrial grades used as a galvanizing flux component, nitrogen fertiliser, and chemical intermediate across multiple sectors including metals, agriculture, and pharmaceuticals.



TECHNICAL SPECIFICATIONS

NH4Cl Assay	≥ 99.5%
Moisture	≤ 0.5%
Fe	≤ 0.001%
Heavy metals	≤ 0.001%
Appearance	White crystalline powder
pH (5% solution)	4.5 – 5.5
Grade	Technical / Industrial / Agriculture

KEY APPLICATIONS

- 1 Galvanizing & tinning flux (key ingredient)
- 2 Nitrogen source in NPK fertilisers & agriculture
- 3 Electroplating bath additive
- 4 Dry cell / Leclanche battery electrolyte
- 5 Pharmaceutical & veterinary preparations
- 6 Food additive (E510) in bread & yeast activation
- 7 Textile dyeing & leather tanning auxiliary
- 8 Fire extinguishing compound & safety matches



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

50 kg HDPE bags • 25 kg bags • 500 kg jumbo bags • Min order: 500 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Zinc Stearate


CAS 557-05-1 | Formula: $\text{Zn}(\text{C}_{18}\text{H}_{35}\text{O}_2)_2$

CHEMICALS

$\text{Zn}(\text{C}_{18}\text{H}_{35}\text{O}_2)_2$

PRODUCT OVERVIEW

Zinc Stearate is a fine white powder — the zinc salt of stearic acid — widely used as a release agent, lubricant, and stabiliser. SGSC supplies high-purity Zinc Stearate for rubber, plastics, cosmetics, paints, and pharmaceutical applications, with consistent particle size and low heavy-metal content.



TECHNICAL SPECIFICATIONS

Zn content	10.0 – 11.0%
Free acid	$\leq 0.5\%$
Moisture	$\leq 1.0\%$
Melting point	118 – 125°C
Appearance	Fine white powder
Fineness (100 mesh)	$\geq 99\%$
Grade	Rubber / Plastic / Cosmetic

KEY APPLICATIONS

- 1 Rubber processing — activator & release agent
- 2 PVC & plastic stabiliser (heat & light)
- 3 Cosmetics — talcum powder & pressed powders
- 4 Paint & coatings — flatting/matting agent
- 5 Pharmaceutical tablet lubricant & coating aid
- 6 Polyurethane foam processing & release
- 7 Paper sizing & surface conditioning agent
- 8 Construction — waterproofing & concrete release



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

25 kg HDPE bags with PE liner • 20 kg craft paper bags • Min order: 250 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Page 21 of 25

Confidential — For Client Use Only

Zinc Active Oxide

CAS 1314-13-2 | Active ZnO | High Surface Area

CHEMICALS

ZnO*

PRODUCT OVERVIEW

Zinc Active Oxide (Active ZnO) is a specially manufactured high-surface-area grade of zinc oxide produced via the wet chemical / French process. Its superior reactivity and surface area make it the preferred choice for rubber vulcanisation, premium paints, and pharmaceutical applications requiring fast dissolution and high bioavailability.



TECHNICAL SPECIFICATIONS

ZnO Assay	≥ 99.7%
BET Surface Area	40 – 60 m²/g
Pb content	≤ 0.001%
Fe content	≤ 0.003%
Moisture	≤ 0.3%
Appearance	Fine white fluffy powder
Grade	Active / French Process

KEY APPLICATIONS

- 1 Premium rubber vulcanisation activator
- 2 High-performance tyre compounding
- 3 Specialty paints, UV-protective coatings
- 4 Pharmaceutical ZnO creams & ointments
- 5 Cosmetics — sunscreen & zinc supplements
- 6 Ceramic glaze and specialty glass
- 7 Adhesives, sealants & elastomers
- 8 Electronics — varistors & piezoelectrics



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

25 kg HDPE bags with PE inner liner • 50 kg paper bags • Min order: 250 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Aluminium Sulphate


CAS 10043-01-3 | Formula: $\text{Al}_2(\text{SO}_4)_3 \cdot 16\text{H}_2\text{O}$

CHEMICALS

$\text{Al}_2(\text{SO}_4)_3$

PRODUCT OVERVIEW

Aluminium Sulphate (Alum) is a white crystalline solid supplied by SGSC in Non-Ferric and Ferric grades conforming to IS 260. The industry-standard coagulant for water & effluent treatment, it is also widely used in paper sizing, textile dyeing, and tanning. Available as slabs, lumps, crystals, and powder.



TECHNICAL SPECIFICATIONS

Al ₂ O ₃ — Non-Ferric grade	≥ 16.0%
Al ₂ O ₃ — Ferric grade	≥ 15.0%
Iron (Fe ₂ O ₃) — Non-Ferric	≤ 0.01%
Water insolubles	≤ 0.5%
pH (5% soln)	2.5 – 3.5
Forms	Slabs, lumps, crystals & powder
Standard	IS 260 / Water Treatment Grade

KEY APPLICATIONS

- 1 Drinking water & municipal treatment coagulant
- 2 Effluent & sewage treatment plants (ETP / STP)
- 3 Paper & pulp — rosin sizing & retention aid
- 4 Textile dyeing & printing mordant
- 5 Fire extinguisher foam & fireproofing compounds
- 6 Leather tanning & hide processing auxiliary
- 7 Soil pH correction & horticulture applications
- 8 Pigment, lake colour & dye manufacturing



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

50 kg HDPE bags • 25 kg bags • 500 kg / 1000 kg jumbo bags • Min order: 1 MT

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com
+91 9999665479

Page 23 of 25

Confidential — For Client Use Only

Zinc Phosphate

CAS 7779-90-0 | Formula: $\text{Zn}_3(\text{PO}_4)_2$

CHEMICALS

$\text{Zn}_3(\text{PO}_4)_2$

PRODUCT OVERVIEW

Zinc Phosphate is a fine white anti-corrosive pigment powder, insoluble in water and free of toxic heavy metals. SGSC supplies paint-grade Zinc Phosphate as the eco-friendly replacement for chromate and red-lead pigments in protective primers and coatings.



TECHNICAL SPECIFICATIONS

Zn ₃ (PO ₄) ₂ Assay	≥ 98.0%
Zn content	45 – 52%
P ₂ O ₅ content	≥ 30.0%
pH (5% soln)	6.5 – 8.0
Water solubles	≤ 0.5%
Fineness (325 mesh)	≥ 99%
Appearance	Fine white powder

KEY APPLICATIONS

- 1 Anti-corrosive pigment for primers & paints
- 2 Eco-friendly substitute for chromate & red lead
- 3 Epoxy, alkyd & polyurethane primer systems
- 4 Phosphate conversion coatings on steel
- 5 Marine, automotive & industrial coatings
- 6 Coil coating & galvanised surface pre-treatment
- 7 Dental cements & restorative compounds
- 8 Ceramic frits, glass & specialty formulations



BIS Certified



COA with Every Batch



PAN India Delivery



Custom Grades

PACKAGING & SUPPLY

25 kg HDPE bags with PE liner • 50 kg fibre drums • Min order: 250 kg

Shree Gopala Sanwaria Chemicals (SGSC)

Hisar, Haryana | www.shreegopalagroup.com | shreegopalsanwariachemicals@gmail.com

+91 9999665479

Page 24 of 25

Confidential — For Client Use Only

Get In Touch

Place your order or enquire about our products

SHREE GOPALA SANWARIA CHEMICALS

Hisar, Haryana — 125 001, India

Phone / WhatsApp:	+91 9999665479
Email:	shreegopalsanwariachemicals@gmail.com
Website:	www.shreegopalagroup.com
Location:	Hisar, Haryana, India
Established:	1998 25+ Years in Manufacturing

HOW TO ORDER

- 1 Send Enquiry**
Email or WhatsApp us your product, quantity & destination.
- 2 Receive Quotation**
We reply within 24 hours with pricing, lead time & COA.
- 3 Confirm Order**
Share your PO / advance payment to book the lot.
- 4 Quality Check**
Batch tested in-house; COA & TDS issued before dispatch.
- 5 Dispatch & Delivery**
Packed and dispatched via road, rail, or sea freight.

PAYMENT & SUPPLY TERMS

- 100% advance (new customers) | Negotiable terms for regular buyers
- Minimum orders as listed per product | Volume discounts available
- Dispatch within 2–7 working days of payment confirmation
- Ex-Works (Hisar) | CNF / CIF on request | All India delivery