Chat History

Prompt

Submitting the mathematically correct answer is rejected as incorrect because operands are joined together as text instead of being calculated. Ensure the game correctly evaluates the arithmetic problem according to its active operator. Change the code accordingly for this.

7:12 PM

Checkpoint Restored·

- `Redo`

Copilot

Completed 12 steps in 58s

`Used 1 reference`

`Auto routed task to gpt-6-luna`

`Inspected file for Python bug and reviewed skill documentation`

I'll inspect the game engine and its tests, then reproduce the operator-specific evaluation before making a focused fix.

`Analyzing project dependencies`

`pylance mcp server: pylanceRunCodeSnippetpylance mcp server (MCP Server)`

Search for `pytest|unittest|pygame|python_requires`

`Thinking`

`pylanceRunCodeSnippetpylance mcp server (MCP Server)`

The issue is in `compute_expected_answer`: runtime inspection confirms the current answer construction joins the operands as a string. I'll replace that with explicit arithmetic for each supported operator, then verify all three operators.

Edited game_engine.py+7-2

`Thinking+7-2`

`pylanceRunCodeSnippetpylance mcp server (MCP Server)`

`pylanceFileSyntaxErrorspylance mcp server (MCP Server)`

`Read game_engine.py, lines 35 to 58`

`Thinking`

Updated `game_engine.py` so expected answers use the active `+`, `-`, or `*` operator instead of concatenating the operands. Unsupported operators now raise a `ValueError`.

Verified the results for all three operators and confirmed the file has no syntax errors.

Prompt

- `Restore Checkpoint`
-

`game_engine.py`

Players currently have unlimited time to answer each flashcard. Add a visible countdown timer bar below the active card that tracks remaining time and automatically registers a missed attempt if time runs out before submission.

7:14 PM
Checkpoint Restored·

- `Redo`

Copilot

Completed 11 steps in 2m 0s
`Used 1 reference`
`Auto routed task to gpt-6-luna`
`Clarifying countdown duration`
Question: How much time should players get per flashcard?
`Answered: 15 seconds (Recommended)`

`Inspecting code changes`

I'll set each card to 15 seconds, check how the game loop updates the engine, and integrate the timer there so expiry counts as a missed attempt.

`Implementing timer functionality+35-1`
`pylanceRunCodeSnippetpylance mcp server (MCP Server)`
`pylanceFileSyntaxErrorspylance mcp server (MCP Server)`
`Checking git status`

Timeouts now advance the card and count once as a missed attempt, including when submission arrives after the deadline but before the next update. I'm checking the rendered layout and repository diff, and I'll document the 15-second limit in the expected behavior.

`Normalizing line endings in Git+1-0`

Added a 15-second countdown bar below each card in `game_engine.py`. The bar shrinks as time runs out and changes color near the deadline. Expiry counts as one missed attempt, clears the input, and advances to a new card; submission after the deadline is handled as a miss as well. The limit is documented in `README.md`.

Verified timeout handling, single-count behavior, submission at expiry, and rendering with a focused runtime check; Python syntax validation passed.

Prompt

Correct answers currently grant only a flat point increase regardless of player consistency. Introduce a streak multiplier that escalates score rewards for consecutive correct answers and resets back to baseline on any wrong answer or timeout.

7:17 PM
Checkpoint Restored·

- `Redo`

Copilot

Completed 9 steps in 58s

`Used 1 reference`

`Implementing scoring design`

Question: How should the streak multiplier escalate with consecutive correct answers?

`Answered: Add 1× per consecutive correct (1×, 2×, 3×...) (Recommended)`

`Inspecting code changes`

I'll implement the selected progression: each consecutive correct answer adds one to the multiplier, and a wrong answer or timeout resets it to 1×. I'll first check the current score and timeout paths so the reset applies consistently.

`Reviewed 2 files and updated game_engine.py+22-4`

The scoring now awards 1, 2, 3… points on a streak; wrong answers and timeout reset both the streak and the next reward to 1×. I've added the current streak and next multiplier to the HUD and documented the scoring rule; I'm validating consecutive answers, both reset paths, and rendering.

`pylanceRunCodeSnippetpylance mcp server (MCP Server)`

`pylanceFileSyntaxErrorspylance mcp server (MCP Server)`

`Check diff whitespace and changed filesgit -c core.whitespace=cr-at-eol --no-pager diff -...`

`Thinking`

Implemented streak scoring in `game_engine.py`: consecutive correct answers earn 1, 2, 3… points, and the HUD shows the current streak and next multiplier. Wrong answers and timeouts reset the multiplier to 1×. Updated the expected behavior in `README.md`.

Verified the scoring progression, both reset paths, HUD fit, and rendering. Syntax validation passed.

Prompt

The flashcard pool only tests addition, subtraction, and multiplication. Add integer division into card generation, ensuring that every generated problem divides evenly with whole integer answers and no remainders.

7:19 PM
Checkpoint Restored·

- Redo

Copilot

Completed 6 steps in 36s
Used 1 reference
Evaluating operator choices

I'll check the current card-generation and answer-evaluation logic, then add division cards with bounded integer operands and exact quotients.

Reviewed game_engine.py and README.md+10-2
pylanceRunCodeSnippetpylance mcp server (MCP Server)
pylanceFileSyntaxErrorspylance mcp server (MCP Server)
Review division changes and working treegit -c core.whitespace=cr-at-eol --no-pager diff -...
Thinking

Added `/` to card generation in `game_engine.py`. Division cards use integer operands chosen to divide evenly, and answer evaluation returns the integer quotient. Updated the operator list and expected behavior in `README.md`.

A focused runtime check verified 1,000 generated division cards had no remainders and produced the expected answers. Syntax validation passed.