The National Institute of Engineering, Mysuru

Autonomous Institute, Affliated to VTU

North Campus No.50 (Part), Koorgalli village, Hootagalli Industrial Area, Mysuru-570018

Karnataka

Department of Computer Science and Engineering

Laboratory Record

For

Full Stack Development – BCSL504



Name: Shreeja Hebbar

USN: 4NI24CS201

B.E – 5th SEM

AY: 2026-2027

INDEX

Expt. No	Experiment Title	Page No
3	Demonstrate Event Handling for Different HTML Elements Using JavaScript. The program should: 1. Trigger an alert when the user clicks anywhere on the body of the page. 2. Change the text of a button when it is clicked and display a success message below the button. 3. Dynamically update a paragraph with the text entered in a text box as the user types. 4. Display a password strength message (weak, medium, or strong) based on the length of the entered password, updating the message as the user types. Ensure that the program uses appropriate event handlers for each element and explains the purpose of each event handler in the program.	

Experiment 3

Demonstrate Event Handling for Different HTML Elements Using JavaScript. The program should:

1. Trigger an alert when the user clicks anywhere on the body of the page.
2. Change the text of a button when it is clicked and display a success message below the button.
3. Dynamically update a paragraph with the text entered in a text box as the user types.
4. Display a password strength message (weak, medium, or strong) based on the length of the entered password, updating the message as the user types.

Ensure that the program uses appropriate event handlers for each element and explains the purpose of each event handler in the program.

Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Event Handling</title>
</head>

<body>

  <h2>JavaScript Event Handling</h2>

  <button id="myButton">Click Me</button>
  <p id="success"></p>

  <label>Enter your name:</label><br><br>
  <input type="text" id="nameBox" placeholder="Type something">
  <p id="output"></p>

  <label>Enter password:</label><br><br>
  <input type="password" id="passwordBox" placeholder="Enter password">
  <p id="strength"></p>

  <script>

  //1
    document.body.addEventListener("click", function () {
      alert("You clicked on the page!");
    });

  //2
    document.getElementById("myButton").addEventListener("click", function (event) {

      event.stopPropagation();

      this.textContent = "Clicked!";
      document.getElementById("success").textContent =
        "Success!";
    });

  //3
    document.getElementById("nameBox").addEventListener("input", function () {
      document.getElementById("output").textContent = this.value;
```

```
  });


 //4
 document.getElementById("passwordBox").addEventListener("input", function () {
    let length = this.value.length;
    let strength = document.getElementById("strength");

    if (length === 0) {
      strength.textContent = "";
    }
    else if (length < 6) {
      strength.textContent = "Password strength: Weak";
      strength.style.color = "red";
    }
    else if (length < 10) {
      strength.textContent = "Password strength: Medium";
      strength.style.color = "orange";
    }
    else {
      strength.textContent = "Password strength: Strong";
      strength.style.color = "green";
    }

  });
 </script>

</body>
</html>
```

Output:



JavaScript Event Handling

Click Me

Enter your name:

Type something

Enter password:

Enter password

JavaScript Event Handling

Clicked!

Success!

Enter your name:

Shreeja

Shreeja

Enter password:

••••••••••••

Password strength: Strong