The National Institute of Engineering, Mysuru

Autonomous Institute, Affliated to VTU

North Campus No.50 (Part), Koorgalli village, Hootagalli Industrial Area, Mysuru-570018

Karnataka

Department of Computer Science and Engineering

Laboratory Record

For

Full Stack Development – BCSL504



Name: Shreeja Hebbar

USN: 4NI24CS201

B.E – 5th SEM

AY: 2026-2027

INDEX

Expt. No	Experiment Title	Page No
4	Demonstrate all the methods of mounting and updating phase of react class Component by changing the city name from “Mysore” to “Bangalore” after 2 seconds and display the same.	

Experiment 4

Demonstrate all the methods of mounting and updating phase of react class Component by changing the city name from “Mysore” to “Bangalore” after 2 seconds and display the same.

Code:

```
<!DOCTYPE html>
<html>
<head>
   <title>React Lifecycle Methods</title>

   <!-- React -->
   <script src="https://unpkg.com/react@18/umd/react.development.js"></script>
   <script src="https://unpkg.com/react-dom@18/umd/react-dom.development.js"></script>

   <!-- Babel -->
   <script src="https://unpkg.com/@babel/standalone/babel.min.js"></script>
</head>

<body>

   <div id="root"></div>

   <script type="text/babel">

      class City extends React.Component {

         constructor(props) {
            super(props);

            this.state = {
               city: "Mysore"
            };

            console.log("1. Constructor");
         }

         static getDerivedStateFromProps(props, state) {
            console.log("2. getDerivedStateFromProps");
            return null;
         }

         componentDidMount() {
            console.log("3. componentDidMount");

            setTimeout(() => {
               this.setState({
                  city: "Bangalore"
               });
            }, 2000);
         }
```

```
        shouldComponentUpdate(nextProps, nextState) {
            console.log("4. shouldComponentUpdate");
            return true;
        }

        getSnapshotBeforeUpdate(prevProps, prevState) {
            console.log("5. getSnapshotBeforeUpdate");
            return null;
        }

        componentDidUpdate(prevProps, prevState, snapshot) {
            console.log("6. componentDidUpdate");
        }

        render() {
            console.log("Render");

            return (
                <h1>
                    City: {this.state.city}
                </h1>
            );
        }
    }

    const root = ReactDOM.createRoot(
        document.getElementById("root")
    );

    root.render(<City />);

  </script>

</body>
</html>
```

Output:

City: Mysore

After 2 secs

City: Bangalore