Assignment: 06

Student Name: Shreejana Shrestha

Student Id: C0930321

Question

Develop a lazy-initialized singleton Servers that manages a list of servers stored as strings. Implement the following capabilities:


1. Adding a server to the list:


- Provide a method that returns a boolean indicating whether the server was successfully added (true if added, false otherwise).
- o Servers can only be added if their names start with "http" or "https".
- Duplicate server names cannot be added.

2. Downloading servers:

- Enable retrieval of a list of servers whose names begin with "http".
- o Enable retrieval of a list of servers whose names begin with "https".

Screenshots of the code along with output





```
eclipse-workspace - javaProj/src/javaProj/Server_Assignment6_c0930321.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
 Package Explorer × 🕒 🕏 🖟 🖟 🖁 🖁 🗖 🖟 Assignment3... 🔑 Assignment4... 🔑 Assignment5... 🕩 week10_c093... 🖟 Server_Assig... 🛂 Assignment2... 🛂 Assignment1... 🐾
> ## GUI Project
                                                               61 * function to get HTTPS Servers
> 📂 javaGUI
                                                               62 *
v 👺 javaProj
                                                                      * this function filters for HTTPS servers
   > M JRE System Library [JavaSE-21]
                                                             64 * */
    v 🕮 src
                                                                             public List<String> getHttpsServers() {
                                                               65⊝
       ∨ # javaProj
                                                               66
                                                                                     return servers.stream()
            > 🗓 A.iava
                                                                                                 .filter(server -> server.startsWith("https://"))
                                                               67
           >  ArrayDemo1.java
                                                               68
                                                                                                     .collect(Collectors.toList());
            > 🛭 Assignment1_c0930321.java
                                                               69
                                                                            }
           > 🕖 Assignment2_c0930321.java
                                                                70
           Assignment3_c0930321.java
                                                                              // Main method
           Assignment4_c0930321.java
                                                                             public static void main(String[] args) {
    Server_Assignment6_c0930321 servers = Server_Assignment6_c0930321.getInstance();
                                                                72⊜
           Assignment5_c0930321.java
           > D Book.iava
                                                                74
           > 💹 first.java
                                                                                      System.out.println("Assignment 6: Developing a lazy-initialized singleton Servers");
           > 🗓 gui_project.java
                                                                                     System.out.println("============="");

System.out.println("HTTP Server Added: http://assignment6.com => " + servers.addServer("http://system.out.println("HTTP Server Added: https://secured.com => " + servers.addServer("http://system.out.println("Other Server Added(i.e FTP): ftp://invalid.com => " + servers.addServer("http://system.out.println("Other Server Added(i.e FTP): ftp://invalid.com => " + servers.addServer("Invalid.com => " + servers.addServer(")]
           > 🔝 kiloCalculator.java
                                                                77
78
           > 🗓 Library.java
           > 🗓 Person.java
           > 

Server_Assignment6_c0930321.java
                                                                80
           > 🗓 Student.java
           System.out.println(servers.getHttpServers());  // [http://assignment.com]
System.out.println(servers.getHttpsServers());  // [https://secured.com]
           > 🔝 week3exercises.java
                                                                83
           > D week4exercise_930321.java
                                                                84
           > 🔝 week5_exercise_930321.java
                                                                                       // Verify singleton behavior
           > 1 week6 c0930321.iava
                                                                86
                                                                                      Server_Assignment6_c0930321 anotherServers = Server_Assignment6_c0930321.getInstance();
           > 🔝 week7_930321.java
                                                                87
                                                                                      System.out.println(servers == anotherServers); // true
            > <section-header> week7_c0930321.java
                                                                             }
                                                               88

    week9_c0930321.java

                                                                89 }
        > I module-info.java
                                                               90
                                                                91

    Problems @ Javadoc   □ Declaration □ Console × □ Coverage

                                                              <terminated> Server_Assignment6_c0930321 [Java Application] C:\Program Files\Java\jdk-21\bin\javaw.exe (Jul 25, 2024, 3:10:53 p.m. – 3:10:54 p.m.) [pid: 18348]
                                                              Assignment 6: Developing a lazy-initialized singleton Servers
```