One teacher. Five grades. One classroom.


RuralClass turns that constraint into a plan the teacher can run — timetable, lesson delivery and learner support in one workspace.

52.1%
of government primary schools have fewer than 60 students

1.04 lakh
single-teacher schools across India

5
grades coordinated in a single timetable

From period-by-period improvisation to a plan the teacher can run.



13 connected views | 13 / 13 tests | English / ಕನ್ನಡ

A working prototype — not a slideware promise.

Sources: ASER 2024 National Findings; UDISE+ 2024-25, Ministry of Education.

The missing layer is coordination, not content.

Most tools optimise what to teach. RuralClass optimises where the teacher's attention goes.

01 Constraint-first scheduling

A hard invariant, not a best-effort heuristic: one grade gets direct instruction each period; every other grade gets a concrete independent, group or peer task.


02 Explainable, not opaque

Every intervention states the triggering rule and the recent evidence. Deterministic logic, no model. The teacher accepts, edits or dismisses.

03 Bilingual parity

Timetable rationale, lesson phases and intervention options are generated in English and Kannada — not just the navigation labels.

The unit of design is the room, not the lesson.



A working system, not a mockup.

Thirteen connected views, four pure TypeScript engines, and a test suite that checks the invariant teachers depend on.

01 One workspace, end to end


Sign-in → timetable → lesson plan → classroom → assessment → intervention → parent summary. Thirteen views share one state model.

02 Decision logic is pure and testable

Timetable, intervention, lesson planning and scoring run outside React as deterministic TypeScript functions.

03 Build quality is checked, not claimed

Strict TypeScript, 13 engine and auth tests, a passing production build, reproducible check scripts and a Render blueprint.



13	connected views
4	pure decision engines
13/13	tests passing
0	servers or secrets

One calm workspace for a crowded room.

Plan the week, run the period, support the learner — without re-entering the same data.

01 Plan → **02 Teach** → **03 Support**

Same grammar everywhere

Sidebar, cards, status language and actions repeat across all 13 views, so a teacher learns the interface once.


Kannada is first-class

The full dashboard, generated rationale, lessons and interventions switch language; the choice persists.

Teacher keeps the pen

Rationale is shown before a timetable is accepted; interventions are proposals the teacher accepts or dismisses.

Accessibility today: labelled dialogs, announced toasts, status with text and colour. Known gap: a complete keyboard and screen-reader pass — on the roadmap, not hidden.



The same dashboard in Kannada: language changes the content, not just the labels.

Five minutes. Four moves. Real state.

A judge can reproduce this on any laptop — no account, API key or network service.

01 **Sign in as a teacher**

teacher_anita / demo123 — 11 profiles across three Karnataka schools, one click each.

02 **Generate the day**

Grades 1–5, six periods. Inspect any period: one teacher-led cell, four independent stations. Accept it.


03 **Run Period 1**

Start the class, see every grade's station, mark it complete with an observation. The dashboard updates.

04 **Close the learner loop**

Record two sub-50% checks. The intervention appears with its rule and evidence. Accept it, then switch to Kannada.

```
$ npm install && npm run dev                    → localhost:3000
```



Every period is verified in the UI before the teacher accepts it.

Demo data is fictional. Demo auth is a walkthrough, not security.

Deployable today. Adoptable where it counts.

Static hosting, existing devices, near-zero running cost — with the constraints stated plainly.

01

Ship

npm run build produces a static dist/. The repo includes a Render blueprint; any static host works. No server, database, API key or secret.

render.yaml included

02

Run

A modern browser on a shared tablet or laptop. English or Kannada. No install and no runtime API calls; free-tier hosting covers a pilot.

no install, no API key

03

Harden

Before real learners: school-managed accounts, IndexedDB persistence and sync, a full accessibility pass, and a data-protection review.

pilot gate

Assumption: grades 1–5, one teacher, one shared device, intermittent connectivity. Demo auth is not security; session state does not persist across reload.

THE ASK

Three pilot schools. One mentor. Eight weeks.

Validate the workflow with teachers, then harden it for real learners.

PILOT TARGETS, NOT CLAIMS

- Planning time
- Direct-instruction minutes
- Intervention follow-through
- Teacher retention

Give every multi-grade teacher a plan they can run.