SURAT CITY POLICE · TRAFFIC BRANCH

Surat Police Traffic Report

04 Oct to 10 Oct 2026

Last 7 days · 04 Oct 2026 – 10 Oct 2026

Report ID
STR-20261010-0001

Generated
10 Oct 2026 14:19 IST

TOTAL VIOLATIONS	MOST COMMON VIOLATION	HIGHEST VIOLATION JUNCTION
276	**BRTS intrusion**	**Majura Gate Intersection**
+240.7% vs previous	216 cases (78%)	38 cases

AVERAGE QUEUE	AVERAGE SPEED	DATA COVERAGE
69.5 m	**20.6 km/h**	**100%**
Peak 120.0 m at Sarthana Jakatna	22 of 22 junctions with adequate data	All monitored junctions active

1 Executive summary

Report for 04 Oct 2026 – 10 Oct 2026. A total of 276 traffic violations were recorded across the monitored network representing an increase of 240.7% compared to the previous period.


2 Key findings


Primary Infraction Modality
BRTS intrusion accounted for 216 cases (78% of total recorded violations).

Top Enforcement Hotspot
Majura Gate Intersection logged the highest number of violations (38 incidents).

Peak Congestion Corridor
Sarthana Jakatnaka recorded the longest average queue at 77.7 m (peak 120.0 m).

3 Violations and trends





Primary Violation Hotspots

Rank	Junction Corridor	Infractions	Share of Total
1	Majura Gate Intersection	38	13.8%
2	Athwa Gate Junction	23	8.3%
3	Khatodara GIDC Cross	20	7.2%
4	Sahara Darwaja Junction	18	6.5%
5	Adajan Gam / Patia	15	5.4%
6=	Textile Market Corridor	14	5.1%

4 Junction performance

Junction Corridor	Avg Queue	Peak Queue	Avg Speed	Congestion	Coverage
Sarthana Jakatnaka	77.7 m	120.0 m	19.3 km/h	SEVERE	100%
Gopipura Main Road	74.2 m	120.0 m	20.0 km/h	SEVERE	100%
Cable Bridge Adajan Side	73.4 m	120.0 m	20.1 km/h	SEVERE	100%
Bhatar Char Rasta	73.2 m	120.0 m	20.1 km/h	SEVERE	100%
Althan Canal Road	71.7 m	120.0 m	20.4 km/h	SEVERE	100%
Athwa Gate Junction	71.3 m	120.0 m	19.9 km/h	SEVERE	100%
Majura Gate Intersection	71.3 m	120.0 m	19.9 km/h	SEVERE	100%
Piplod Junction	71.2 m	120.0 m	20.5 km/h	SEVERE	100%
Sahara Darwaja Junction	70.7 m	120.0 m	19.9 km/h	SEVERE	100%
Palanpur Jakatnaka	70.6 m	120.0 m	20.4 km/h	SEVERE	100%
Ichhapore GIDC Cross	69.1 m	120.0 m	20.7 km/h	SEVERE	100%
Dindoli Bridge Approach	69.0 m	120.0 m	20.9 km/h	SEVERE	100%
Dumas Beach Approach	68.9 m	120.0 m	20.6 km/h	SEVERE	100%
Kamrej Highway Junction	68.9 m	120.0 m	20.7 km/h	SEVERE	100%
Textile Market Corridor	68.0 m	120.0 m	20.8 km/h	SEVERE	100%
Katargam Darwaja	67.6 m	120.0 m	21.1 km/h	SEVERE	100%
Adajan Gam / Patia	67.5 m	120.0 m	21.1 km/h	SEVERE	100%
Varachha / Sardar Chowk	66.8 m	120.0 m	21.2 km/h	SEVERE	100%
Vesu VIP Road Crossing	65.4 m	120.0 m	21.3 km/h	SEVERE	100%
Ring Road / Delhi Gate	64.3 m	120.0 m	21.6 km/h	SEVERE	100%
Udhna Darwaja	62.6 m	114.3 m	21.8 km/h	SEVERE	100%
Khatodara GIDC Cross	61.2 m	110.0 m	22.0 km/h	SEVERE	100%

Congestion level thresholds: Severe: 40 m and above · Moderate: 20 m to under 40 m · Low: under 20 m. Asterisk (*) denotes junctions with under 50% telemetry coverage.

5 Advisories and recommended actions

#	Priority	Target Location	Operational Advisory & Action Plan	Status
1	CRITICAL	9 junctions (Althan Canal Road, Bhatar Char Rasta...)	Increase green light cycle time by +15s to clear queued traffic before gridlock forms. Observed when alert raised: Dumas Beach Approach: 120 m; Ichhapore GIDC Cross: 120 m; Althan Canal Road: 120 m; Bhatar Char Rasta: 120 m	Pending
2	MEDIUM	11 junctions (Althan Canal Road, Athwa Gate Junction...)	Extend Southbound green light time by +12s or open an extra lane to clear the traffic queue. Observed when alert raised: Athwa Gate Junction: 120 m; Sahara Darwaja Junction: 120 m; Majura Gate Intersection: 120 m; Dumas Beach Approach: 120 m	Pending

6 Data quality and method

• **Data Coverage:** 100.0% of expected telemetry samples were received across monitored network nodes.
• **Definitions:** Network averages reflect reporting junctions weighted by sample count. Congestion levels follow approach queue depth. All timestamps and daily buckets are in Indian Standard Time (IST).
• **Analytical Methodology:** Narrative generated deterministically via local statistical template. All figures derived from municipal database registers.
• **Limitations:** Figures reflect system-detected and confirmed events. Peak queue values of 120 m recorded at several junctions may be capped by the sensor measurement range. Signal timing modifications should be coordinated with the Traffic Police Command Center.

Report ID: STR-20261010-0001 | **Data Fingerprint:** 0112-7E63-5B96-837C | **Source:** Municipal Traffic Register

Prepared by	Reviewed by	Approved by
Name / Designation	Name / Designation	Name / Designation
Date	Date	Date