

Daily Drilling Report Excerpt

NWIS hackathon demonstration fixture

Well	NWIS-OFF-DEMO
Document type	DDR excerpt
Formation	Barail
Data status	Synthetic demonstration data
Units	Depth in measured depth (MD), metres

Operational summary

Drilling progressed through the upper Barail interval under stable circulating conditions. Flow in and flow out remained closely matched during the initial section. No abnormal gas response was recorded and torque remained within the expected operating band.

The interval was drilled with routine monitoring of returns, pit volume, standpipe pressure, rate of penetration and torque.

This document is intentionally small and explicit so the NWIS prototype can demonstrate page-aware extraction, evidence validation and retrieval during a live hackathon demo.

Operational event - Barail interval

Event interval: 3210-3218 m MD

At 3210 m MD, partial circulation loss was observed while drilling the Barail interval. Returns reduced progressively over the interval from 3210 m to 3218 m MD. The event was classified as a medium operational loss event.

The recorded operational response was to reduce flow and monitor the interval until circulation stabilized. Drilling then resumed under closer monitoring.

No kick was recorded during this event. No stuck-pipe event was reported in the same interval.

Field	Expected extraction
Hazard type	MUD_LOSS
Formation	Barail
Start MD	3210 m
End MD	3218 m
Severity	MEDIUM
Historical response	Flow reduced; interval monitored until circulation stabilized

Post-event interval

Subsequent drilling

Subsequent drilling proceeded without further significant circulation losses in the remainder of the reported interval. Flow balance returned to the normal operating range and pit volume stabilized.

The event on page 2 is the only reportable drilling incident in this synthetic excerpt. It is intended to test whether the application correctly avoids inventing additional hazards when no source evidence exists.

End of synthetic excerpt.