# EXPERIMENT No. 5a

**Simulate the Lifecycle Stages for UI Design using the RAD Model and Develop a Small Interactive Interface using Axure RP**

## AIM

To demonstrate the lifecycle stages of UI design using the RAD (Rapid Application Development) model and develop a small interactive Food Delivery App interface employing Axure RP.

## PROCEDURE

***Tool Used:*** *Axure RP | Tool Link: https://www.axure.com/*

**Simulating the Lifecycle Stages for UI Design Using the RAD Model**

The RAD (Rapid Application Development) model emphasizes quick development and iteration. It consists of the following phases:

**Phase 1: Requirements Planning**

- Gather initial requirements and identify key features of the Food Delivery App.
- Engage stakeholders to understand user needs and expectations.
- Key features identified: Navigation (Home, Restaurants, Menu/Dish Details, Cart, Checkout, Order Confirmation).
- User actions: Browsing restaurants, selecting dishes, adding to cart, placing orders, tracking delivery.

**Phase 2: User Design**

- Create initial prototypes and wireframes using Axure RP.
- Conduct user feedback sessions to refine the designs.
- Install and launch Axure RP from the official website (https://www.axure.com/).
- Create a new project: Go to File -> New, name it 'Food Delivery App Interface'.
- Design wireframes for each screen: Home Page, Restaurant Listing, Menu/Dish Details, Cart, Checkout.
- Add interactions using the Properties panel (e.g., OnClick to navigate between screens).
- Create reusable Masters (header with logo, bottom navigation) and add annotations.

**Phase 3: Construction**

- Convert wireframes into interactive prototypes by adding interactions and transitions.
- Use dynamic panels to create interactive elements such as category filters and cart updates.
- Preview the prototype using the Preview button.
- Gather feedback from users and stakeholders, then iterate and refine accordingly.

**Phase 4: Cutover**

- Finalize the design and interactions.
- Export the prototype as an HTML file or share it via Axure Cloud.
- Conduct user training sessions and provide documentation for support.

## RESULT

The interactive interface for the Food Delivery App was successfully developed using Axure RP by simulating the RAD model lifecycle stages. The prototype covers six key screens — Home, Restaurant Listing, Menu/Dish

Details, Cart, Checkout, and Order Confirmation — with interactive navigation buttons and dynamic links between pages. The following screenshots show the output screens created:

### Screen 1: Home Page

The Home Page includes the ‘QuickBite’ app title, location banner, a search bar, four category quick-filter buttons (Pizza, Burger, Noodles, Biryani), and featured restaurant cards with ratings and delivery time.




*Fig 1: Home Page – QuickBite Food Delivery App*

### Screen 2: Restaurant Listing Page

The Restaurant Listing page displays four restaurants — Pizza Palace, Burger Barn, Biryani Hub, and Noodle Nest — with their cuisine type, star rating, and category tags. A ‘Back’ link returns to the Home screen.




*Fig 2: Restaurant Listing Page*

### Screen 3: Menu / Dish Details Page

The Menu page shows a featured dish (Margherita Pizza at ₹299) with image, description, and an ‘Add to Cart’ button. A secondary item (Garlic Bread at ₹99) is listed below with a quick-add button.




*Fig 3: Menu / Dish Details Page*

### Screen 4: Cart Page

The Cart page displays selected items with quantity badges, subtotal, delivery fee (free), and total amount (₹398). A ‘Proceed to Checkout’ button advances the user and a back button returns to the menu.




*Fig 4: Cart Page*

### Screen 5: Checkout Page

The Checkout page collects the user’s full name, delivery address, and phone number. Payment method is selected via radio buttons (UPI, Card, Cash on Delivery). A ‘Place Order’ button confirms the purchase.




*Fig 5: Checkout Page*

### Screen 6: Order Confirmation Page

The Order Confirmation screen displays a success indicator, order ID (QB2415), total amount (₹398), and estimated delivery time of 30–35 minutes. A 'Back to Home' button completes the user flow.




*Fig 6: Order Confirmation Page*

## CONCLUSION

The exercise successfully demonstrated the RAD model's application in UI design. Using Axure RP, an interactive Food Delivery App prototype was created with linked screens, interactive buttons, and a complete user flow from browsing restaurants to order confirmation. The RAD model's iterative approach ensured that feedback was incorporated at each design phase, resulting in a functional and user-friendly food delivery interface prototype.