Nonconformance report			NCR-No. <b>200350035</b>	
Material No. VOLS:10274180	Ver AB	Material Description Case Compr ITM assy		
Program GTF IMC BA		Design Organization Drawing & issue 5379985-AA	Total quantity 2	Order No
Coordinator Johanna Jönsson	Supplier code	Design Organization Part number & version 5379985-AA	Reference No.	

# Decisions

Item	Serial number / batch	Item decision		
1	44ACT02276, 44ACT02295			
		Select code & write dispositon Q		

Nonconformance report				NCR-No. <b>200350035</b>		
Material No. VOLS:10274180	Ver AB		Material Description Case Compr ITM assy	•		
Program GTF IMC BA	Design Organization Drawing & issue 5379985-AA		:	Total Quantity 2	Order No	
Coordinator Johanna Jönsson	-	Design Organization Part number & version 5379985-AA		Reference No.		

## Item No. 1

Defect Class Define Defect Class			Charact.No 13426
Requirement Location	<b>!</b>	Tronic of a duriage	10420
PAGE-12 Zone	: C11		

## Serial numbers affected

44ACT02276, 44ACT02295,

#### Description of Nonconformance

Char. #12003 Profile 0.3 [.010] | AB | AC | AD | is

For S/N 44ACT02276 is 0,2718 [.0107] or 0,0218 [.0008] o/tol (-0,1244 to -0,1346 [-.0049 to -.0053]) stock off

For ref:

12010 is 1,592 [.0627]

12011 is 13,851 [.5153]

For S/N 44ACT02295 is 0,4115 [.0162] or 0,1615 [.0062] o/tol (-0,1905 to -0,2057 [-.0075 to -.0081]) stock off For ref:

12010 is 1,519 [.0598] 12011 is 13,914 [.5478]

See attachment "Q4 200350035\_PN 5379995\_44ACT02276\_rev01"

#### Cause of Nonconformance

Possible machine balance issue

Corrective Action (to avoid re-occurance of this Nonconformance) Planned finish: 2023-06-15

Recalibrate probing and have manufacturer in to balance machine if needed.

Digitally signed by:

Nonconformance report				NCR-No. <b>200350035</b>	
Material No.	,	Ver	Material Description	_	
VOLS:10274180		AB	Case Compr ITM assy		
Program	Design Organization Drawing & issue		anization Drawing & issue	Total Quantity	Order No
GTF IMC BA	5379985-AA		2		
Coordinator	Design Organization Part number & version		Reference No.		
Johanna Jönsson	5379985-AA				

Quality Decision	Digitally signed by: