





Assignment 5: Local Jenkins Build





Jenkins

todo-demo-pipeline / #5 / Timings

Status

Changes

Console Output

Edit Build Information

Delete build '#5'

Polling Log

Timings

Git Build Data

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces

Previous Build

Next Build

Timings

		Primary task	Including subtasks
In queue	Waiting	8.7 sec	8.7 sec
	Blocked	0 ms	0 ms
	Buildable	0 ms	1 ms
	Total	8.7 sec	8.7 sec
Building		4.1 sec	2.8 sec
Scheduled to completion			12 sec
Number of subtasks			1
Average executor utilization			0.7

Jenkins 2.516.3

Jenkins

todo-demo-pipeline / #5 / Timings

Status

Changes

Console Output

Edit Build Information

Delete build '#5'

Polling Log

Timings

Git Build Data

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces

Previous Build

Next Build

Timings

		Primary task	Including subtasks
In queue	Waiting	8.7 sec	8.7 sec
	Blocked	0 ms	0 ms
	Buildable	0 ms	1 ms
	Total	8.7 sec	8.7 sec
Building		4.1 sec	2.8 sec
Scheduled to completion			12 sec
Number of subtasks			1
Average executor utilization			0.7

Jenkins 2.516.3

Jenkins

todo-demo-pipeline / #5 / Timings

Status

Changes

Console Output

Edit Build Information

Delete build '#5'

Polling Log

Timings

Git Build Data

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces


Previous Build

Next Build

Timings

		Primary task	Including subtasks
In queue	Waiting	8.7 sec	8.7 sec
	Blocked	0 ms	0 ms
	Buildable	0 ms	1 ms
	Total	8.7 sec	8.7 sec
Building		4.1 sec	2.8 sec
Scheduled to completion			12 sec
Number of subtasks			1
Average executor utilization			0.7

Jenkins 2.516.3



Tools Used:

- Jenkins (2.516.3) running in Docker.
- GitHub for version control.
- Python script (`todo.py`) for task management.
- ngrok for local URL forwarding.

Pipeline Stages:

- **Checkout:** Clone code from GitHub repository.
- **Build / Add Task:** Run `todo.py` to add a new task with a timestamp.
- **Test / List Tasks:** List all tasks to verify the new task is added.
- **Archive:** Save `tasks.txt` as build artifact for record-keeping.

Challenges / Notes:

- Python had to be installed in the Jenkins container.
- SSH keys were required for GitHub push/pull without a password.

Result:

The pipeline successfully adds tasks, lists them, and archives them.

Demonstrates CI/CD workflow using Jenkins in Docker.