
SE LAB 6

PES2UG24CS486

Shreya S Mattimadu

Github repo of the lab 6

https://github.com/Shreya04M/LAB6_PES2UG24CS486



```
Problems  Output  Debug Console  Terminal  Ports                                                    powershell - Lab 6

PS C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486> cd "C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6"
PS C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6> python -m pytest -v test_fuel_station.py
==================== test session starts ====================
platform win32 -- Python 3.11.9, pytest-8.3.4, pluggy-1.6.0 -- C:\Users\SHREYA\AppData\Local\Programs\Python\Python311\python.exe
cachedir: .pytest_cache
rootdir: C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6
plugins: anyio-4.15.1, locust-2.46.4
collected 2 items

test_fuel_station.py::test_within_covered_litres PASSED    [ 50%]
test_fuel_station.py::test_pump_allowed PASSED             [100%]

==================== 2 passed in 0.05s ====================
PS C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6>
PS C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6> python -m coverage erase
>> python -m coverage run --source=fuel_station -m pytest test_fuel_station.py
>> python -m coverage report -m
============================================================ test session starts ============================================================
platform win32 -- Python 3.11.9, pytest-8.3.4, pluggy-1.6.0
rootdir: C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6
plugins: anyio-4.15.1, locust-2.46.4
collected 2 items

test_fuel_station.py ..

============================================================ 2 passed in 0.03s ============================================================
Name             Stmts   Miss  Cover   Missing
----------------------------------------------
fuel_station.py     37     23    38%   6, 8, 11, 15-23, 28, 30, 35-45
----------------------------------------------
TOTAL               37     23    38%
PS C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6>
```

```
rootdir: C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6
plugins: anyio-4.15.1, locust-2.46.4
collected 2 items

test_fuel_station.py ..

============================== 2 passed in 0.03s ==============================
Name             Stmts   Miss  Cover   Missing
----------------------------------------------
fuel_station.py     37     23    38%   6, 8, 11, 15-23, 28, 30, 35-45
----------------------------------------------                    python -m coverage erase
>> python -m coverage run --branch --source=fuel_station -m pytest test_fuel_station.py
>> python -m coverage report -m5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6>
============================== test session starts ==============================
platform win32 -- Python 3.11.9, pytest-8.3.4, pluggy-1.6.0
rootdir: C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6
plugins: anyio-4.15.1, locust-2.46.4
collected 2 items

test_fuel_station.py ..

============================== 2 passed in 0.04s ==============================
Name             Stmts   Miss Branch BrPart  Cover   Missing
------------------------------------------------------------
fuel_station.py     37     23     26      6    32%   6, 8, 11, 15-23, 28, 30, 35-45
------------------------------------------------------------
TOTAL               37     23     26      6    32%
PS C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6>
```

```
------------------------------------------------------------         python -m coverage erase
>> python -m coverage run --source=fuel_station -m pytest -v CodeCoverageTest_fuel_station.py
>> python -m coverage report -m5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6>
====================================== test session starts ======================================
platform win32 -- Python 3.11.9, pytest-8.3.4, pluggy-1.6.0 -- C:\Users\SHREYA\AppData\Local\Programs\Python\Python311\python.exe
cachedir: .pytest_cache
rootdir: C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6
plugins: anyio-4.15.1, locust-2.46.4
collected 18 items

CodeCoverageTest_fuel_station.py::test_unknown_fuel_grade PASSED                          [  5%]
CodeCoverageTest_fuel_station.py::test_negative_litres PASSED                             [ 11%]
CodeCoverageTest_fuel_station.py::test_litres_within_voucher_coverage PASSED              [ 16%]
CodeCoverageTest_fuel_station.py::test_gold_member_extra_litres PASSED                    [ 22%]
CodeCoverageTest_fuel_station.py::test_diesel_extra_litres PASSED                         [ 27%]
CodeCoverageTest_fuel_station.py::test_regular_fuel_extra_litres_under_30 PASSED          [ 33%]
CodeCoverageTest_fuel_station.py::test_gold_member_large_fuel_bill PASSED                 [ 38%]
CodeCoverageTest_fuel_station.py::test_fleet_request_allowed PASSED                       [ 44%]
CodeCoverageTest_fuel_station.py::test_fleet_request_exceeds_limit PASSED                 [ 50%]
CodeCoverageTest_fuel_station.py::test_non_fleet_request_exceeds_limit PASSED             [ 55%]
CodeCoverageTest_fuel_station.py::test_non_fleet_single_container_allowed PASSED          [ 61%]
CodeCoverageTest_fuel_station.py::test_non_fleet_multiple_containers_denied PASSED        [ 66%]
CodeCoverageTest_fuel_station.py::test_card_payment_active PASSED                         [ 72%]
CodeCoverageTest_fuel_station.py::test_card_payment_warning PASSED                        [ 77%]
CodeCoverageTest_fuel_station.py::test_card_payment_timed_out PASSED                      [ 83%]
CodeCoverageTest_fuel_station.py::test_cash_payment_active_at_night PASSED                [ 88%]
CodeCoverageTest_fuel_station.py::test_cash_payment_warning_during_day PASSED             [ 94%]
CodeCoverageTest_fuel_station.py::test_cash_payment_timed_out_during_day PASSED           [100%]

======================================= 18 passed in 0.11s ======================================
Name              Stmts   Miss  Cover   Missing
-------------------------------------------------
fuel_station.py      37      0   100%
-------------------------------------------------
TOTAL                37      0   100%
PS C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6>
```

```
------------------------------------------------------------         python -m coverage erase
>> python -m coverage run --branch --source=fuel_station -m pytest -v BranchCoverageTest_fuel_station.py
>> python -m coverage report -m5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6>
============================================================ test session starts ============================================================
platform win32 -- Python 3.11.9, pytest-8.3.4, pluggy-1.6.0 -- C:\Users\SHREYA\AppData\Local\Programs\Python\Python311\python.exe
cachedir: .pytest_cache
rootdir: C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6
plugins: anyio-4.15.1, locust-2.46.4
collected 29 items

BranchCoverageTest_fuel_station.py::test_invalid_fuel_grade PASSED                                                                  [  3%]
BranchCoverageTest_fuel_station.py::test_negative_litres PASSED                                                                     [  6%]
BranchCoverageTest_fuel_station.py::test_regular_silver_within_coverage PASSED                                                      [ 10%]
BranchCoverageTest_fuel_station.py::test_regular_gold_within_extended_coverage PASSED                                               [ 13%]
BranchCoverageTest_fuel_station.py::test_regular_gold_extra_litres PASSED                                                           [ 17%]
BranchCoverageTest_fuel_station.py::test_premium_silver_extra_litres PASSED                                                         [ 20%]
BranchCoverageTest_fuel_station.py::test_diesel_gold_uses_standard_diesel_coverage PASSED                                           [ 24%]
BranchCoverageTest_fuel_station.py::test_diesel_silver_extra_litres PASSED                                                          [ 27%]
BranchCoverageTest_fuel_station.py::test_extra_exactly_30_litres PASSED                                                             [ 31%]
BranchCoverageTest_fuel_station.py::test_extra_more_than_30_litres_silver PASSED                                                    [ 34%]
BranchCoverageTest_fuel_station.py::test_extra_more_than_30_litres_gold PASSED                                                      [ 37%]
BranchCoverageTest_fuel_station.py::test_fleet_at_limit PASSED                                                                      [ 41%]
BranchCoverageTest_fuel_station.py::test_fleet_over_limit PASSED                                                                    [ 44%]
BranchCoverageTest_fuel_station.py::test_non_fleet_at_litre_limit PASSED                                                            [ 48%]
BranchCoverageTest_fuel_station.py::test_non_fleet_over_litre_limit PASSED                                                          [ 51%]
BranchCoverageTest_fuel_station.py::test_non_fleet_one_container PASSED                                                             [ 55%]
BranchCoverageTest_fuel_station.py::test_non_fleet_multiple_containers PASSED                                                       [ 58%]
BranchCoverageTest_fuel_station.py::test_card_day_active PASSED                                                                     [ 62%]
BranchCoverageTest_fuel_station.py::test_card_day_warning_boundary PASSED                                                           [ 65%]
BranchCoverageTest_fuel_station.py::test_card_day_timed_out PASSED                                                                  [ 68%]
BranchCoverageTest_fuel_station.py::test_card_night_active PASSED                                                                   [ 72%]
BranchCoverageTest_fuel_station.py::test_card_night_warning PASSED                                                                  [ 75%]
BranchCoverageTest_fuel_station.py::test_card_night_timed_out PASSED                                                                [ 79%]
BranchCoverageTest_fuel_station.py::test_cash_day_active PASSED                                                                     [ 82%]
```

```
>> python -m coverage report -m5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6>
BranchCoverageTest_fuel_station.py::test_regular_silver_within_coverage PASSED                    [ 10%]
BranchCoverageTest_fuel_station.py::test_regular_gold_within_extended_coverage PASSED             [ 13%]
BranchCoverageTest_fuel_station.py::test_regular_gold_extra_litres PASSED                         [ 17%]
BranchCoverageTest_fuel_station.py::test_premium_silver_extra_litres PASSED                       [ 20%]
BranchCoverageTest_fuel_station.py::test_diesel_gold_uses_standard_diesel_coverage PASSED         [ 24%]
BranchCoverageTest_fuel_station.py::test_diesel_silver_extra_litres PASSED                        [ 27%]
BranchCoverageTest_fuel_station.py::test_extra_exactly_30_litres PASSED                           [ 31%]
BranchCoverageTest_fuel_station.py::test_extra_more_than_30_litres_silver PASSED                  [ 34%]
BranchCoverageTest_fuel_station.py::test_extra_more_than_30_litres_gold PASSED                    [ 37%]
BranchCoverageTest_fuel_station.py::test_fleet_at_limit PASSED                                    [ 41%]
BranchCoverageTest_fuel_station.py::test_fleet_over_limit PASSED                                  [ 44%]
BranchCoverageTest_fuel_station.py::test_non_fleet_at_litre_limit PASSED                          [ 48%]
BranchCoverageTest_fuel_station.py::test_non_fleet_over_litre_limit PASSED                        [ 51%]
BranchCoverageTest_fuel_station.py::test_non_fleet_one_container PASSED                           [ 55%]
BranchCoverageTest_fuel_station.py::test_non_fleet_multiple_containers PASSED                     [ 58%]
BranchCoverageTest_fuel_station.py::test_card_day_active PASSED                                   [ 62%]
BranchCoverageTest_fuel_station.py::test_card_day_warning_boundary PASSED                         [ 65%]
BranchCoverageTest_fuel_station.py::test_card_day_timed_out PASSED                                [ 68%]
BranchCoverageTest_fuel_station.py::test_card_night_active PASSED                                 [ 72%]
BranchCoverageTest_fuel_station.py::test_card_night_warning PASSED                                [ 75%]
BranchCoverageTest_fuel_station.py::test_card_night_timed_out PASSED                              [ 79%]
BranchCoverageTest_fuel_station.py::test_cash_day_active PASSED                                   [ 82%]
BranchCoverageTest_fuel_station.py::test_cash_day_warning PASSED                                  [ 86%]
BranchCoverageTest_fuel_station.py::test_cash_day_timed_out PASSED                                [ 89%]
BranchCoverageTest_fuel_station.py::test_cash_night_active PASSED                                 [ 93%]
BranchCoverageTest_fuel_station.py::test_cash_night_warning PASSED                                [ 96%]
BranchCoverageTest_fuel_station.py::test_cash_night_timed_out PASSED                              [100%]

============================================================ 29 passed in 0.18s ============================================================
Name              Stmts   Miss Branch BrPart  Cover   Missing
-------------------------------------------------------------
fuel_station.py      37      0     26      0   100%
-------------------------------------------------------------
TOTAL                37      0     26      0   100%
PS C:\Users\SHREYA\Desktop\SEM 5\SE\SE LAB\LAB6_PES2UG24CS486\Lab 6>
```