

NAME: SHREYA GHOLASE

PRN NO: 23070521145

SUBJECT: DBMS

SEC: B

Lab 4 Final Task:

Customer Table (For filtering by city, name)

customer_id	name	email	phone	address
1	Alice Johnson	alice@gmail.com	9876543210	New York
2	Bob Smith	bob@yahoo.com	9123456789	Los Angeles
3	Charlie Brown	charlie@outlook.com	9998887776	Chicago
4	David Miller	david@gmail.com	8765432109	Miami
5	Amy Adams	amy@hotmail.com	7654321098	New York

Product Table (For filtering by category, price, and stock quantity)

product_id	name	category	price	stock_quantity
1	Milk	Dairy	2.50	50
2	Bread	Bakery	1.80	30
3	Eggs	Dairy	3.20	40
4	Chicken	Meat	7.50	20

5	Apples	Fruit	1.20	60
6	Croissant	Bakery	2.50	25

Employee Table (For filtering by hire date, salary)

employee_id	name	role	salary	hire_date
1	Michael Scott	Manager	75000.00	2020-05-10
2	Jim Halpert	Cashier	30000.00	2021-08-15
3	Pam Beesly	Sales Associate	28000.00	2022-02-20
4	Dwight Schrute	Supervisor	50000.00	2019-11-30

5	Kevin Malone	Cashier	29000.00	2023-03-10
---	--------------	---------	----------	------------

Order_Details Table (For filtering orders based on date)

order_id	customer_id	order_date	total_amount
1	1	2024-01-10	10.50
2	2	2024-01-12	15.20
3	3	2024-02-01	20.80
4	4	2024-02-05	30.00
5	5	2024-02-10	25.50

1. Write the queries to generate above tables to use as the sample for given below queries.
2. Find all customers **from New York or Los Angeles**.
3. Retrieve products that are **Dairy or Bakery items**.
4. Find employees **hired between 2021 and 2023**.

5. List customers whose **names start with 'A'**.
6. Retrieve orders placed in **February 2024**.
7. Count the total **number of customers**.
8. Find the **average product price**.
9. Get the **maximum salary of employees**.
10. Retrieve the **total revenue from orders**.
11. Find the **minimum stock quantity available**.

```
SQL>
SQL> INSERT INTO Customer VALUES (1, 'Alice Johnson', 'alice@gmail.com', '9876543210', 'New York');
1 row created.
SQL> INSERT INTO Customer VALUES (2, 'Bob Smith', 'bob@yahoo.com', '9123456789', 'Los Angeles');
1 row created.
SQL> INSERT INTO Customer VALUES (3, 'Charlie Brown', 'charlie@outlook.com', '9998887776', 'Chicago');
1 row created.
SQL> INSERT INTO Customer VALUES (4, 'David Miller', 'david@gmail.com', '8765432109', 'Miami');
1 row created.
SQL> INSERT INTO Customer VALUES (5, 'Amy Adams', 'amy@hotmail.com', '7654321098', 'New York');
1 row created.
SQL>
SQL> INSERT INTO Product VALUES (1, 'Milk', 'Dairy', 2.50, 50);
1 row created.
SQL> INSERT INTO Product VALUES (2, 'Bread', 'Bakery', 1.80, 30);
1 row created.
SQL> INSERT INTO Product VALUES (3, 'Eggs', 'Dairy', 3.20, 40);
1 row created.
SQL> INSERT INTO Product VALUES (4, 'Chicken', 'Meat', 7.50, 20);
1 row created.
SQL> INSERT INTO Product VALUES (5, 'Apples', 'Fruit', 1.20, 60);
1 row created.
SQL> INSERT INTO Product VALUES (6, 'Croissant', 'Bakery', 2.50, 25);
1 row created.
SQL>
SQL> INSERT INTO Employee VALUES (1, 'Michael Scott', 'Manager', 75000.00, TO_DATE('2020-05-10', 'YYYY-MM-DD'));
1 row created.
```

```
1 row created.

SQL> INSERT INTO Product VALUES (5, 'Apples', 'Fruit', 1.20, 60);

1 row created.

SQL> INSERT INTO Product VALUES (6, 'Croissant', 'Bakery', 2.50, 25);

1 row created.

SQL>
SQL> INSERT INTO Employee VALUES (1, 'Michael Scott', 'Manager', 75000.00, TO_DATE('2020-05-10', 'YYYY-MM-DD'));

1 row created.

SQL> INSERT INTO Employee VALUES (2, 'Jim Halpert', 'Cashier', 30000.00, TO_DATE('2021-08-15', 'YYYY-MM-DD'));

1 row created.

SQL> INSERT INTO Employee VALUES (3, 'Pam Beesly', 'Sales Associate', 28000.00, TO_DATE('2022-02-20', 'YYYY-MM-DD'));

1 row created.

SQL> INSERT INTO Employee VALUES (4, 'Dwight Schrute', 'Supervisor', 50000.00, TO_DATE('2019-11-30', 'YYYY-MM-DD'));

1 row created.

SQL> INSERT INTO Employee VALUES (5, 'Kevin Malone', 'Cashier', 29000.00, TO_DATE('2023-03-10', 'YYYY-MM-DD'));

1 row created.

SQL>
SQL> INSERT INTO Order_Details VALUES (1, 1, TO_DATE('2024-01-10', 'YYYY-MM-DD'), 10.50);

1 row created.

SQL> INSERT INTO Order_Details VALUES (2, 2, TO_DATE('2024-01-12', 'YYYY-MM-DD'), 15.20);

1 row created.

SQL> INSERT INTO Order_Details VALUES (3, 3, TO_DATE('2024-02-01', 'YYYY-MM-DD'), 20.80);

1 row created.

SQL> INSERT INTO Order_Details VALUES (4, 4, TO_DATE('2024-02-05', 'YYYY-MM-DD'), 30.00);

1 row created.

SQL> INSERT INTO Order_Details VALUES (5, 5, TO_DATE('2024-02-10', 'YYYY-MM-DD'), 25.50);
```

```
SQL>
SQL> SELECT * FROM Customer WHERE address IN ('New York', 'Los Angeles');
```

```
CUSTOMER_ID
```

```
NAME
```

```
EMAIL
```

```
PHONE
```

```
ADDRESS
```

```
1
Alice Johnson
alice@gmail.com
```

```
CUSTOMER_ID
```

```
NAME
```

```
EMAIL
```

```
PHONE
```

```
ADDRESS
```

```
9876543210
New York
```

```
CUSTOMER_ID
```

```
NAME
```

```
EMAIL
```

```
PHONE
```

```
ADDRESS
```

```
2
Bob Smith
bob@yahoo.com
```

```
CUSTOMER_ID
```

```
NAME
```

```
EMAIL
```

```
SQL>
SQL> SELECT * FROM Customer WHERE address IN ('New York', 'Los Angeles');
```

CUSTOMER_ID

NAME

EMAIL

PHONE

ADDRESS

1
Alice Johnson
alice@gmail.com

CUSTOMER_ID

NAME

EMAIL

PHONE

ADDRESS

9876543210
New York

CUSTOMER_ID

NAME

EMAIL

PHONE

ADDRESS

2
Bob Smith
bob@yahoo.com

CUSTOMER_ID

NAME

EMAIL

Bob Smith
bob@yahoo.com

CUSTOMER_ID

NAME

EMAIL

PHONE

ADDRESS

9123456789
Los Angeles

CUSTOMER_ID

NAME

EMAIL

PHONE

ADDRESS

5
Amy Adams
amy@hotmail.com

CUSTOMER_ID

NAME

EMAIL

PHONE

ADDRESS

7654321098
New York

SQL> SELECT * FROM Product WHERE category IN ('Dairy', 'Bakery');

PRODUCT_ID

NAME


```
SQL> SELECT * FROM Product WHERE category IN ('Dairy', 'Bakery');
```

PRODUCT_ID	NAME	CATEGORY	PRICE	STOCK_QUANTITY
1	Milk	Dairy	2.5	50
2	Bread	Bakery	1.8	30

PRODUCT_ID	NAME	CATEGORY	PRICE	STOCK_QUANTITY
3	Eggs	Dairy	3.2	40
6	Croissant			

PRODUCT_ID	NAME	CATEGORY	PRICE	STOCK_QUANTITY
	Bakery		2.5	25

```
SQL> SELECT * FROM Employee WHERE hire_date BETWEEN TO_DATE('2021-01-01', 'YYYY-MM-DD') AND TO_DATE('2023-12-31', 'YYYY-MM-DD');
```

EMPLOYEE_ID	NAME	ROLE	SALARY	HIRE_DATE
2	Jim Halpert	Cashier	30000	15-AUG-21

```
Pam Beesly
Sales Associate                                28000 20-FEB-22
```

```
EMPLOYEE_ID
-----
```

```
NAME
-----
```

```
ROLE                                SALARY HIRE_DATE
-----
```

```
5
Kevin Malone
Cashier                                29000 10-MAR-23
```

```
SQL> SELECT * FROM Customer WHERE name LIKE 'A%';
```

```
CUSTOMER_ID
-----
```

```
NAME
-----
```

```
EMAIL
-----
```

```
PHONE
-----
```

```
ADDRESS
-----
```

```
1
Alice Johnson
alice@gmail.com
```

```
CUSTOMER_ID
-----
```

```
NAME
-----
```

```
EMAIL
-----
```

```
PHONE
-----
```

```
ADDRESS
-----
```

```
9876543210
New York
```

```
CUSTOMER_ID
-----
```

```
NAME
-----
```

```

NAME
-----
EMAIL
-----
PHONE
-----
ADDRESS
-----
7654321098
New York

SQL> SELECT * FROM Order_Details WHERE order_date BETWEEN TO_DATE('2024-02-01', 'YYYY-MM-DD') AND TO_DATE('2024-02-29', 'YYYY-MM-DD');

ORDER_ID CUSTOMER_ID ORDER_DAT TOTAL_AMOUNT
-----
3 01-FEB-24 20.8
4 05-FEB-24 30
5 10-FEB-24 25.5

```

```

SQL> SELECT COUNT(*) FROM Customer;

COUNT(*)
-----
5

SQL> SELECT AVG(price) FROM Product;

AVG(PRICE)
-----
3.11666667

SQL> SELECT MAX(salary) FROM Employee;

MAX(SALARY)
-----
75000

SQL> SELECT SUM(total_amount) FROM Order_Details;

SUM(TOTAL_AMOUNT)
-----
102

SQL> SELECT MIN(stock_quantity) FROM Product;

MIN(STOCK_QUANTITY)
-----
20

```

```
SQL>
SQL> CREATE TABLE Customer (
  2     customer_id NUMBER PRIMARY KEY,
  3     name VARCHAR2(100),
  4     email VARCHAR2(100),
  5     phone VARCHAR2(15),
  6     address VARCHAR2(100)
  7 );
```

Table created.

```
SQL>
SQL> CREATE TABLE Product (
  2     product_id NUMBER PRIMARY KEY,
  3     name VARCHAR2(100),
  4     category VARCHAR2(50),
  5     price NUMBER(10,2),
  6     stock_quantity NUMBER
  7 );
```

Table created.

```
SQL>
SQL> CREATE TABLE Employee (
  2     employee_id NUMBER PRIMARY KEY,
  3     name VARCHAR2(100),
  4     role VARCHAR2(50),
  5     salary NUMBER(10,2),
  6     hire_date DATE
  7 );
```

Table created.

```
SQL>
SQL> CREATE TABLE Order_Details (
  2     order_id NUMBER PRIMARY KEY,
  3     customer_id NUMBER,
  4     order_date DATE,
  5     total_amount NUMBER(10,2),
  6     FOREIGN KEY (customer_id) REFERENCES Customer(customer_id)
  7 );
```

Table created.