AI-Driven NIDS - Threat Intelligence Report

Generated on: 2026-10-12 20:48:29

Incident #1: Directory Traversal (High)

Timestamp: 12/Oct/2026:10:10:00 +0000

Target IP: 172.16.0.8 | Confidence: 0.95

Known Vulnerability: CVE-2018-13379

Threat Profile:

Apache Struts 2 path traversal allowing attackers to read arbitrary files such as /etc/passwd via crafted requests

Mitigation Strategy (Block IP via iptables):

```
iptables -A INPUT -s 172.16.0.8 -j DROP
```

Incident #2: Brute Force (High)

Timestamp: 12/Oct/2026:10:05:00 +0000

Target IP: 10.0.0.5 | Confidence: 0.7

Threat Profile:

Repeated unauthorized login attempts indicating a brute force attack on the /admin/login endpoint. This generic vulnerability exploits weak authentication controls and can lead to credential compromise.

Mitigation Strategy (Block IP via iptables):

```
iptables -A INPUT -s 10.0.0.5 -j DROP
```

Incident #3: Directory Traversal (High)

Timestamp: 12/Oct/2026:10:10:00 +0000

Target IP: 172.16.0.8 | Confidence: 0.95

Threat Profile:

Unauthorized attempt to read sensitive system files via path traversal in HTTP request, indicating potential exploitation of a directory traversal flaw in the web server or application.

Mitigation Strategy (Block IP via iptables):

```
iptables -A INPUT -s 172.16.0.8 -j DROP
```

Incident #4: Brute Force (High)

Timestamp: 12/Oct/2026:10:05:00 +0000

Target IP: 10.0.0.5 | Confidence: 0.65

Threat Profile:

Brute force attempts targeting the web application admin login, exploiting weak or default credentials to gain unauthorized access.

AI-Driven NIDS - Threat Intelligence Report

Generated on: 2026-10-12 20:48:29

Mitigation Strategy (Block IP via iptables):

```
iptables -A INPUT -s 10.0.0.5 -j DROP
```

Incident #5: Directory Traversal (High)

Timestamp: 12/Oct/2026:10:10:00 +0000

Target IP: 172.16.0.8 | Confidence: 0.95

Known Vulnerability: CVE-2020-2551

Threat Profile:

A directory traversal flaw in Apache Struts 2 allows unauthenticated attackers to read arbitrary files such as /etc/passwd via crafted request parameters.

Mitigation Strategy (Block IP via iptables):

```
iptables -A INPUT -s 172.16.0.8 -j DROP
```

Incident #6: Brute Force (High)

Timestamp: 12/Oct/2026:10:05:00 +0000

Target IP: 10.0.0.5 | Confidence: 0.6

Threat Profile:

Repeated failed login attempts indicate a brute force attack aimed at discovering valid credentials for the /admin endpoint, potentially targeting weak or default authentication mechanisms.

Mitigation Strategy (Block IP via iptables to mitigate brute force attempts):

```
iptables -A INPUT -s 10.0.0.5 -j DROP
```

Incident #7: Directory Traversal (High)

Timestamp: 12/Oct/2026:10:10:00 +0000

Target IP: 172.16.0.8 | Confidence: 0.9

Known Vulnerability: CVE-2018-11709

Threat Profile:

Web application failed to validate user-supplied file paths, allowing attackers to read arbitrary files such as /etc/passwd, leading to information disclosure.

Mitigation Strategy (Block IP via iptables):

```
iptables -A INPUT -s 172.16.0.8 -j DROP
```

Incident #8: Brute Force (High)

AI-Driven NIDS - Threat Intelligence Report

Generated on: 2026-10-12 20:48:29

Timestamp: 12/Oct/2026:10:05:00 +0000

Target IP: 10.0.0.5 | Confidence: 0.7

Known Vulnerability: CVE-2019-2725

Threat Profile:

Repeated failed POST requests to /admin/login indicate a brute-force attempt against the admin authentication. This pattern correlates with CVE-2019-2725, which exposed Apache Struts 2's admin panel to brute-force login attacks due to insufficient rate-limiting and weak password policies.

Mitigation Strategy (Block IP via iptables):

```
iptables -A INPUT -s 10.0.0.5 -j DROP
```