

**DATE: 28-04-2021**

---

**TOPIC: WEB DESIGN-FRONT END DEVELOPMENT**

---

**SOFTWARE : HTML**

**SOURCE CODE:**

```
<html>
<body style="background-color:olive;">
<!--div tag A webpage's content is divided into blocks, specified by div tag-->
<div>

    </img>
    <h1>MAJOR CONFERENCE EVENTS IN 2021</h1>
    <!--p plain text placed inside the tag-->
    <!-- injects inline elements : image, icon, emoticons without changing the style or formatting of
the page-->
    <!-- imag is to specify the image, source is src the location of the image-->

    <table class="center" border="2" align="center">
    <thead>
    <colgroup>
    <col span="8" style="background-color:yellow">
    <col style="background-color:orange">
    </colgroup>
    <!--tr is Row tag-->

    <tr>
        <!--th is table header-->

        <th>NAME OF THE EVENT</th>
        <th>DATE</th>
        <th>LOCATION</th>
        <th>COST</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>CONSUMER ELECTRONIC SHOW</th>
```

<th>JANUARY 5, JANUARY 6, JANUARY 7, JANUARY 8</th> <th>LAS VEGAS</th> <th>FREE</th>	JANUARY 5, JANUARY 6, JANUARY 7, JANUARY 8	LAS VEGAS	FREE
--	---	-----------	------

<th>DIGITAL WORKPLACE EXPERIENCE: VIRTUAL CONFERENCE SERIES</th> <th>FEBRUARY 13, MAY 13, JULY 15, OCTOBER 14</th> <th>ONLINE</th> <th>FREE</th>	DIGITAL WORKPLACE EXPERIENCE: VIRTUAL CONFERENCE SERIES	FEBRUARY 13, MAY 13, JULY 15, OCTOBER 14	ONLINE	FREE
--	--	---	--------	------

<th>SHARE VIRTUAL SUMMIT</th> <th>MARCH 21</th> <th>ONLINE</th> <th>399\$</th>	SHARE VIRTUAL SUMMIT	MARCH 21	ONLINE	399\$
--	----------------------	----------	--------	-------

<th>EmTECH DIGITAL 2021</th> <th>MARCH 23, MARCH 25</th> <th>ONLINE</th> <th>800\$-1200\$</th>	EmTECH DIGITAL 2021	MARCH 23, MARCH 25	ONLINE	800\$-1200\$
--	---------------------	-----------------------	--------	--------------

<th>GARTNER DIGITAL WORKPLACE SUMMIT</th>	GARTNER DIGITAL WORKPLACE SUMMIT
---	----------------------------------

<th>APRIL 26, APRIL 27</th> <th>ONLINE</th> <th>975\$-1450\$</th>	APRIL 26, APRIL 27	ONLINE	975\$-1450\$
---	-----------------------	--------	--------------

<th>ADOBE SUMMIT</th> <th>APRIL 27, APRIL 28</th> <th>ONLINE</th> <th>FREE</th>	ADOBE SUMMIT	APRIL 27, APRIL 28	ONLINE	FREE
---	--------------	-----------------------	--------	------

<th>IBM THINK</th> <th>MAY 11, MAY 12, MAY 13</th> <th>ONLINE</th> <th>TBA</th>	IBM THINK	MAY 11, MAY 12, MAY 13	ONLINE	TBA
---	-----------	------------------------------	--------	-----

<th>DEEPSOUCCE NEXT 2021</th> <th>MAY 18</th> <th>ONLINE</th> <th>FREE</th>	DEEPSOUCCE NEXT 2021	MAY 18	ONLINE	FREE
---	----------------------	--------	--------	------

<th>DIGITAL ENTERPRISE SHOW</th> <th>MAY 18, MAY 19, MAY 20</th> <th>MADRID</th>	DIGITAL ENTERPRISE SHOW	MAY 18, MAY 19, MAY 20	MADRID
--	-------------------------	------------------------------	--------

<th>600\$-1500\$</th>
</tr>
<tr>
<!--th is table header-->
<th>ESPC21 ONLINE</th>
<th>JUNE 1, JUNE 2</th>
<th>ONLINE</th>
<th>59\$</th>
</tr>
<tr>
<!--th is table header-->
<th>IDUG VIRTUAL NA CONFERENCE: DB2 TECH CONFERENCE</th>
<th>JUNE 7, JUNE 16</th>
<th>ONLINE</th>
<th>1865\$-2295\$</th>
</tr>
<tr>
<!--th is table header-->
<th>DUBLIN TECH SUMMIT:2021</th>
<th>JUNE 17</th>
<th>ONLINE</th>
<th>TBA</th>
</tr>
<tr>
<!--th is table header-->
<th>IT ARENA:2021</th>
<th>OCTOBER 8, OCTOBER 9 OCTOBER 10</th>
<th>LVIV</th>
<th>TBA</th>
</tr>

	GOOGLE CLOUD NEXT	OCTOBER 12, OCTOBER 13, OCTOBER 14	TBA	TBA
	BMC EXCHANGE	TBA	ONLINE	FREE
	AUGMENTED WORLD EXPO	NOVEMBER 9, NOVEMBER 10, NOVEMBER 11	ONLINE	395\$-1295\$
	AWS:RE-INVENT 2021	NOVEMBER 29, DECEMBER 1, DECEMBER 2, DECEMBER 3	LAS VEGAS	FREE

```
<head>
```

```
<style>
```

```
  form {  
    width: 50%;  
  }
```

```
  label {  
    display: inline-block;  
    float: left;  
    clear: left;  
    width: 90px;  
    margin: 5px;  
    text-align: left;  
  }
```

```
  input[type="text"] {  
    width: 250px;  
    margin: 5px 0px;  
  }
```

```
  .gfg {  
    font-size: 40px;  
    color: green;  
    font-weight: bold;  
  }
```

```
  legend {  
    width: 70px;  
    padding: 2px;  
    margin-left: calc(50% - 35px - 8px);  
  }
```

```
</style>
```

```
</head>
```

```
<form>
```

```
<body>
```

```
<div>REGISTER TO ATTEND!</div>
```

```
<form style="background-color:#ffc" align="center">
```

```
  <fieldset>
```

```
    <legend style="background-color:blue" align="center";>PROFILE</legend>
```

```
    <label>NAME:</label>
```

```
<input type="text">
<br>
<label>ID:</label>
<input type="text">
<br>
<label>EMAIL:</label>
<input type="text">
    <br>
<label>ADDRESS:</label>
<input type="text">
    <br>
<label>ZIPCODE:</label>
<input type="text">
    <br>
<label>PHONE NO:</label>
<input type="text">
    <br>
<label>COUNTRY OF LIVING:</label>
<input type="text">
    <br>
    </fieldset>
</form>

<div class="row">
    <input type="submit" value="Submit">
</div>

</form>
</div>
</body>
</html>
```

---

## OUTPUT:



### MAJOR CONFERENCE EVENTS IN 2021

NAME OF THE EVENT	DATE	LOCATION	COST
CONSUMER ELECTRONIC SHOW	JANUARY 5, JANUARY 6, JANUARY 7, JANUARY 8	LAS VEGAS	FREE
DIGITAL WORKPLACE EXPERIENCE: VIRTUAL CONFERENCE SERIES	FEBRUARY 13, MAY 13, JULY 15, OCTOBER 14	ONLINE	FREE
SHARE VIRTUAL SUMMIT	MARCH 21	ONLINE	399\$
EmTECH DIGITAL 2021	MARCH 23, MARCH 25	ONLINE	800\$-1200\$
GARTNER DIGITAL WORKPLACE SUMMIT	APRIL 26, APRIL 27	ONLINE	975\$-1450\$
ADOBE SUMMIT	APRIL 27, APRIL 28	ONLINE	FREE
IBM THINK	MAY 11, MAY 12, MAY 13	ONLINE	TBA
DEEPSOUCÉ NEXT 2021	MAY 18	ONLINE	FREE
DIGITAL ENTERPRISE SHOW	MAY 18, MAY 19, MAY 20	MADRID	600\$-1500\$
ESPC21 ONLINE	JUNE 1, JUNE 2	ONLINE	59\$
IDUG VIRTUAL NA CONFERENCE: DB2 TECH CONFERENCE	JUNE 7, JUNE 16	ONLINE	1865\$-2295\$
DUBLIN TECH SUMMIT:2021	JUNE 17	ONLINE	TBA
IT ARENA:2021	OCTOBER 8, OCTOBER 9 OCTOBER 10	LIV	TBA
GOOGLE CLOUD NEXT	OCTOBER 12, OCTOBER 13, OCTOBER 14	TBA	TBA
BMC EXCHANGE	TBA	ONLINE	FREE
AUGMENTED WORLD EXPO	NOVEMBER 9, NOVEMBER 10, NOVEMBER 11	ONLINE	395\$-1295\$
AWS:RE-INVENT 2021	NOVEMBER 29, DECEMBER 1, DECEMBER 2, DECEMBER 3	LAS VEGAS	FREE

### REGISTER TO ATTEND!

PROFILE

NAME: shreya  
ID: E0320017  
EMAIL: shreya.e0320017@sret.edu.in  
ADDRESS: Chennai  
ZIPCODE: 600061  
PHONE NO: xxxxxxxxxx  
COUNTRY OF LIVING: India

Submit



**Date: 02-05-2021**

---

**Topic: WEB DESIGN: FRONT END DEVELOPMENT LEVEL 2**

---

**SOFTWARE: HTML**

**SOURCE CODE:**

```
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
<title>CONFERENCE EVENTS 2021</title>
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min
.css">
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.
min.css">
<script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"
></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.j
s"></script>

<style type="text/css">
    /* Some custom styles to beautify this example */
    body{
        background-color:rgb(226, 177, 14)

    }
    .carousel-item
    {
```

```

        height: 400px;
    }

.carousel-item img{
    position: absolute;
    left:0px;
    top:0px;
    min-height:400px;
    z-index:-1;
}
</style>
</head>
<body>

    <div class="container">
        <div class="col">
            <div class="carousel slide" data-ride="carousel"
id="mycarousel">
                <div class="carousel-inner">
                    <div class="carousel-item active">
                        
                        <div class="carousel-caption">
                            <h2 class="text-white"></h2>
                        </div>
                    </div>

                    <div class="carousel-item">
                        
                        <div class="carousel-caption">
                            <h2 class="text-white"></h2>
                        </div>
                    </div>

                    <div class="carousel-item">
                        
                        <div class="carousel-caption">
                            <h2 class="text-white"></h2>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

</div>

<div class="carousel-item">
  
  <div class="carousel-caption">
    <h2 class="text-white"></h2>
  </div>
</div>

<div class="carousel-item">
  
  <div class="carousel-caption">
    <h2 class="text-white"></h2>
  </div>
</div>

<div class="carousel-item">
  
  <div class="carousel-caption">
    <h2 class="text-white"></h2>
  </div>
</div>

<ol class="carousel-indicator">
  <!--This is after ending of carousel inner-->
  <li data-target="mycarousel" data-slide-to="0"
class="active">\</li>
  <li data-target="mycarousel" data-slide-to="1"></li>
  <li data-target="mycarousel" data-slide-to="2"></li>
  <li data-target="mycarousel" data-slide-to="3"></li>
  <li data-target="mycarousel" data-slide-to="4"></li>
  <li data-target="mycarousel" data-slide-to="5"></li>

  </ol>
</div>

</div>

</div>

```

```

    </div>

<style>
    /* Some custom styles to beautify this example */
    .demo-content{
        padding: 15px;
        font-size: 18px;
        background:purple;
        margin-bottom: 15px;
    }
    .demo-content.bg-alt{
        background: #abb8af;
    }
</style>
</head>
<body>
    <h2 class="text-center my-3">MAJOR CONFERENCE EVENTS IN 2021</h2>
    <div class="text-center">THESE ARE THE EVENTS THAT ARE TAKING PLACE IN
2021</div>
    <div class="container mt-3">
        <!--Row with two equal columns-->
        <div class="row">
            <div class="col-md-6">
                <div class="demo-content">CONSUMER ELECTRONIC SHOW</div>
            </div>
            <div class="col-md-6">
                <div class="demo-content bg-alt">DIGITAL WORKPLACE
EXPERIENCE:
                VIRTUAL CONFERENCE SERIES</div>
            </div>
        </div>

        <!--Row with two columns divided in 1:2 ratio-->
        <div class="row">
            <div class="col-md-4">
                <div class="demo-content">SHARE VIRTUAL SUMMIT</div>
            </div>
            <div class="col-md-8">
                <div class="demo-content bg-alt">EmTECH DIGITAL 2021</div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>

    <!--Row with two columns divided in 1:3 ratio-->
    <div class="row">
        <div class="col-md-3">
            <div class="demo-content">GARTNER DIGITAL WORKPLACE
SUMMIT</div>
        </div>
        <div class="col-md-9">
            <div class="demo-content bg-alt">ADOBE SUMMIT</div>
        </div>
    </div>

    <!--Row with two columns divided in 1:2 ratio-->
    <div class="row">
        <div class="col-md-4">
            <div class="demo-content">IBM THINK</div>
        </div>
        <div class="col-md-8">
            <div class="demo-content bg-alt">DEEPSOUCCE NEXT 2021</div>
        </div>
    </div>

    <!--Row with two columns divided in 1:3 ratio-->
    <div class="row">
        <div class="col-md-3">
            <div class="demo-content">DIGITAL ENTERPRISE SHOW</div>
        </div>
        <div class="col-md-9">
            <div class="demo-content bg-alt">ESPC21 ONLINE</div>
        </div>
    </div>

    <!--Row with two columns divided in 1:2 ratio-->
    <div class="row">
        <div class="col-md-4">
            <div class="demo-content">IDUG VIRTUAL NA CONFERENCE:
                DB2 TECH CONFERENCE</div>
        </div>
    </div>

```

```
<div class="col-md-8">
    <div class="demo-content bg-alt">DUBLIN TECH
SUMMIT:2021</div>
</div>
</div>
<head>

<style>
    form {
        width: 50%;
    }

    label {
        display: inline-block;
        float: left;
        clear: left;
        width: 90px;
        margin: 5px;
        text-align: left;
    }

    input[type="text"] {
        width: 250px;
        margin: 5px 0px;
    }

    .gfg {
        font-size: 40px;
        color: green;
        font-weight: bold;
    }

    legend {
        width: 70px;
        padding: 2px;
        margin-left: calc(50% - 35px - 8px);
    }
```

```

        </style>
    </head>

    <style>
        /* Some custom styles to beautify this example */
        .demo-content{
            padding: 15px;
            font-size: 18px;
            background: #aadfe5;
            margin-bottom: 15px;
        }
        .demo-content.bg-alt{
            background: #adb1b8;
        }
    </style>
</head>
<body style="background-color:sienna">
<nav class="navbar navbar-dark bg-dark navbar-expand-sm">
    <a class="navbar-brand" href="#">

        <nav>
            <ul>
                <li><a
href="file:///C:/Users/GVS-PC/Desktop/NAVIGATION%20BARS.html#">MAJOR
CONFERENCE EVENTS 2021</a></li>

            </ul>
        </nav>
    </a>
    <button class="navbar-toggler" type="button" data-toggle="collapse"
data-target="#navbar-list-3" aria-controls="navbarNav"
aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbar-list-3">
        <ul class="navbar-nav">
            <li class="nav-item dropdown">

```

```

        <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdownMenuLink" role="button" data-toggle="dropdown"
aria-haspopup="true" aria-expanded="false">
            About
        </a>
        <div class="dropdown-menu"
aria-labelledby="navbarDropdownMenuLink">
            <a class="dropdown-item" href="#">NAME OF THE EVENTS</a>
            <a class="dropdown-item" href="#">DATE</a>
            <a class="dropdown-item" href="#">LOCATION</a>
        </div>
    </li>
</ul>
</div>
</nav>
</body>

```

```
<body>
```

```
<table style="background-color: sandybrown" class="center";>
    <tr>
```

```
        <td>
```

```

        <table class="center" border="2" align="center">
            <thead>
                <colgroup>
                    <col span="8" style="background-color:yellow">
                    <col style="background-color:orange">
                </colgroup>
                <!--tr is Row tag-->

```

```

            <tr>
                <!--th is table header-->

                <th>NAME OF THE EVENT</th>
                <th>DATE</th>
                <th>LOCATION</th>
                <th>COST</th>

```



```

</tr>

<tr>
  <!--th is table header-->

  <th>CONSUMER ELECTRONIC SHOW</th>
  <th>JANUARY 5,
  JANUARY 6,
  JANUARY 7,
  JANUARY 8</th>
  <th>LAS VEGAS</th>
  <th>FREE</th>
</tr>

<tr>
  <!--th is table header-->

  <th>DIGITAL WORKPLACE EXPERIENCE:
  VIRTUAL CONFERENCE SERIES</th>
  <th>FEBRUARY 13,
  MAY 13,
  JULY 15,
  OCTOBER 14</th>
  <th>ONLINE</th>
  <th>FREE</th>
</tr>

<tr>
  <!--th is table header-->

  <th>SHARE VIRTUAL SUMMIT</th>
  <th>MARCH 21</th>
  <th>ONLINE</th>
  <th>399$</th>
</tr>

<tr>
  <!--th is table header-->

  <th>EmTECH DIGITAL 2021</th>

```

```

        <th>MARCH 23,
        MARCH 25</th>
        <th>ONLINE</th>
        <th>800$-1200$</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>GARTNER DIGITAL WORKPLACE SUMMIT</th>
        <th>APRIL 26,
        APRIL 27</th>
        <th>ONLINE</th>
        <th>975$-1450$</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>ADOBE SUMMIT</th>
        <th>APRIL 27,
        APRIL 28</th>
        <th>ONLINE</th>
        <th>FREE</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>IBM THINK</th>
        <th>MAY 11,
        MAY 12,
        MAY 13</th>
        <th>ONLINE</th>
        <th>TBA</th>
    </tr>

    <tr>
        <!--th is table header-->

```

```

        <th>DEEPSOUCÉ NEXT 2021</th>
        <th>MAY 18</th>
        <th>ONLINE</th>
        <th>FREE</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>DIGITAL ENTERPRISE SHOW</th>
        <th>MAY 18,
        MAY 19,
        MAY 20</th>
        <th>MADRID</th>
        <th>600$-1500$</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>ESPC21 ONLINE</th>
        <th>JUNE 1,
        JUNE 2</th>
        <th>ONLINE</th>
        <th>59$</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>IDUG VIRTUAL NA CONFERENCE:
        DB2 TECH CONFERENCE</th>
        <th>JUNE 7,
        JUNE 16</th>
        <th>ONLINE</th>
        <th>1865$-2295$</th>
    </tr>

    <tr>
        <!--th is table header-->

```

```

        <th>DUBLIN TECH SUMMIT:2021</th>
        <th>JUNE 17</th>
        <th>ONLINE</th>
        <th>TBA</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>IT ARENA:2021</th>
        <th>OCTOBER 8,
        OCTOBER 9
        OCTOBER 10</th>
        <th>LVIV</th>
        <th>TBA</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>GOOGLE CLOUD NEXT</th>
        <th>OCTOBER 12,
        OCTOBER 13,
        OCTOBER 14</th>
        <th>TBA</th>
        <th>TBA</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>BMC EXCHANGE</th>
        <th>TBA</th>
        <th>ONLINE</th>
        <th>FREE</th>
    </tr>

    <tr>
        <!--th is table header-->

```

```

        <th>AUGMENTED WORLD EXPO</th>
        <th>NOVEMBER 9,
        NOVEMBER 10,
        NOVEMBER 11</th>
        <th>ONLINE</th>
        <th>395$-1295$</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>AWS:RE-INVENT 2021</th>
        <th>NOVEMBER 29,
        DECEMBER 1,
        DECEMBER 2,
        DECEMBER 3</th>
        <th>LAS VEGAS</th>
        <th>FREE</th>
    </tr>
</table>

```

```
<head>
```

```

<style>
    form {
        width: 50%;
    }

    label {
        display: inline-block;
        float: left;
        clear: left;
        width: 90px;
        margin: 5px;
        text-align: left;
    }

    input[type="text"] {
        width: 250px;
    }

```

```

        margin: 5px 0px;
    }

    .gfg {
        font-size: 40px;
        color: green;
        font-weight: bold;
    }

    legend {
        width: 70px;
        padding: 2px;
        margin-left: calc(50% - 35px - 8px);
    }
</style>
</head>

<form>

<body>

<div>REGISTER TO ATTEND!</div>
<form style="background-color:#ffc" align="right">
    <fieldset>

        <label>NAME:</label>
        <input type="text">
        <br>
        <label>ID:</label>
        <input type="text">
        <br>
        <label>EMAIL:</label>
        <input type="text">
        <br>
        <label>ADDRESS:</label>
        <input type="text">
        <br>
        <label>ZIPCODE:</label>
        <input type="text">

```

```

        <br>
        <label>PHONE NO:</label>
        <input type="text">
        <br>
        <label>COUNTRY OF LIVING:</label>
        <input type="text">
        <br>
    </fieldset>
</form>

    <div class="row">
        <input type="submit" value="Submit">
    </div>

</form>

<style>
    /* Some custom styles to beautify this example */
    .content{
        padding: 15px;
        font-size: 18px;
        background: #ceb3ad;
        margin-bottom: 15px;
    }
    .content.bg-alt{
        background: #cddadb;
    }
</style>
</head>
<body>

    <button type="button" class="content" class="btn btn-primary"
data-bs-toggle="tooltip" data-bs-placement="top" title="educational">
        EDUCATIONAL
    </button>

    <button type="button" class="btn btn-primary"
data-bs-toggle="tooltip" data-bs-placement="right" title="economical">

```

```

        ECONOMICAL
    </button>
    <button type="button" class="btn btn-primary"
data-bs-toggle="tooltip" data-bs-placement="bottom" title="political">
        POLITICAL
    </button>

    <table style="background-color: sandybrown"
class="right";>
        <tr>

            <td>

                <table class="center" border="2" align="right">
                    <thead>
                        <colgroup>
                            <col span="8" style="background-color:yellow">
                            <col style="background-color:orange">
                        </colgroup>
                        <!--tr is Row tag-->

                        <tr>
                            <!--th is table header-->

                            <th>NAME OF THE EVENT</th>
                            <th>DATE</th>
                            <th>LOCATION</th>
                            <th>COST</th>
                        </tr>

                        <tr>
                            <!--th is table header-->

                            <th>CONSUMER ELECTRONIC SHOW</th>
                            <th>JANUARY 5,
                                JANUARY 6,
                                JANUARY 7,
                                JANUARY 8</th>

```



```

        <th>LAS VEGAS</th>
        <th>FREE</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>DIGITAL WORKPLACE EXPERIENCE:
        VIRTUAL CONFERENCE SERIES</th>
        <th>FEBRUARY 13,
        MAY 13,
        JULY 15,
        OCTOBER 14</th>
        <th>ONLINE</th>
        <th>FREE</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>SHARE VIRTUAL SUMMIT</th>
        <th>MARCH 21</th>
        <th>ONLINE</th>
        <th>399$</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>EmTECH DIGITAL 2021</th>
        <th>MARCH 23,
        MARCH 25</th>
        <th>ONLINE</th>
        <th>800$-1200$</th>
    </tr>

    <tr>
        <!--th is table header-->

        <th>GARTNER DIGITAL WORKPLACE SUMMIT</th>

```

```
<th>APRIL 26,  
APRIL 27</th>  
<th>ONLINE</th>  
<th>975$-1450$</th>  
</tr>  
  
<tr>  
  <!--th is table header-->  
  
  <th>ADOBE SUMMIT</th>  
  <th>APRIL 27,  
  APRIL 28</th>  
  <th>ONLINE</th>  
  <th>FREE</th>  
</tr>  
  
<tr>  
  <!--th is table header-->  
  
  <th>IBM THINK</th>  
  <th>MAY 11,  
  MAY 12,  
  MAY 13</th>  
  <th>ONLINE</th>  
  <th>TBA</th>  
</tr>  
  
<tr>  
  <!--th is table header-->  
  
  <th>DEEPSOUCÉ NEXT 2021</th>  
  <th>MAY 18</th>  
  <th>ONLINE</th>  
  <th>FREE</th>  
</tr>  
  
<tr>  
  <!--th is table header-->  
  
  <th>DIGITAL ENTERPRISE SHOW</th>
```

```

        <th>MAY 18,
        MAY 19,
        MAY 20</th>
        <th>MADRID</th>
        <th>600$-1500$</th>
</tr>

<tr>
    <!--th is table header-->

    <th>ESPC21 ONLINE</th>
    <th>JUNE 1,
    JUNE 2</th>
    <th>ONLINE</th>
    <th>59$</th>
</tr>

<tr>
    <!--th is table header-->

    <th>IDUG VIRTUAL NA CONFERENCE:
    DB2 TECH CONFERENCE</th>
    <th>JUNE 7,
    JUNE 16</th>
    <th>ONLINE</th>
    <th>1865$-2295$</th>
</tr>

<tr>
    <!--th is table header-->

    <th>DUBLIN TECH SUMMIT:2021</th>
    <th>JUNE 17</th>
    <th>ONLINE</th>
    <th>TBA</th>
</tr>

<tr>
    <!--th is table header-->

```

```

<th>IT ARENA:2021</th>
<th>OCTOBER 8,
OCTOBER 9
OCTOBER 10</th>
<th>LVIV</th>
<th>TBA</th>
</tr>

<tr>
  <!--th is table header-->

  <th>GOOGLE CLOUD NEXT</th>
  <th>OCTOBER 12,
OCTOBER 13,
OCTOBER 14</th>
  <th>TBA</th>
  <th>TBA</th>
</tr>

<tr>
  <!--th is table header-->

  <th>BMC EXCHANGE</th>
  <th>TBA</th>
  <th>ONLINE</th>
  <th>FREE</th>
</tr>

<tr>
  <!--th is table header-->

  <th>AUGMENTED WORLD EXPO</th>
  <th>NOVEMBER 9,
NOVEMBER 10,
NOVEMBER 11</th>
  <th>ONLINE</th>
  <th>395$-1295$</th>
</tr>

<tr>

```

```

        <!--th is table header-->

        <th>AWS:RE-INVENT 2021</th>
        <th>NOVEMBER 29,
        DECEMBER 1,
        DECEMBER 2,
        DECEMBER 3</th>
        <th>LAS VEGAS</th>
        <th>FREE</th>
    </tr>
</table>

```

```

<head>

```

```

<style>
    form {
        width: 50%;
    }

    label {
        display: inline-block;
        float: left;
        clear: left;
        width: 90px;
        margin: 5px;
        text-align: left;
    }

    input[type="text"] {
        width: 250px;
        margin: 5px 0px;
    }

    .gfg {
        font-size: 40px;
        color: green;
        font-weight: bold;
    }

```

```

    legend {

```

```

        width: 70px;
        padding: 2px;
        margin-left: calc(50% - 35px - 8px);
    }
</style>
</head>

<form>

<body>

<div>REGISTER TO ATTEND!</div>
<form style="background-color:#ffc" align="right">
    <fieldset>

        <label>NAME:</label>
        <input type="text">
        <br>
        <label>ID:</label>
        <input type="text">
        <br>
        <label>EMAIL:</label>
        <input type="text">
        <br>
        <label>ADDRESS:</label>
        <input type="text">
        <br>
        <label>ZIPCODE:</label>
        <input type="text">
        <br>
        <label>PHONE NO:</label>
        <input type="text">
        <br>
        <label>COUNTRY OF LIVING:</label>
        <input type="text">
        <br>
    </fieldset>
</form>

```

```

        <div class="row">
            <input type="submit" value="Submit">
        </div>

</form>
</body>
</html>

<div class="container">
    <h2>MODALS</h2>
    <!-- Button to Open the Modal -->
    <button type="button" class="btn btn-primary"
data-toggle="modal" data-target="#myModal">
        LIST OF MAJOR EVENTS HAPPENING IN 2021
    </button>

    <!-- The Modal -->
    <div class="modal" id="myModal">
        <div class="modal-dialog">
            <div class="modal-content">

                <!-- Modal Header -->
                <div class="modal-header">
                    <h4 class="modal-title">conference events are listed
above</h4>

                    <button type="button" class="close"
data-dismiss="modal">&times;</button>
                </div>

                <!-- Modal body -->
                <div class="modal-body">
                    Check before you submit. Is this ok!!!!!!!!!!!!!!
                </div>

                <!-- Modal footer -->
                <div class="modal-footer">
                    <button type="button" class="btn btn-success"
data-dismiss="modal">Ok</button>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
</div>

</div>


<style>
    .bs-example{
        margin: 150px 50px;
    }
</style>
<script>
$(document).ready(function() {
    $('[data-toggle="popover"]').popover({
        placement : 'top'
    });
});
</script>
</head>
<body>
<div class="bs-example">
    <div class="popover-demo mb-2">
        <button type="button" class="btn btn-primary"
data-toggle="popover"
        title="Popover title" data-content="CONFERENCE
EVENTS">EDUCATIONAL</button>
        <button type="button" class="btn btn-success"
data-toggle="popover"
        title="Popover title" data-content="CONFERENCE
EVENTS">ECONOMICAL</button>

    </div>
</body>
</html>

```



## OUTPUT:



1. \

4.

5.

### MAJOR CONFERENCE EVENTS IN 2021

THESE ARE THE EVENTS THAT ARE TAKING PLACE IN 2021

CONSUMER ELECTRONIC SHOW

DIGITAL WORKPLACE EXPERIENCE: VIRTUAL CONFERENCE SERIES

SHARE VIRTUAL SUMMIT

EmTECH DIGITAL 2021

GARTNER DIGITAL WORKPLACE SUMMIT

ADOBE SUMMIT

IBM THINK

DEEPSOUC NEXT 2021

DIGITAL ENTERPRISE SHOW

ESPC21 ONLINE

IDUG VIRTUAL NA CONFERENCE: DB2 TECH CONFERENCE

DUBLIN TECH SUMMIT:2021

MAJOR CONFERENCE EVENTS 2021 About

NAME OF THE EVENT	DATE	LOCATION	COST
CONSUMER ELECTRONIC SHOW	JANUARY 5, JANUARY 6, JANUARY 7, JANUARY 8	LAS VEGAS	FREE
DIGITAL WORKPLACE EXPERIENCE: VIRTUAL CONFERENCE SERIES	FEBRUARY 13, MAY 13, JULY 15, OCTOBER 14	ONLINE	FREE
SHARE VIRTUAL SUMMIT	MARCH 21	ONLINE	399\$
EmTECH DIGITAL 2021	MARCH 23, MARCH 25	ONLINE	800\$-1200\$
GARTNER DIGITAL WORKPLACE SUMMIT	APRIL 26, APRIL 27	ONLINE	975\$-1450\$
ADOBE SUMMIT	APRIL 27, APRIL 28	ONLINE	FREE
IBM THINK	MAY 11, MAY 12, MAY 13	ONLINE	TBA

NAME OF THE EVENT	DATE	LOCATION	COST
ADOBE SUMMIT	APRIL 27, APRIL 28	ONLINE	FREE
IBM THINK	MAY 11, MAY 12, MAY 13	ONLINE	TBA
DEEPSOUC NEXT 2021	MAY 18	ONLINE	FREE
DIGITAL ENTERPRISE SHOW	MAY 18, MAY 19, MAY 20	MADRID	600\$-1500\$
ESPC21 ONLINE	JUNE 1, JUNE 2	ONLINE	59\$
IDUG VIRTUAL NA CONFERENCE: DB2 TECH CONFERENCE	JUNE 7, JUNE 16	ONLINE	1865\$-2295\$
DUBLIN TECH SUMMIT:2021	JUNE 17	ONLINE	TBA
IT ARENA:2021	OCTOBER 8, OCTOBER 9 OCTOBER 10	LVIV	TBA
GOOGLE CLOUD NEXT	OCTOBER 12, OCTOBER 13, OCTOBER 14	TBA	TBA
BMC EXCHANGE	TBA	ONLINE	FREE
AUGMENTED WORLD EXPO	NOVEMBER 9, NOVEMBER 10, NOVEMBER 11	ONLINE	395\$-1295\$
AWS:RE-INVENT 2021	NOVEMBER 29, DECEMBER 1, DECEMBER 2, DECEMBER 3	LAS VEGAS	FREE

REGISTER TO ATTEND!

NAME:

ID:

EMAIL:

ADDRESS:

ZIPCODE:

PHONE NO:

COUNTRY OF LIVING:

EDUCATIONAL
ECONOMICAL
POLITICAL

NAME OF THE EVENT	DATE	LOCATION	COST
CONSUMER ELECTRONIC SHOW	JANUARY 5, JANUARY 6, JANUARY 7, JANUARY 8	LAS VEGAS	FREE
DIGITAL WORKPLACE EXPERIENCE: VIRTUAL CONFERENCE SERIES	FEBRUARY 13, MAY 13, JULY 15, OCTOBER 14	ONLINE	FREE
SHARE VIRTUAL SUMMIT	MARCH 21	ONLINE	399\$
EmTECH DIGITAL 2021	MARCH 23, MARCH 25	ONLINE	800\$-1200\$
GARTNER DIGITAL WORKPLACE SUMMIT	APRIL 26, APRIL 27	ONLINE	975\$-1450\$
ADOBE SUMMIT	APRIL 27, APRIL 28	ONLINE	FREE
IBM THINK	MAY 11, MAY 12, MAY 13	ONLINE	TBA
DEEPSOUC NEXT 2021	MAY 18	ONLINE	FREE
DIGITAL ENTERPRISE SHOW	MAY 18, MAY 19, MAY 20	MADRID	600\$-1500\$
ESPC21 ONLINE	JUNE 1, JUNE 2	ONLINE	59\$
IDUG VIRTUAL NA CONFERENCE: DB2 TECH CONFERENCE	JUNE 7, JUNE 16	ONLINE	1865\$-2295\$
DUBLIN TECH SUMMIT:2021	JUNE 17	ONLINE	TBA
IT ARENA:2021	OCTOBER 8, OCTOBER 9 OCTOBER 10	LVIV	TBA
GOOGLE CLOUD NEXT	OCTOBER 12, OCTOBER 13, OCTOBER 14	TBA	TBA
BMC EXCHANGE	TBA	ONLINE	FREE
AUGMENTED WORLD EXPO	NOVEMBER 9, NOVEMBER 10, NOVEMBER 11	ONLINE	395\$-1295\$
AWS:RE-INVENT 2021	NOVEMBER 29, DECEMBER 1, DECEMBER 2, DECEMBER 3	LAS VEGAS	FREE

REGISTER TO ATTEND!

NAME:

3		VEGAS
REGISTER TO ATTEND!		
NAME:	<input type="text"/>	
ID:	<input type="text"/>	
EMAIL:	<input type="text"/>	
ADDRESS:	<input type="text"/>	
ZIPCODE:	<input type="text"/>	
PHONE NO:	<input type="text"/>	
COUNTRY OF LIVING:	<input type="text"/>	
<input type="button" value="Submit"/>		
<h2>MODALS</h2>		
<input type="button" value="LIST OF MAJOR EVENTS HAPPENING IN 2021"/>		
<div><input type="button" value="EDUCATIONAL"/> <input type="button" value="ECONOMICAL"/></div>		

## Hill Stations in India

**Name : Cheeki Reddy Damini**

**Unique Id:E0120031**

**Students Team:** Shreya V. - Structural Directives, Custom Directives, reusable components

Cheeki Reddy Damini - Navbar, grid, authentication and authorisation.

**Name of the student: Shreya v**

**Unique Id:E0320017**

---

### app.component.html

```
<app-header></app-header>
```

```
<nav class="navbar navbar-expand-lg navbar" style="background-color: #ddba6f; text-decoration:#e04e4ebd">
```

```
  <a class="navbar-brand" href="#"> Tourism and Travel to Hill stations</a>
```

```
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
```

```
    <span class="navbar-toggler-icon"></span>
```

```
  </button>
```

```
  <div class="collapse navbar-collapse" >
```

```
    <ul class="navbar-nav mr-auto">
```

```
      <li class="nav-item active">
```

```
        <a class="nav-link" routerLink="" routerLinkActive="active">Home</a>
```

```
      </li>
```

```
      <li class="nav-item">
```

```
        <a class="nav-link" routerLink="Details" routerLinkActive="active">About</a>
```

```
      </li>
```

```
      <li class="nav-item">
```

```
        <a class="nav-link" routerLink="Registration" routerLinkActive="active">Booking a trip</a>
```

```
      </li>
```

```
      <li class="nav-item">
```

```
        <a class="nav-link" routerLink="Packages" routerLinkActive="active">Packages</a>
```

```
      </li>
```

```
      <li class="nav-item">
```

```
        <a class="nav-link" routerLink="Help" routerLinkActive="active">Help</a>
```

```
      </li>
```

```
      <li class="nav-item">
```

```
        <a class="nav-link" routerLink="login" routerLinkActive="active">Login</a>
```

```
      </li>
```

```
      <li class="nav-item">
```

```
        <a class="nav-link" routerLink="register" routerLinkActive="active">Register</a>
```

```
      </li>
```

```

        <li class="nav-item">
            <a class="nav-link" routerLink="reset-password"
routerLinkActive="active">Reset-Password</a>
        </li>
    </ul>

</div>
</nav>
<div class="back">
    <div [ngSwitch]="color">
        <h1 *ngSwitchCase="red" style="color: red" >{{title}}</h1><br>
        <h1 *ngSwitchCase="green" style="color: green" style="text-align:center">{{title}}</h1><br>
    </div>
</div>

<style>
    /* Some custom styles to beautify this example */
.content{
    padding: 15px;
    font-size: 18px;
    background: #5ec40c;
    margin-bottom: 15px;
}
.content.bg-alt{
    background: #f7be04;
}
</style>

```

```

<!--<h2 class="text-center my-3">Responsive Layout using Bootstrap</h2>-->

```

```

        <!--<app-home></app-home>
        <app-registration></app-registration-->
<router-outlet></router-outlet>

```

### app.component.ts

```

import { Component } from '@angular/core';

@Component({
    selector: 'app-root',
    templateUrl: './app.component.html',
    styleUrls: ['./app.component.css']

```

```

}))
export class AppComponent {
  title = 'Welcome to Travel and Tourism to Hill Stations';
  color='green';
}

```

### **app-routing.module.ts**

```

import { NgModule } from '@angular/core';
import { RouterModule, Routes } from '@angular/router';

import { HomeComponent } from './home/home.component';
import { RegistrationComponent } from './registration/registration.component';
import { PackagesComponent } from './packages/packages.component';
import { DetailsComponent } from './details/details.component';
import { HelpComponent } from './help/help.component';
import { LoginComponent } from './auth/components/login/login.component';
import { RegisterComponent } from './auth/components/register/register.component';
import { ResetPasswordComponent } from
'./auth/components/reset-password/reset-password.component';

const routes: Routes = [
  {path: "", pathMatch: "full", redirectTo: "/Home"},
  {path: "Home", component: HomeComponent},
  {path: "Registration", component: RegistrationComponent},
  {path: "Packages", component: PackagesComponent},
  {path: "Details", component: DetailsComponent},
  {path: "Help", component: HelpComponent},
  {path: "login", component: LoginComponent},
  {path: "register", component: RegisterComponent},
  {path: "reset-password", component: ResetPasswordComponent},
];

@NgModule({
  imports: [RouterModule.forRoot(routes)],
  exports: [RouterModule]
})
export class AppRoutingModule { }

```

### **app.module.ts**

```

import { NgModule } from '@angular/core';

```

```
import { BrowserModule } from '@angular/platform-browser';

import { AppRoutingModuleModule } from './app-routing.module';
import { AppComponent } from './app.component';
import { HomeComponent } from './home/home.component';
import { RegistrationComponent } from './registration/registration.component';
import { PackagesComponent } from './packages/packages.component';
import { DetailsComponent } from './details/details.component';
import { HelpComponent } from './help/help.component';
import { LoginComponent } from './auth/components/login/login.component';
import { RegisterComponent } from './auth/components/register/register.component';
import { ResetPasswordComponent } from
'./auth/components/reset-password/reset-password.component';
import { HeaderComponent } from './header/header.component';
import { FooterComponent } from './footer/footer.component';
```

```
@NgModule({
  declarations: [
    AppComponent,
    HomeComponent,
    RegistrationComponent,
    PackagesComponent,
    DetailsComponent,
    HelpComponent,
    LoginComponent,
    RegisterComponent,
    ResetPasswordComponent,
    HeaderComponent,
    FooterComponent
  ],
  imports: [
    BrowserModule,
    AppRoutingModuleModule
  ],
  exports: [
    LoginComponent,
    RegisterComponent,
    ResetPasswordComponent,
  ],
```

```

providers: [],
bootstrap: [AppComponent]
})
export class AppModule { }

```

### register.component.html

```

<style>
  body
  {
    background-image:url("img3.jpg");
    background-repeat: no-repeat;
    background-size: 100% 2000% ;
  }
  .img
  {
    background-image: url("WALL.jpg");
  }
</style>
<div class="img">
<strong>Name :<input type="text"><br>
  Email:<input type="text"><br>
  <label for="A">Address:</label><br>
  <textarea rows="5" cols="50" name="A" id="A"></textarea><br>
  Number of people in the trip:<input type="text"></strong>
  <p><b> Select the place that you are wishing to attend this summer </b></p>

  <input type="radio" name="place" id="N">
  <label for="N">Nainital</label><br>
  <input type="radio" name="place" id="S">
  <label for="S">Shimla</label><br>
  <input type="radio" name="place" id="C">
  <label for="C">Coorg</label><br>
  <input type="radio" name="place" id="M">
  <label for="M">Munnar</label><br>
  <input type="radio" name="place" id="k">
  <label for="k">Kodaikanal</label><br>
  <input type="radio" name="place" id="G">
  <label for="G">Gulmarg</label><br>
  <input type="radio" name="place" id="M">
  <label for="M">Manali</label><br>

  <label for="date">Select the date for the tour:</label>

```



```

    <select name="date" id="date">
      <option value="1">30 April 2021</option>
      <option value="2">8 May 2021</option>
      <option value="3">12 May 2021</option>
      <option value="4">18 May 2021</option>
      <option value="5">22 May 2021</option>
      <option value="3">28 May 2021</option>
    </select>

```

```

<style>
  h5
  {
    color: rgb(199, 5, 141);
    font-size: 2.5em;
    margin-bottom: .1.25em;
    text-align: center;
  }

```

```

  h2
  {
    color: rgb(241, 6, 6);
    font-size: 1em;
    margin-bottom: .1.75em;
  }
</style>

```

```

<div>
  <button class = "btn-medium" (click)="ClickMe()">Submit</button>
</div>

```

```

<h5>Happy Tourism !!!</h5>
</div>

```

```

<app-footer></app-footer>

```

### **packages.component.html**

```

<br><hr>
<div [ngSwitch]="color">
  <h2 *ngSwitchCase= "orange" style="color: orange">HILL STATIONS IN INDIA</h2>
  <h2 *ngSwitchCase= "green" style="color: green">HILL STATIONS IN INDIA</h2>

```

```

    <h2 *ngSwitchCase= "red" style="color: red">HILL STATIONS IN INDIA</h2>
</div>
<h1 *ngIf= "isEnroll == 'INDIA' " >"COOLEST PLACES ON EARTH"</h1>

```

```

<div style="margin-left: 5%;" >
    <table border="1">
        <tr>
            <th>NAME</th>
            <th>DAYS OF TRIP</th>
            <th>PACKAGE</th>
        </tr>
        <!--mobileinfor is property, *ngFor fetches the value of the property into table-->
        <tr *ngFor="let d of details">
            <td>{{d.name}}</td>
            <td>{{d.days}}</td>
            <td>{{d.package}}</td>
        </tr>
    </table>
</div>
<app-footer></app-footer>

```

### help.component.html

```

<style>
.content{
    padding: 15px;
    font-size: 18px;
    background: #5ec40c;
    margin-bottom: 15px;
}
.content.bg-alt{
    background: #f7be04;
}
.back1
{
    background-image: url("WALL.jpg");
}
</style>

```

```

<div class="back1">
<!--<h2 class="text-center my-3">Responsive Layout using Bootstrap</h2>-->
<div class="text-center"> The following result will show you the survey of the people to choose a
    favourite hill station from the given places. This helps you in choosing the place.
</div>
<div class="container mt-3">

```

```

<!--Row with two equal columns-->
<div class="row">
  <div class="col-md-3">
    <div class="content">Manali</div>
  </div>
  <div class="col-md-9">
    <div class="content bg-alt">Shimla</div>
  </div>
</div>

```

```

<!--Row with two columns divided in 1:2 ratio-->
<div class="row">
  <div class="col-md-4">
    <div class="content">Gulmarg</div>
  </div>
  <div class="col-md-8">
    <div class="content bg-alt">Koorg</div>
  </div>
</div>

```

```

<!--Row with two columns divided in 1:3 ratio-->
<div class="row">
  <div class="col-md-6">
    <div class="content">Kodiakanal</div>
  </div>
  <div class="col-md-6">
    <div class="content bg-alt">Munnar</div><br><br>
  </div>
</div>
</div>

```

```

<div class="container">
  <button [ngStyle]="AddStyle()">SCROLL DOWN FOR OPTIONS!!</button>

  </div>
  <div class ="container">
    <button [ngClass]="['btn-primary','btn-outline-warning','btn-red']">NAME OF YOUR
FAVORITE DESTINATION</button>
    <button [ngClass]="{'btn-primary':false,'btn-outline-primary':true,'btn-red':true}">DAYS TO
SPEND?</button>
    <button [ngClass]="AddClass()">PACKAGES</button>
  </div>

```

```

    <!-- ngStyle Demonstration-->
<div class="container">
    <h4>PORTFOLIO OF HILL STATIONS!!!</h4>
    <div *ngFor="let i of users">
        <p [ngStyle]="{'background-color':i.days === 10 ? 'red' : 'yellow' }">
            {{ i.name }} to see for ({{ i.days }}) days is for {{i.package}} worth your time!!!
        </p>
    </div>
</div>
<app-footer></app-footer>

```

### header.component.html

```

<h4>Travel and Tourism, Welcomes You </h4>

```

### footer.component.html

```

<h6>travelandtourism @Copyright </h6>

```

### details.component.html

```

<style>
    body
    {
        background-image:url("WALL.jpg");
        background-repeat: no-repeat;
        background-attachment: fixed;
        background-size: cover ;
    }
    h1
    {
        text-shadow: 2px 3px #fc9803;
    }

```

```

img {float: right;}
.sideheading
{
    padding: 4px;
    font-size: 24px;
    background: #87e4f5ea;
    margin-bottom: 15px;
}
.para
{
    padding: 10px;

```

```
font-size: 18px;
margin-bottom: 15px;
}

thead
{
background-color:rgb(55, 241, 9) ;
}

tbody
{
background-color:rgb(235, 95, 70) ;
}
h2
{
text-shadow: yellow;
}

</style>
```

<h1> Hill stations in India </h1>

<p>

The summer heat and humidity in India is intolerable, but the hill stations in India come to your rescue welcoming you with incredible landscapes set against stunning backdrops and a cold climate all the way through. The hill stations in India, particularly the ones in Uttarakhand and Himachal Pradesh are certainly a treat to the senses.

The hill stations in India are regarded to be the best places to visit in North India because of their scenic beauty

and wonderful temperatures. These hill stations in North India are preferred mostly by the people who wish to escape

the scorching temperatures all over the country during the summers. Here are some of the places that are sure to

astound you! </p>

<h3> Hill Stations in India </h3>

<table border="2">

<thead>

<tr>

<th>Hill Stations in India </th>

	<th> Nearest Airport </th>	<th> Famous for </th>
	<td>Manali</td>	
	<td>Bhuntar</td>	
	<td rowspan="2"> Adventure,Leisure </td>	
	<td>Shimla</td>	
	<td>Chandigarh</td>	
	<td>Mussoorie</td>	
	<td>Dehradun</td>	
	<td>Weekend getaway, adventure</td>	
	<td>Haldwani</td>	
	<td>Patanagar</td>	
	<td rowspan="2"> Leisure Scenic beauty</td>	
	<td>Munnar</td>	
	<td>Kochi</td>	
	<td>Shillong</td>	
	<td>Shillong</td>	
	<td>Natinal Parks, lakes</td>	
	<td>Mahabaleshwar</td>	
	<td>Pune</td>	
	<td>Leisure, monsoon</td>	
	<td>Amarkantak</td>	
	<td>Jabalpur</td>	
	<td>Spiritual leisure</td>	

</table>

<div class="col-xs-2 col-md-3 col-xl-2.5" style="background-color: #93d8ad"><h2>Manali</h2></div>



<p>

Regarded to be one of the best hill stations in India, Manali is a heaven for all the snow lovers. With delicate temperatures during the summers, and chilling weather during the winters, Manali is one of the peaceful places to visit in North India. There are many things to do in Manali, which is fondly known as the Valley of the Gods. Whether you are an adventure and sports enthusiast or love calm and tranquil surroundings, Manali has something for everyone. Located at the northern end of the Kullu Valley, in between the mountains of Himachal Pradesh, it is the most stunning hill station that is at an altitude of 2,050m. The natural scenic beauty, culture and snow-capped mountains are sure to enthrall you and hypnotise you no end. Visiting this place will make you realise why it is termed as such a major attraction in the Himachal tour packages.

</p>

<ul>

- <li><strong>Nearest airport :</strong> At Bhuntar (50 km)</li>
- <li><strong>Must visit places:</strong> Hidimba Devi Temple, Bhrgu Lake, Pin Valley National Park, Manali Sanctuary, Vashishth Temple, Jogini Falls etc.</li>
- <li><strong>Activities to do :</strong> Paragliding at Rohtang Pass, camping and winter sports at Solang Valley, river rafting at Pandoh Dam</li>
- <li><strong>Known for :</strong> One of the best Hill Stations in North India, Manali has an unassailable reputation for being a backpacker's paradise at a truly romantic honeymoon destination.</li>

</ul>

<div class="col-xs-2 col-md-3 col-xl-2.5" style="background-color: #93d8ad"><h2>Gulmarg</h2></div>



Boasting the scenic beauty of the ever-wonderful **Jammu and Kashmir**, Gulmarg stands on a different level among all the hill stations in North India. This beautiful hill station in India is the most sought-after place among all the travellers in India and abroad as well. Set at an altitude of 2,730m, Gulmarg is a hill town that is engulfed by deep ravines, meadows, snow-capped peaks, lush hills and serene valleys. If you are not afraid to try something adventurous, you can even indulge in some skiing that is a popular winter sport here. Gulmarg carries the glory of the ever charming Jammu and Kashmir, making it one of the best hill stations in India.

- Nearest airport : At Srinagar (56 km)
- Must visit places: Khilanmarg, Alpather Lake, Gulmarg Gondola, Gulmarg Biosphere Reserve, Seven Springs, Maharani Temple etc.
- Activities to do : Skiing at Gulmarg Backcountry Ski Lounge, snowboarding at Apharwat Peak, camping at Ningle Nallah etc.
- Known for : Fairly untouched and with supreme beauty, Gulmarg is a heavenly region in Baramulla district of the country which is most known for being a skiing hub of the state.

<h2>Shima</h2></div>



With the hill stations in Himachal Pradesh being such beauties, why should the capital of the state be left far behind? Set against oak, deodar and pine forests, Shimla makes for one fascinating sight! While you are there, you can check out the Chadwick Falls, The Ridge, Mall Road, Christ Church and Jaku Hill. Shimla tourism is always at an all time high so you get to know about the best attractions and places to stay no matter when you plan to visit.

- Nearest airport : At Chandigarh (113 km)
- Must visit places: Jakhoo temple, Kalka-Shimla railway, Rashtrapati Niwas, The Ridge, Himachal State Museum, Christ Church etc.



- Activities to do :** Shopping at Mall road, hot pool bath and river rafting at Tattapani, paragliding, camping, heli-skiing at Narkanda and Kufri etc.
- Known for :** This popular Hill Station in North India is best known for its amazing toy train, running between Kalka and Shimla and its many handicrafts markets.

<h2>Kodaikanal</h2></div>  


Another magnificent hill station in South India, Kodaikanal is often heralded as the 'princess of hill stations' and for every good reason. With panoramic views of the velvety green hills spread all around and numerous beautiful locations to enjoy the coruscating vistas of its bewitching natural beauty, Kodaikanal deserves the title. The tranquil atmosphere permeating in its air is just a bonus which makes this place one of the top choices for travel destinations in the country, for a restful vacation in the hills.

- Nearest airport :** Madurai
- Must visit places:** Silver Cascade waterfall, Wax Museum, Dolphin's nose, Bryant Park, Kodaikanal Solar Observatory, Kurinji Andavar Murugan temple, Green Valley view, Shenbaganur Museum, Perumal peak, Kookal caves etc.
- Activities to do :** Enjoy boating at Kodaikanal Lake, hike to Pillar Rocks for excellent views, take a relaxing nature walk in Pine trees encrusted forests, go bicycling or strolling at Coakers Walk, indulge in nature photography at Thalaiyar Falls etc. Best for: Families and Friends
- Known for :** Sprawling lush hills, wildlife and Neelakurinji flowers

<h2>Munnar</h2></div>

The rolling hills of Munnar in Kerala have always provided people with the ultimate haven for achieving utter

bliss and respite. Blessed with vast stretches of tea and spice plantations, magnificent wildlife and exhaustive natural beauty at every corner, Munnar undoubtedly lies among the top **Best Hill Stations** in India. Sought by romantics and honeymooners in large number every year the place doesn't just appease you with its natural magnificence but also with productive activities that you can enjoy here including trekking, yoga, Ayurvedic spa treatments, food trails and shopping.

- Nearest airport :** Cochin
- Must visit places:** Tea gardens along Kolukkumalai Hills, Echo Point, Attukal Waterfalls, Top Station, Kundala Lake, Tata Tea Museum, Matupetty Dam etc.
- Activities to do :** Birdwatching at Thekkady Bird Sanctuary, wildlife spotting at Eravikulam National Park, enjoy mountain biking at Anamudi Shola or Vandanmedu areas, have a picnic at Lakkam Waterfalls, rock climbing, rappelling etc.
- Known for :** Tea and spice plantations

## Coorg

With a sobriquet like 'Scotland of East', Coorg's beauty and charisma do not need an introduction.

The thick blankets of greenery spread all around, and sparkling blue skies make this place a genuinely scintillating hill station which attracts people from all over the country and beyond. It is also well-known for its aromatic coffee, delicious food and plentiful wildlife which impart it a unique magnetism pulling nature lovers, photographers and food connoisseurs with equal force.

- Nearest airport :** Mysore
- Must visit places:** Namdroling Monastery or Golden Temple, Abbey Falls, Raja's Seat, Iruppu Falls, Nagarahole Wild Life Sanctuary, Madikeri, Talakaveri etc.
- Activities to do :** Have fun bathing elephants at Dubare Elephant Camp, trek through Tadiandamol,

Mullayanagiri, Kodachadri or Brahmagiri, enjoy a hearty meal of Coorg special Pandi Curry with Akki Roti,  
take a relaxing walk through a coffee plantation, and enjoy activities like camping, fishing and river rafting etc.

- Known for : Coffee plantations and misty mountains

<div class="col-xs-2 col-md-3 col-xl-2.5" style="background-color: #93d8ad"><h2>Nainital</h2></div>



<p>Nainital is a heaven on earth. Well recognised as the Lake District of India, it is one of the best places to beat

the heat in the scorching summer. With ancient temples and jaw dropping sceneries to its credit, you can also check out

<i><strong>The Jim Corbett National Park</strong></i> which is the oldest national park in India and indulge in exploring caves and boating activities.

<ul>

<li><strong>Nearest airport :</strong> Nearest domestic airport is at Pantnagar (1 hours drive) and international at New Delhi (301 kms)</li>

<li><strong>Must visit places:</strong>Nainital Lake, Snow View, Naini Peak, Gurney House, Naina Devi Temple, Hanuman Garhi, Kainchi Dham etc.</li>

<li><strong>Activities to do :</strong> Horse trekking at Tiffin Top, camping and birdwatching at Sattal, cave exploring at Cave Garden etc.</li>

<li><strong>Known for :</strong> A serene hilltop destination, Nainital is known especially for its beautiful lake by the same name where couple can commonly be seen enjoying a romantic boat ride.</li>

</ul>

<h4>Himachal Tourism</h4>

<p>The summer heat and humidity in India is intolerable, but the hill stations in India come to your rescue welcoming

you with incredible landscapes set against stunning backdrops and a cold climate all the way through. To escape from

the heat and humidity fill the form and move to a hill station </p>

<b><pre>You can contact us </pre></b>

<p>Phone number: 040-573030, 8642300300</p>

<a href="mailto:webmaster@example.com">Himachal Tourism mail</a>.<br>

Visit us at:<br>

www.himachaltourismpackages.in<br>

<b>You can visit us at:<br></b>plot number: 2 <br>RoadNumber: 34 <br>Saraswathi  
Nagar,<br>Vijayawada.<br>

<i>Thank you for visiting the web page</i>

<h5>Happy Tourism !!!</h5>

<style>

h1

{

color: green;

font-size: 4em;

margin-bottom: .3em;

text-align: left;

}

h2

{

color: rgb(1, 1, 22);

font-size: 1.75em;

margin-bottom: .3em;

text-align: left;

}

h3

{

color: #B22222;

font-size: 1.25em;

margin-bottom: .175em;

text-align: left;

}

h4

{

color: red;

font-size: 2em;

margin-bottom: .175em;

text-align: center;

}

h5

{

color: green;

font-size: 2.5em;

margin-bottom: .175em;

```

    text-align: center;
}
h6
{
    color: red;
    font-size: 2.5em;
    margin-bottom: .1.75em;
    text-align: center;
}
</style>

```

```
<app-footer></app-footer>
```

### login.comoonent.html

```

<div class="row">

  <div class="col-md-6 offset-md mt-4">
    <h3>Login </h3>
    <form>
      <form>
        <div class="form-group">
          <label for="loginusername">Username</label>
          <input type="text"
            class="form-control"
            id="loginusername"
            placeholder="Enter Username">
        </div>
        <div class="form-group">
          <label for="LoginPassword">Password</label>
          <input type="password"
            class="form-control"
            id="LoginPassword"
            placeholder="Password">
        </div>
        <div class="form-group form-check">
          <a routerLink="/reset-password"> Forgot Password </a>
        </div>
        <button type="submit" class="btn btn-primary">Login <i class="fas
fa-sign-in-alt"></i></button><br><br>
      </form>
    </form>
  </div>

```

```
</div>
<app-footer></app-footer>
```

### register.component.html

```
<div class="row">

  <div class="col-md-6 offset-md mt-4">
    <h3>Register </h3>
    <form>
      <form>
        <div class="form-group">
          <label for="registerusername">Username</label>
          <input type="text"
            class="form-control"
            id="registerusername"
            placeholder="Enter Username">
        </div>
        <div class="form-group">
          <label for="registerEmail">Email</label>
          <input type="email"
            class="form-control"
            id="registerEmail"
            placeholder="Enter Email">
        </div>
        <div class="form-group">
          <label for="register-Password">Password</label>
          <input type="text"
            class="form-control"
            id="register-Password"
            placeholder="Password">
        </div>

        <button type="submit"
          class="btn btn-primary">Register <i class="fas fa-sign-in-alt"></i></button><br><br>
      </form>
    </form>
  </div>

</div>

<app-footer></app-footer>
```

## reset-password.component.html


```
<div class="row">

  <div class="col-md-6 offset-md mt-4">
    <h3>Reset Password </h3>
    <form>
      <form>
        <div class="form-group">
          <label for="resetpassword email">Account Password</label>
          <input type="email"
            class="form-control"
            id="resetpassword email"
            placeholder="Enter Email">
          </div>

          <button type="submit"
            class="btn btn-primary">Reset Password <i class="fas
fa-paper-plane"></i></button><br><br>
        </form>
      </form>
    </div>

  </div>
</app-footer></app-footer>
```

## Output :



localhost:4200/Details

Travel and Tourism, Welcomes You

Tourism and Travel to Hill stations Home About Booking a trip Packages Help Login Register Reset-Password

## Welcome to Travel and Tourism to Hill Stations

# Hill stations in India

The summer heat and humidity in India is intolerable, but the hill stations in India come to your rescue welcoming you with incredible landscapes set against stunning backdrops and a cold climate all the way through. The hill stations in India, particularly the ones in Uttarakhand and Himachal Pradesh are certainly a treat to the senses. The hill stations in India are regarded to be the best places to visit in North India because of their scenic beauty and wonderful temperatures. These hill stations in North India are preferred mostly by the people who wish to escape the scorching temperatures all over the country during the summers. Here are some of the places that are sure to astound you!

### Hill Stations in India

Hill Stations in India	Nearest Airport	Famous for
Manali	Bhuntar	Adventure, Leisure
Shimla	Chandigarh	
Mussoorie	Dehradun	Weekend getaway, adventure
Haldwani	Patanagar	
Munnar	Kochi	Leisure Scenic beauty
Shillong	Shillong	Natinal Parks, lakes
Mahabaleshwar	Pune	Leisure, monsoon
Amarkantak	Jabalpur	Spiritual leisure

### Manali

localhost:4200/Details

localhost:4200/Registration

welcome

Name :

Email :

Address :

Number of people in the trip:

Select the place that you are wishing to attend this summer

☐ Nainital

☐ Shimla

☐ Coorg

☐ Munnar

☐ Kodaikanal

☐ Gulmarg

☐ Manali

Select the date for the tour: 30 April 2021

Submit

localhost:4200 says  
You are submitting the form

OK

## Happy Tourism !!!

travelandtourism @Copyright



