# STUDENT REPORT

30

FEO.

# DETAILS

#### Name

KC Shreya

**Roll Number** 

3BR23EE038

#### **EXPERIMENT**

Title

CANDIES

#### Description

Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient of a candy.

In more explicit terms, after Child x (where  $1 \le x \le N$ ) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts. and Child 1 becomes the next recipient.

The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution.

Note: Each child receives only 1 candy.

## **Input Format:**

The first line of input contains 3 space seperated integers N, K and A.

# **Output Format:**

Print the friend who will be the final recipient of the candy.

#### **Constraints:**

1<=N<=K<=10^8

Sample Input:

521

Sample Output:

2

### **Source Code:**

```
n,k,start=list(map(int,input().split()))
start=1
print((start+k-1)%n+1)
```

# RESULT

6 / 6 Test Cases Passed | 100 %