

You are working on my assigned GitHub repository:

🔗 https://github.com/SETAPESU26/62_scramble

This is a Python-based Word Scramble game for my Lab 4: VibeCoding assignment.

First, inspect the entire repository, especially the README, `main.py`, and all files inside the `game` folder. Understand the existing code and identify the broken functionality and all features requested in the README.

Important requirements:

- Do not rewrite the entire project unnecessarily.
- Preserve the existing project structure and coding style as much as possible.
- Make only the changes required for the current task.
- Do not modify unrelated functionality.
- Explain what is wrong before fixing it.
- After making each change, verify that the code still runs correctly.
- Keep the implementation beginner-friendly and easy to explain in a viva.
- Do not add unnecessary libraries or dependencies unless absolutely required.

Complete the tasks one at a time in the order specified in the README.

For each task:

1. Identify the relevant file(s).
2. Explain the existing problem or missing feature.
3. Implement the required fix/feature.
4. Show the important code changes.
5. Verify that the application still works.
6. Give me a suitable Git commit message for this task.
7. Do not start the next task until the current task is complete.

The assignment requires separate commits for each task, so keep every task logically isolated.

Start by inspecting the repository and README, then tell me:

- What is currently broken?
- What are the required tasks/features?
- Which files will need modification for each task?

Do not make unnecessary changes before presenting this analysis.

Worked for 9s

I inspected the repository and README without making any changes. The repository currently contains:

- README.md
- main.py
- game/game_engine.py
- game/text_box.py

The GitHub source confirms the project is the **Word Scramble Repair Lab** and specifies four tasks to complete in order.  GitHub +1

Current problems

1. Guess validation is deliberately broken

In `game/game_engine.py`, `submit_guess()` currently does:

</> Python

```
is_correct = (guess == self.scrambled_word)
```

This is the central bug.

For example:

</> Plain text

```
Secret word: PYTHON  
Scrambled:  HNYOTP  
Player enters: PYTHON
```

The game compares:

</> Plain text

```
PYTHON == HNYOTP
```

so it incorrectly rejects the correct answer.

The README explicitly says this must instead compare the player's guess with `self.secret_word` .  GitHub +1

2. No hint system

There is currently:

- no HINT button
- no hint state
- no tracking of revealed letters
- no score penalty
- no way to reveal a letter of the secret word

The README requires progressively revealing the **first unrevealed letter in its correct position**, with a score penalty for each hint.  GitHub

Likely modification:

</> Plain text

game/game_engine.py

`text_box.py` does not need to change for this task.

3. No countdown timer

`GameEngine.update()` is currently simply:

</> Python

```
def update(self):  
    pass
```

So there is no active round timer at all.  GitHub

The README requires:

- countdown starting for each round
- visible timer bar

- timer decreases during active play
- when it reaches zero:
 - reveal secret word
 - display "TIME'S UP!"
 - automatically move to the next round

This will primarily require:

</> Plain text

```
game/game_engine.py
```

No change to `main.py` should be necessary because the existing game loop already calls:

</> Python

```
engine.update()  
engine.render(screen)
```

every frame.  [GitHub](#)

4. No interactive letter tiles

Currently the scrambled word is rendered as ordinary text:

</> Python

```
spaced_letters = " ".join(self.scrambled_word)  
scramble_surf = self.font_word.render(  
    spaced_letters, True, (100, 200, 255)  
)
```

So something like:

</> Plain text

```
H N Y O T P
```

is just a static label.

The README requires graphical letter tiles that the user can interact with to rearrange the letters before submitting.  [GitHub](#)

This will primarily require:

</> Plain text

game/game_engine.py

File-by-file assessment

File	Current state	Tasks requiring changes
README.md	Complete assignment instructions	None
main.py	Functional game loop	Probably none
game/game_engine.py	Contains validation bug and most game logic	Tasks 1–4
game/text_box.py	Functional input component	Probably none

main.py

The main loop is already appropriate:

</> Python

```
for event in pygame.event.get():
    ...
    engine.handle_event(event)

engine.update()
engine.render(screen)
```

So I would **not modify it unnecessarily**.  GitHub

One unrelated issue I noticed is the window title:

</> Python

```
pygame.display.set_caption("Anvil Dodge – Pygame Edition")
```

That clearly belongs to another game, but **it is not one of the README tasks**, so I recommend leaving it untouched to preserve the assignment's requested scope.

game/text_box.py

The existing component already handles:

- alphabetic input
- uppercase conversion
- backspace
- input length restriction
- clearing
- rendering

So there is no obvious reason to modify it for the four requested tasks.  [GitHub](#)

Required task order

We should therefore proceed exactly like this:

Task 1 — Fix guess comparison

File:

</> Plain text

game/game_engine.py

Change only the incorrect comparison:

</> Python

```
is_correct = (guess == self.scrambled_word)
```

to:

</> Python

```
is_correct = (guess == self.secret_word)
```

Commit:

</> Plain text

fix: validate guess against secret word

Task 2 — Progressive hints

File:

</> Plain text

```
game/game_engine.py
```

Add:

- HINT button
- revealed-letter tracking
- correct-position letter display
- score penalty
- event handling for the button
- reset of hint state each round

Commit:

</> Plain text

```
feat: add progressive word hints
```

Task 3 — Round countdown

File:

</> Plain text

```
game/game_engine.py
```

Add:

- round timer
- timer reset in `next_round()`
- timer update
- visible countdown/progress bar
- timeout behavior
- secret-word reveal
- automatic next round

Commit:

</> Plain text

```
feat: add round countdown timer
```

Task 4 — Interactive letter tiles

File:

</> Plain text

```
game/game_engine.py
```

Replace the static scrambled-letter rendering with:

- individual graphical tiles
- clickable/rearrangeable letters
- an arrangement/rack
- interaction handling
- preservation of the existing guess submission system

Commit:

</> Plain text

```
feat: add interactive letter tiles
```

Important scope decision

I will **not**:

- rewrite the project
- introduce a new framework
- create unnecessary classes/files
- modify `main.py` unless a later task genuinely requires it
- modify `text_box.py` unless required
- add external dependencies
- combine multiple tasks into one commit

That keeps the implementation beginner-friendly and makes each commit easy to explain in your viva.

One limitation: I could inspect the complete repository source through GitHub, but the execution environment cannot directly clone GitHub right now, so I have **not claimed a local runtime test**

that I couldn't perform. The source itself is small and internally consistent enough to identify the baseline issues above.  GitHub +2

We should now do Task 1 only.

i have successfully modified the invalid comparison from
self.scrambled_word to self.secret_word

Perfect. Task 1 is complete. 

Task 1 — Guess Validation

You changed:

 Python

```
is_correct = (guess == self.scrambled_word)
```

to:

 Python

```
is_correct = (guess == self.secret_word)
```

What this fixes

Previously, the game compared the player's answer with the **scrambled word**, causing correct answers to be rejected.

Now it correctly compares:

 Plain text

Player's guess → secret_word

So if:

 Plain text

```
Secret word: PYTHON  
Scrambled:  HNYOTP  
Guess:      PYTHON
```

the guess is correctly accepted.

Verification

The logic is now correct. No other files need to be changed for Task 1.

Commit

Use:

```
</> Bash

git add game/game_engine.py
git commit -m "fix: validate guess against secret word"
```

Do not start Task 2 yet if you haven't committed Task 1.

Once you've committed it, tell me "Task 1 committed", and we'll proceed to Task 2: Progressive Hints only.



Yes — the screenshot confirms Task 1 is correctly implemented. ✓

Your line 48 is now:

```
</> Python

is_correct = (guess == self.secret_word)
```

That is exactly the required fix.

Task 1 status

Check	Status
Compare guess with secret_word	✓
Existing scoring preserved	✓
Correct-answer feedback preserved	✓
Wrong-answer behavior preserved	✓
No unrelated changes	✓

The Black Formatter popup in the bottom-right is **not related to the assignment**. You don't need to configure it for this task.

Now commit Task 1

Run:

</> Bash

```
git add game/game_engine.py
git commit -m "fix: validate guess against secret word"
```

Then verify:

</> Bash

```
git status
```

Ideally it should show:

</> Plain text

```
nothing to commit, working tree clean
```

Once you've done that, send me the result (or a screenshot). Then we'll start Task 2 — and only Task 2.



Yes — your screenshot shows **Task 1 has been committed successfully**. ✅

The important part is:

</> Plain text

```
[main 18215b1] fix: validate guess against secret word
1 file changed, 1 insertion(+), 1 deletion(-)
```

So the commit is isolated exactly as required.

You're currently at:

</> Plain text

```
git push origin main
Username for 'https://github.com':
```

One thing before pushing

GitHub no longer accepts your normal GitHub password for HTTPS authentication. If it asks for a password after the username, you'll need to use a **Personal Access Token (PAT)** instead.

If your GitHub authentication is already configured, you can simply complete the authentication.

After the push succeeds, run:

```
</> Bash
git status
```

You should see something similar to:

```
</> Plain text
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

Task 1 status

Complete and committed. 

Do **not** start Task 2 until the push is successful. Once you have pushed it, send me the result/screenshot and we'll begin **Task 2: Progressive Hints** from the existing code.

yes lets proceed with task 2 in a clean intuitive flow

Worked for 7s

Absolutely. We'll do **Task 2 only**, keeping it simple enough to explain in a viva.

I checked the README requirement again: Task 2 is a **progressive hint system** where each request reveals an individual letter of the secret word **in its correct position**, with a score penalty for each hint.  GitHub

Task 2 — Progressive Hint System

What we have now

Your current GameEngine has:

</> Python

```
self.secret_word = ""
self.scrambled_word = ""
self.score = 0
```

but nothing to remember which letters have already been revealed.

There is also only one button:

</> Python

```
self.submit_btn = pygame.Rect(...)
```

So we need to add:

1. A **HINT** button.
2. A list to track revealed positions.
3. A `use_hint()` method.
4. Hint handling in `handle_event()` .
5. A visual display of revealed letters.
6. A score penalty.

We can do **all of this in** `game/game_engine.py` .

Step 2.1 — Add hint state

Find this part near the top:

</> Python

```
self.secret_word = ""
self.scrambled_word = ""

self.score = 0
```

Change it to:

</> Python

```
self.secret_word = ""
self.scrambled_word = ""
```

```
self.score = 0
self.revealed_letters = []
```

What does this do?

Suppose the word is:

```
</> Plain text

PYTHON
```

Initially:

```
</> Plain text

revealed_letters = []
```

After the first hint:

```
</> Plain text

revealed_letters = [0]
```

After the second:

```
</> Plain text

revealed_letters = [0, 1]
```

So we know which positions have been revealed.

Step 2.2 — Add the HINT button

Find:

```
</> Python

self.submit_btn = pygame.Rect(width // 2 + 45, 210, 95, 46)
```

Immediately below it, add:

```
</> Python
```

```
self.hint_btn = pygame.Rect(width // 2 + 150, 210, 95, 46)
```

So you will have:

</> Python

```
self.input_box = TextBox(width // 2 - 130, 210, 160, 46)
self.submit_btn = pygame.Rect(width // 2 + 45, 210, 95, 46)
self.hint_btn = pygame.Rect(width // 2 + 150, 210, 95, 46)
```

This places the HINT button beside SUBMIT.

Step 2.3 — Reset hints every round

This is important.

Find:

</> Python

```
def next_round(self):
    self.secret_word = random.choice(self.words)
    self.scrambled_word = self.scramble_string(self.secret_word)
    self.input_box.clear()
```

Change it to:

</> Python

```
def next_round(self):
    self.secret_word = random.choice(self.words)
    self.scrambled_word = self.scramble_string(self.secret_word)
    self.revealed_letters = []
    self.input_box.clear()
```

Why?

Suppose you reveal:

</> Plain text

P _ _ _ _ _

Then solve the word.

The next word **must not inherit the previous revealed positions**.

So every new round starts with:

```
</> Python
```

```
self.revealed_letters = []
```

Step 2.4 — Add `use_hint()`

Put this method **between** `next_round()` and `submit_guess()` :

```
</> Python
```

```
def use_hint(self):
    for index in range(len(self.secret_word)):
        if index not in self.revealed_letters:
            self.revealed_letters.append(index)

    # Small penalty for each hint
    self.score = max(0, self.score - 0.25)

    self.feedback_msg = f"Hint: letter {index + 1} revealed."
    self.feedback_color = (100, 200, 255)
    return

self.feedback_msg = "All letters have already been revealed!"
self.feedback_color = (240, 170, 50)
```

Why this implementation?

This is the key part:

```
</> Python
```

```
for index in range(len(self.secret_word)):
```

It checks the word from left to right.

Then:

```
</> Python
```

```
if index not in self.revealed_letters:
```

finds the **first letter that hasn't already been revealed**.

Then:

```
</> Python  
  
self.revealed_letters.append(index)
```

records that position.

For example:

```
</> Plain text  
  
Secret: PYTHON
```

First hint:

```
</> Plain text  
  
P _ _ _ _ _
```

Second hint:

```
</> Plain text  
  
P Y _ _ _ _
```

Third:

```
</> Plain text  
  
P Y T _ _ _
```

This exactly gives us **progressive hints in the correct positions**.

Step 2.5 — Add HINT button handling

Find the bottom part of `handle_event()` :

</> Python

```
elif event.type == pygame.MOUSEBUTTONDOWN and event.button == 1:
    if self.submit_btn.collidepoint(event.pos):
        self.submit_guess()
```

Change it to:

</> Python

```
elif event.type == pygame.MOUSEBUTTONDOWN and event.button == 1:
    if self.submit_btn.collidepoint(event.pos):
        self.submit_guess()
    elif self.hint_btn.collidepoint(event.pos):
        self.use_hint()
```

Now clicking HINT actually calls:

</> Python

```
self.use_hint()
```

Step 2.6 — Display the revealed letters

Currently you have:

</> Python

```
spaced_letters = " ".join(self.scrambled_word)
scramble_surf = self.font_word.render(spaced_letters, True, (100, 200, 255))

screen.blit(scramble_surf, (self.width // 2 - scramble_surf.get_width() // 2, 130))
```

For Task 2, **don't replace the scrambled word completely.**

Instead, keep the scrambled word and display the hints underneath it.

Add this immediately after the existing `screen.blit(...)` :

</> Python

```
hint_display = ""

for index, letter in enumerate(self.secret_word):
```

```

    if index in self.revealed_letters:
        hint_display += letter + " "
    else:
        hint_display += "_ "

hint_surf = self.font_word.render(
    hint_display.strip(), True, (255, 220, 80)
)

screen.blit(
    hint_surf,
    (self.width // 2 - hint_surf.get_width() // 2, 175)
)

```

So the screen will conceptually look like:

</> Plain text

```

Word Scramble Arena

Score: 0

N O Y T P H

P _ _ _ _

[ input ] [SUBMIT] [HINT]

Hint: letter 1 revealed.

```

This is much easier to understand visually.

Step 2.7 — Draw the HINT button

Find the existing SUBMIT drawing:

</> Python

```

pygame.draw.rect(screen, (50, 150, 85), self.submit_btn, border_radius=6)
pygame.draw.rect(screen, (220, 220, 220), self.submit_btn, width=2, border_radius=6)

btn_text = self.font_btn.render("SUBMIT", True, (255, 255, 255))

screen.blit(btn_text, (
    self.submit_btn.centerx - btn_text.get_width() // 2,

```

```
self.submit_btn.centery - btn_text.get_height() // 2
))
```

Immediately after that, add:

</> Python

```
pygame.draw.rect(screen, (70, 110, 180), self.hint_btn, border_radius=6)
pygame.draw.rect(screen, (220, 220, 220), self.hint_btn, width=2, border_radius=6)

hint_btn_text = self.font_btn.render("HINT", True, (255, 255, 255))

screen.blit(
    hint_btn_text,
    (
        self.hint_btn.centerx - hint_btn_text.get_width() // 2,
        self.hint_btn.centery - hint_btn_text.get_height() // 2
    )
)
```

One small layout adjustment

Because we added another display line at $y = 175$, the input box at $y = 210$ may be slightly close.

For now, **don't change the layout unless it actually overlaps when you run it.**

This is important because we're following your requirement:

Make only the changes required.

Task 2 complete structure

Your relevant code should now conceptually have:

</> Python

```
self.score = 0
self.revealed_letters = []

self.input_box = ...
self.submit_btn = ...
self.hint_btn = ...
```

Then:

</> Python

```
def next_round(self):  
    ...  
    self.revealed_letters = []
```

Then:

</> Python

```
def use_hint(self):  
    ...
```

Then in `handle_event()` :

</> Python

```
elif event.type == pygame.MOUSEBUTTONDOWN and event.button == 1:  
    if self.submit_btn.collidepoint(event.pos):  
        self.submit_guess()  
    elif self.hint_btn.collidepoint(event.pos):  
        self.use_hint()
```

And finally the hint rendering in `render()` .

How we'll verify Task 2

Run:

</> Bash

```
python main.py
```

Then test **only these cases**:

Test 1 — First hint

Click:

</> Plain text

HINT

Expected:

</> Plain text

P _ _ _ _ _

for PYTHON .

Test 2 — Second hint

Click HINT again.

Expected:

</> Plain text

P Y _ _ _ _

Test 3 — Progressive behavior

Continue clicking.

Expected:

</> Plain text

P Y T _ _ _

P Y T H _ _

P Y T H O _

P Y T H O N

Test 4 — Score penalty

If your score is:

</> Plain text

Score: 1

one hint should make it:

</> Plain text

Score: 0.75

Another:

</> Plain text

Score: 0.5

The `max(0, ...)` prevents the score from going negative.

Test 5 — New round

After solving the word, the next word should have:

</> Plain text

- - - - -

with **no previous hints carried over**.

Test 6 — All letters revealed

After all letters are revealed, clicking HINT again should **not reveal anything further** and should display:

</> Plain text

All letters have already been revealed!

Important: don't commit yet

For now, **implement only these Task 2 changes**.

Do **not** touch:

- `main.py`
- `text_box.py`
- timer functionality
- interactive letter tiles

Those belong to later tasks.

Once you've made these changes, **run the game and send me a screenshot of the result**. I'll check the implementation and layout with you before we make the Task 2 commit.

Task 2 commit will only be made after verification:

```
</> Bash
```

```
git add game/game_engine.py
git commit -m "feat: add progressive word hints"
```

[Repository README ↗](#)

done

Great. Before we move to Task 3, let's **close Task 2 properly** so your commits remain clean and isolated.

Task 2 verification checklist

Run the game and confirm:

- ☐ **HINT** button appears.
- ☐ First click reveals the first letter in the correct position.
- ☐ Second click reveals the next unrevealed letter.
- ☐ Each hint reduces the score by `0.25` .
- ☐ Score never goes below `0` .
- ☐ Starting a new round resets the revealed letters.
- ☐ After all letters are revealed, another HINT shows the "all letters revealed" message.
- ☐ Normal word submission still works.

If all of those work, commit **only Task 2**:

```
</> Bash
```

```
git add game/game_engine.py
git commit -m "feat: add progressive word hints"
```

Then:

```
</> Bash
```

```
git status
```

You should get:

```
</> Plain text
```

```
nothing to commit, working tree clean
```

After that

Send me the output of:

```
</> Bash
```

```
git log --oneline -2
```

We should see something like:

```
</> Plain text
```

```
<task2-hash> feat: add progressive word hints  
<task1-hash> fix: validate guess against secret word
```

Once that's confirmed, we'll start **Task 3 — Countdown Timer**, from a clean committed state.

[next](#)

Worked for 9s

Great. Let's move to **Task 3 only: Active Round Countdown Timer**.

I checked the README again. The requirement is specifically:

Add a visible countdown timer bar that ticks down during active play, automatically revealing the word and advancing to the next round when time runs out.  [GitHub](#)

There is **no exact duration specified in the README**, so we'll use a simple **15-second timer per round**. This keeps the implementation easy to understand and avoids adding unnecessary complexity.

We will modify **only** `game/game_engine.py` .

Task 3 — Countdown Timer

3.1 What is currently wrong?

Your current `update()` method is:

```
</> Python
```

```
def update(self):  
    pass
```

So although `main.py` calls:

```
</> Python  
  
engine.update()
```

every frame, nothing happens.

We need `update()` to:

1. Track elapsed time.
2. Calculate remaining time.
3. Update the timer bar.
4. Detect when time reaches zero.
5. Reveal the secret word.
6. Briefly show "TIME'S UP!" .
7. Start the next round automatically.

Step 3.2 — Add timer variables

Find the beginning of your `__init__()` where you have:

```
</> Python  
  
self.score = 0  
self.revealed_letters = []
```

Immediately after that, add:

```
</> Python  
  
self.round_duration = 15  
self.time_left = self.round_duration  
self.round_start_time = pygame.time.get_ticks()  
self.round_active = True  
self.timeout_until = 0
```

So it becomes:

```
</> Python  
  
self.score = 0  
self.revealed_letters = []
```

```
self.round_duration = 15
self.time_left = self.round_duration
self.round_start_time = pygame.time.get_ticks()
self.round_active = True
self.timeout_until = 0
```

What each variable means

Variable	Purpose
round_duration	Maximum time for one round
time_left	Current remaining time
round_start_time	When the current round began
round_active	Whether the player can currently play
timeout_until	Gives the player a brief chance to see the revealed word

Step 3.3 — Reset the timer every round

You currently have something similar to:

</> Python

```
def next_round(self):
    self.secret_word = random.choice(self.words)
    self.scrambled_word = self.scramble_string(self.secret_word)
    self.revealed_letters = []
    self.input_box.clear()
```

Change it to:

</> Python

```
def next_round(self):
    self.secret_word = random.choice(self.words)
    self.scrambled_word = self.scramble_string(self.secret_word)
    self.revealed_letters = []
    self.input_box.clear()

    self.time_left = self.round_duration
```

```
self.round_start_time = pygame.time.get_ticks()
self.round_active = True
self.timeout_until = 0
```

Why?

Every new word must get a fresh timer.

For example:

⌕ Plain text

Round 1 → 15 seconds

↓

Correct answer

↓

Round 2 → 15 seconds

The timer should **not continue from the previous round**.

Step 3.4 — Replace the empty `update()`

Find:

⌕ Python

```
def update(self):
    pass
```

Replace it with:

⌕ Python

```
def update(self):
    current_time = pygame.time.get_ticks()

    if not self.round_active:
        if current_time >= self.timeout_until:
            self.next_round()
        return

    elapsed_time = (current_time - self.round_start_time) / 1000
    self.time_left = max(0, self.round_duration - elapsed_time)

    if self.time_left <= 0:
        self.round_active = False
```

```
self.timeout_until = current_time + 1500
self.feedback_msg = f"TIME'S UP! The word was {self.secret_word}."
self.feedback_color = (240, 170, 50)
```

Why use `pygame.time.get_ticks()` ?

This is beginner-friendly because Pygame already gives us the time since the game started.

For example:

</> Plain text

```
Game starts
  ↓
pygame.time.get_ticks()
  ↓
15 seconds pass
  ↓
time_left becomes 0
  ↓
TIME'S UP!
```

We don't need another library or a separate timer thread.

Step 3.5 — Prevent interaction during timeout

We don't want the player clicking **HINT** or **SUBMIT** during the short "TIME'S UP!" display.

At the very beginning of `handle_event()`, add:

</> Python

```
if not self.round_active:
    return
```

So it should look approximately like:

</> Python

```
def handle_event(self, event):
    if not self.round_active:
        return

    self.input_box.handle_event(event)
```

...

This means that during the 1.5-second timeout display, the player cannot accidentally submit another answer.

Step 3.6 — Prevent submitting after timeout

There is one more small protection.

At the beginning of `submit_guess()` , add:

</> Python

```
if not self.round_active:
    return
```

So:

</> Python

```
def submit_guess(self):
    if not self.round_active:
        return

    guess = self.input_box.text.strip().upper()
```

This keeps the game state consistent.

Step 3.7 — Add the timer bar

Now we need the **visible countdown bar**.

Inside your `render()` method, find a suitable location near the top of the game screen, preferably after the score and before the scrambled word.

Add:

</> Python

```
timer_width = 300
timer_height = 20
```

```

timer_x = self.width // 2 - timer_width // 2
timer_y = 90

pygame.draw.rect(
    screen,
    (60, 60, 60),
    (timer_x, timer_y, timer_width, timer_height),
    border_radius=6
)

timer_ratio = self.time_left / self.round_duration

pygame.draw.rect(
    screen,
    (80, 200, 120),
    (
        timer_x,

```

This creates:

</> Plain text



at the beginning.

As time decreases:

</> Plain text



Then:

</> Plain text



Then:

</> Plain text



Then:

</> Plain text

TIME'S UP!

Step 3.8 — Add a timer text

A bar is useful, but displaying the remaining seconds makes the feature much easier to understand.

Immediately after the timer bar, add:

</> Python

```
timer_text = self.font_btn.render(
    f"Time: {int(self.time_left)}",
    True,
    (255, 255, 255)
)

screen.blit(
    timer_text,
    (
        self.width // 2 - timer_text.get_width() // 2,
        timer_y - 25
    )
)
```

The screen will now show something like:

</> Plain text

Time: 15



H N Y O T P

P _ _ _ _ _

[input] [SUBMIT] [HINT]

After several seconds:

</> Plain text

Time: 8



Step 3.9 — Important: display the secret word on timeout

Your normal display currently shows:

</> Python

```
spaced_letters = " ".join(self.scrambled_word)
```

We don't want to permanently replace that.

Instead, after drawing the scrambled word, add:

</> Python

```
if not self.round_active:
    timeout_surf = self.font_word.render(
        self.secret_word,
        True,
        (240, 170, 50)
    )

    screen.blit(
        timeout_surf,
        (
            self.width // 2 - timeout_surf.get_width() // 2,
            130
        )
    )
```

Therefore, when time expires:

</> Plain text

TIME: 0

H N Y O T P

PYTHON

TIME'S UP! The word was PYTHON.

The player gets a moment to see the answer.

After 1.5 seconds, `update()` calls:

```
</> Python
```


```
self.next_round()
```

and the new round begins automatically.

Task 3 flow

The complete flow is now:

```
</> Plain text
```



This satisfies the README requirement while keeping the implementation relatively simple.



GitHub

One important interaction with Task 2

Your existing hint system should remain unchanged.

The timer and hint system simply coexist:

```
</> Plain text
```

TIMER

↓

Word Scramble	
H N Y O T P	
P _ _ _ _ _	← Task 2
[INPUT] [SUBMIT]	
[HINT]	← Task 2

Don't modify the hint logic unless you encounter a conflict while running it.

Test Task 3

Run:

</> Bash

```
python main.py
```

Test 1 — Timer starts

Immediately after starting a round:

</> Plain text

Time: 15



Test 2 — Timer decreases

Wait 5 seconds.

It should approximately show:

</> Plain text

Time: 10



Test 3 — Correct answer

Solve the word before time expires.

Expected:

</> Plain text

+1 score

and a new round starts with 15 seconds.

Test 4 — Timeout

Don't enter anything.

After approximately 15 seconds:

</> Plain text

TIME'S UP! The word was XXXXX.

The secret word should be visible.

After approximately 1.5 seconds, a new word should automatically appear.

Test 5 — Hints still work

Click HINT while the timer is running.

It should still reveal:

</> Plain text

P _ _ _ _ _

and apply your Task 2 penalty.

Test 6 — Timeout interaction

When "TIME'S UP!" appears, try clicking SUBMIT/HINT.

Nothing should happen.

Don't commit yet

Implement **only Task 3** in:

</> Plain text

game/game_engine.py

Do **not** work on the interactive letter tiles yet.

Once you've run it, send me a screenshot of the game showing the **timer bar and countdown**. I'll check the implementation/layout before we commit:

</> Bash

```
git add game/game_engine.py
git commit -m "feat: add round countdown timer"
```

That keeps **Task 3 isolated from Task 4**, exactly as your assignment requires.

next

Yes. **Task 3 is now treated as complete**, so let's move to **Task 4 only: Interactive Letter Tile Sorting**.

The README's exact requirement is to replace the static scrambled-word text with **interactive graphical letter tiles** that the player can click/rearrange to experiment with different sequences.



We should keep this simple and viva-friendly.

Task 4 — Interactive Letter Tiles

1. What is wrong currently?

The original game displays the scrambled word like this:

</> Python

```
spaced_letters = " ".join(self.scrambled_word)
scramble_surf = self.font_word.render(
    spaced_letters, True, (100, 200, 255)
)
```

That means:

</> Plain text

P Y T H O N

is just **text**.

The player cannot interact with individual letters.

Our solution

We'll turn it into tiles:

</> Plain text



The interaction will be:

Click one tile → click another tile → they swap.

Example:

</> Plain text

N H Y O P T

↓ click N

N* H Y O P T

↓ click P

P H Y O N T

This is much easier to explain than implementing drag-and-drop.

4.1 Add tile state

In your `__init__()` , alongside your existing game state:

</> Python

```
self.score = 0
self.revealed_letters = []
```

add:

</> Python

```
self.letter_tiles = []
self.selected_tile = None
```

So:

</> Python

```
self.score = 0
self.revealed_letters = []

self.letter_tiles = []
self.selected_tile = None
```

What they mean

`letter_tiles` stores the current arrangement:

</> Plain text

```
['N', 'H', 'Y', 'O', 'P', 'T']
```

`selected_tile` remembers which tile the player clicked first.

4.2 Create the tiles when a new round starts

Your `next_round()` currently generates:

</> Python

```
self.secret_word = random.choice(self.words)
self.scrambled_word = self.scramble_string(self.secret_word)
```

After that, create the tile list:

</> Python

```
self.letter_tiles = list(self.scrambled_word)
self.selected_tile = None
```

So the beginning of `next_round()` should contain:

</> Python

```
def next_round(self):
    self.secret_word = random.choice(self.words)
    self.scrambled_word = self.scramble_string(self.secret_word)

    self.letter_tiles = list(self.scrambled_word)
    self.selected_tile = None
```

```
self.revealed_letters = []  
self.input_box.clear()  
  
# Keep your Task 3 timer reset code here
```

Why `list()` ?

If:

</> Python

```
self.scrambled_word = "NHYOPT"
```

then:

</> Python

```
list(self.scrambled_word)
```

produces:

</> Python

```
['N', 'H', 'Y', 'O', 'P', 'T']
```

Now individual letters can be swapped.

4.3 Add a helper method for tile positions

Add this method before `handle_event()` :

</> Python

```
def get_tile_rects(self):  
    tile_size = 55  
    gap = 10  
  
    total_width = (  
        len(self.letter_tiles) * tile_size  
        + (len(self.letter_tiles) - 1) * gap  
    )  
  
    start_x = self.width // 2 - total_width // 2  
    y = 125
```

```
tile_rects = []

for index in range(len(self.letter_tiles)):
    x = start_x + index * (tile_size + gap)
    tile_rects.append(pygame.Rect(x, y, tile_size, tile_size))

return tile_rects
```

Why use a separate method?

Instead of calculating tile positions in multiple places, we calculate them once.

Then both:

- rendering
- mouse interaction

can use the exact same positions.

That's clean and easy to explain in a viva.

4.4 Handle clicking the tiles

Inside `handle_event()`, you already have your mouse handling for SUBMIT and HINT.

Inside the left-click section, add tile interaction.

The structure should become approximately:

</> Python

```
elif event.type == pygame.MOUSEBUTTONDOWN and event.button == 1:

    tile_rects = self.get_tile_rects()

    for index, rect in enumerate(tile_rects):
        if rect.collidepoint(event.pos):

            if self.selected_tile is None:
                self.selected_tile = index
            else:
                self.letter_tiles[self.selected_tile], self.letter_tiles[index] = (
                    self.letter_tiles[index],
                    self.letter_tiles[self.selected_tile]
                )

            self.selected_tile = None
```

```
return
```

```
if self.submit_btn.collidectrl(event.pos):
```

Important

If your current `handle_event()` already has the Task 3:

```
</> Python
```

```
if not self.round_active:
    return
```

keep it.

The tile interaction should only happen during an active round.

4.5 What happens when the player clicks?

Initially:

```
</> Plain text
```

```
N   H   Y   O   P   T
```

Player clicks `N` .

We set:

```
</> Python
```

```
self.selected_tile = 0
```

Visually, we'll highlight it.

Then player clicks `P` .

We execute:

```
</> Python
```

```
self.letter_tiles[0], self.letter_tiles[4] = (
    self.letter_tiles[4],
    self.letter_tiles[0]
)
```

Result:

</> Plain text

P H Y O N T

Then:

</> Python

```
self.selected_tile = None
```

The selection is cleared.

4.6 Replace the static scrambled text

This is the **main visual change**.

Find the old Task 0/initial code:

</> Python

```
spaced_letters = " ".join(self.scrambled_word)
scramble_surf = self.font_word.render(
    spaced_letters,
    True,
    (100, 200, 255)
)

screen.blit(
    scramble_surf,
    (self.width // 2 - scramble_surf.get_width() // 2, 130)
)
```

Remove that display code.

Replace it with:

</> Python

```
tile_rects = self.get_tile_rects()

for index, rect in enumerate(tile_rects):

    if index == self.selected_tile:
```

```

        tile_color = (255, 200, 80)
    else:
        tile_color = (70, 100, 150)

    pygame.draw.rect(
        screen,
        tile_color,
        rect,
        border_radius=8
    )

    pygame.draw.rect(
        screen,
        (220, 220, 220),
        rect,

```

Now each character is an actual graphical object.

4.7 Keep the input box

Do not remove your existing input box.

The README says the player can physically experiment with the letters, but the existing game also supports typed guesses. [GitHub](#)

So we'll support **both**:

Method 1 — Type

</> Plain text

Input: PYTHON

↓

SUBMIT

Method 2 — Rearrange

</> Plain text

N H Y O P T

↓

click + swap

↓

P Y T H O N

Then the player can use the input box to submit their final guess.

This preserves the original functionality instead of replacing it unnecessarily.

4.8 Make the rearranged tiles useful

There's one important thing here.

If the user rearranges:

</> Plain text

P Y T H O N

but the input box remains empty, clicking SUBMIT would still say:

</> Plain text

Type a word before submitting!

So let's make the tile arrangement automatically become the guess when the player submits.

Modify the beginning of `submit_guess()`.

Currently you have:

</> Python

```
guess = self.input_box.text.strip().upper()
```

Change it to:

</> Python

```
guess = self.input_box.text.strip().upper()
```

```
if not guess:  
    guess = "".join(self.letter_tiles)
```

Therefore:

</> Python

```
def submit_guess(self):  
    if not self.round_active:
```

```
        return

    guess = self.input_box.text.strip().upper()

    if not guess:
        guess = "".join(self.letter_tiles)

    if not guess:
        ...
```

Now:

</> Plain text

Tiles:

P Y T H O N

Input:

empty

SUBMIT

↓

guess = "PYTHON"

This makes the interactive tiles an **actual alternative way of solving the puzzle**, rather than merely decorative UI.

4.9 Important interaction with hints

Your Task 2 hint system should continue working.

However, **don't try to automatically rearrange the tiles when a hint is used.**

The hint system reveals the correct letter position visually, while the tile system lets the player experiment with the scrambled letters.

Keeping these responsibilities separate makes the code easier to understand.

4.10 Expected final UI

You should end up with something approximately like:

</> Plain text

Word Scramble Arena

Score: 2

Time: 11

P

N

Y

O

T

H

P _ _ _ _ _

PYTHON

The exact positioning will depend on your existing Task 2/3 layout.

4.11 Task 4 testing

After implementing it:

</> Bash

python main.py

Test these in order.

Test 1 — Tiles appear

Instead of:

</> Plain text

N H Y O P T

you should see individual boxes.

Test 2 — Select a tile

Click one tile.

Expected:

</> Plain text

Selected tile → highlighted

Test 3 — Swap

Click another tile.

Expected:

</> Plain text

First and second letters swap.

Test 4 — Multiple swaps

Try:

</> Plain text

N H Y O P T

and rearrange it toward:

</> Plain text

P Y T H O N

The tiles should move correctly.

Test 5 — Submit rearranged answer

With the tiles arranged as the secret word and the text box empty:

</> Plain text

P Y T H O N

SUBMIT

Expected:

</> Plain text

CORRECT! 'PYTHON' is right.

and:

</> Plain text

Score +1

Test 6 — Typed input still works

Type:

</> Plain text

PYTHON

and press Enter.

It should still work exactly as before.

Test 7 — Hint still works

Click HINT.

The Task 2 functionality should remain intact.

Test 8 — Timer still works

Let the timer expire.

The Task 3 timeout behavior should still work.

One important thing

Don't commit Task 4 yet.

Make these changes, run the game, and test the eight cases above.

If the tiles work but the layout is slightly crowded, **don't start randomly changing positions**. Send me a screenshot first and we'll make the smallest necessary layout adjustment.

Once everything works, your Task 4 commit will be:

</> Bash

```
git add game/game_engine.py
git commit -m "feat: add interactive letter tiles"
```

That will give you the clean four-commit progression:

</> Plain text

- Task 1 fix: validate guess against secret word
- Task 2 feat: add progressive word hints
- Task 3 feat: add round countdown timer
- Task 4 feat: add interactive letter tiles

This follows the README's four-task order and keeps each feature logically isolated.  GitHub



my game is working successfully without any errors and bugs
could you please ensure to verify with respect to the video

Yes. I can verify the **visual state** from your screenshot against the assignment README, and your implementation looks consistent with the required final game. The README requires the four tasks we implemented and specifically asks for a **10-second after-changes gameplay video** showing the bug fix and new features working.  GitHub

What your screenshot confirms

Requirement	Screenshot	Status
Scrambled letters shown as graphical tiles	T P E A N L individual tiles	✓
Tiles are interactive	Graphical individual tiles are present	✓ Visual
Hint system	_ _ _ _ _ _ position display	✓ Visual
HINT button	Visible	✓
SUBMIT button	Visible	✓
Countdown timer bar	Green progress bar visible	✓
Score display	Score: 0	✓

Requirement	Screenshot	Status
Existing text input preserved	Input box visible	
Overall game still launches	Game running successfully	

Your screenshot is particularly good evidence that **Task 4 did not break Tasks 2 and 3**.

One thing I cannot verify from this screenshot

A screenshot cannot prove the **behavior** of:

- clicking one tile and swapping it with another;
- the timer actually decreasing;
- timeout revealing the word and advancing;
- multiple hints progressively revealing letters;
- submitting the rearranged tiles as the answer.

Those need to be demonstrated in the **10-second gameplay video** required by the README.



For your final 10-second video

I'd record a short sequence like this:

</> Plain text

```
0-2 sec  → Show scrambled letter tiles + timer
2-4 sec  → Click/rearrange two letter tiles
4-6 sec  → Click HINT → letter is revealed
6-8 sec  → Rearrange/type the correct word
8-10 sec → Click SUBMIT → CORRECT message + new round
```

That gives the evaluator evidence of **all the major additions** without needing a long recording.

One minor unrelated detail

Your window title still says:

Anvil Dodge - Pygame Edition

That appears to be inherited from the original `main.py`. It is unrelated to the four README tasks, so **I would not change it now** if your goal is to keep the assignment commits isolated.

Before your final Task 4 commit

Since you've confirmed the game runs without errors, I recommend one final check:

```
</> Bash
```

```
git diff
```

Make sure the only changes are the intended `game/game_engine.py` changes.

Then:

```
</> Bash
```

```
git add game/game_engine.py
git commit -m "feat: add interactive letter tiles"
```

And:

```
</> Bash
```

```
git log --oneline -4
```

You should have exactly your four logical commits:

```
</> Plain text
```

```
feat: add interactive letter tiles
feat: add round countdown timer
feat: add progressive word hints
fix: validate guess against secret word
```

If you have the actual 10-second gameplay video, upload it here. I can then verify the behavior frame-by-frame against the README's expected functionality, rather than judging only the screenshot.

its completed

Perfect.  Your **Lab 4 Word Scramble** project is complete.

You now have the four tasks separated logically:

1. Task 1 — Guess validation

```
</> Plain text
```

```
fix: validate guess against secret word
```

2. Task 2 — Progressive hints

</> Plain text

```
feat: add progressive word hints
```

3. Task 3 — Countdown timer

</> Plain text

```
feat: add round countdown timer
```

4. Task 4 — Interactive letter tiles

</> Plain text

```
feat: add interactive letter tiles
```

Your final game also preserves the original functionality while adding the required features:

- ☒ Correct answer validation
- ☒ Progressive hints
- ☒ Hint score penalty
- ☒ Countdown timer
- ☒ Timeout handling
- ☒ Interactive letter tiles
- ☒ Typed guesses
- ☒ Submit button
- ☒ New-round reset
- ☒ No additional dependencies
- ☒ Changes kept in `game/game_engine.py`
- ☒ Separate commits for each task

Final Git check

Before submitting, run:

</> Bash

```
git status
```

You want:

</> Plain text

```
nothing to commit, working tree clean
```

Then:

</> Bash

```
git log --oneline -4
```

And verify the four commits are present.

Finally, if you haven't pushed the last commit yet:

</> Bash

```
git push origin main
```

At this point, don't make any more code changes. Your implementation is complete and ready for the Lab 4 submission/video.