ESS111 : Programming 1 (C Programming) LAB - 6

Due: 8 January, 2021 @ 11:59 pm

Part A (to be submitted)

Problem 1: Given an integer input n (n > 1), write a function to print all the prime factors of n in non-decreasing order.

Sample Input 1:

24

Output 1:

2 2 2 3

Sample Input 2:

35

Output 2:

5 7

Problem 2: The expansion for sin(x) is

$$sin(x) = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \frac{x^9}{9!} - \frac{x^{11}}{11!} + \dots$$

Write a function that takes x as input (use double) and computes sin(x) approximated to power of 11. You must write two functions, one to compute the factorial of an integer and another to compute the power of a number (output in double format). Use these to compute sin(x).

Note: functions from math.h must not be used. The result must be approximated to 6 decimal places.

Sample Input 1:

0.52

Output 1:

0.496880

Sample Input 2:

1.8

Output 2:

0.973847

Problem 3: Write a function to compute distance between two points. Use this to write a function to find area of a triangle. Further write a function to check whether a point lies inside a triangle or not. The program should take 3 points (in (x, y) format) as input (double format) and output the area of the triangle joining these points. Next, the program should take an integer n as input. For the next n points, the program should output whether each point lies inside (print 'INSIDE') or outside (print 'OUTSIDE') the triangle.

Note: Points on the triangle are also considered to be inside.

The program should not use any library functions except for sqrt().

Sample Input 1:

0.0

1 1

2 0

2

 $0.5 \ 0.5$

0.5 - 0.5

Output 1:

1.000000

INSIDE

OUTSIDE

Sample Input 2:

10

3 0

2 -2

3

 $1.5 \ 1.5$

1.5 - 3.5

1.5 - 0.5

Output 2:

2.000000

OUTSIDE

OUTSIDE

INSIDE

Problem 4: Write a function to compute the binomial coefficient (n choose r) given two positive integers n and r as input.

$$\binom{n}{r} = \frac{n!}{r!(n-r)!}$$

Note: You need to make sure that the intermediate results arising due to computation do not overflow the 32 bit integer.

The upper limit of signed int is 2147483647.

Sample Input 1:

4 2

Output 1:

6

Sample Input 2:

10 5

Output 2:

252

Sample Input 3:

22 2

Part B (need not be submitted)

A. Point out the errors, if any, in the following programs:

```
(a)
                                  #include<stdio.h>
                                  int addmult ( int, int )
                                  int main( )
                                  {
                                              int i = 3, j = 4, k, 1;
                                              k = addmult (i, j);
                                               l = addmult (i, j);
                                              printf ( "%d %d\n", k, l );
                                               return 0;
                                  }
                                  int addmult ( int ii, int jj )
                                  {
                                               int kk, ll;
                                              kk = ii + jj;
                                                                                                                                                                      how recovery to how recovery to the way we work to the work where the work of 
                                               11 = ii * jj
                                            return ( kk, ll )
(b)
                                  #include<stdio.h>
                                  int main( )
                                               int a ;
                                             a = message()
                                              return 0 ,
                                  }
                                  void message( )
                                  {
                                                                                                                                                                    4
```

```
printf ( "Viruses are written in C\n" );
        return ;
      }
(c)
      #include<stdio.h>
      int main( )
        float a = 15.5;
        char ch = 'C';
        printit ( a, ch );
        return 0;
      }
      printit ( a, ch )
        printf ( "%f %c\n", a, ch );
(d)
      #include<stdio.h>
      int main( )
         printf ( "C is a Cimple minded language !\n" );
printf ( "Others are of course no match !\n" );
```

- B. Answer the following questions:
- (a) Any year is entered through the keyboard. Write a function to determine whether the year is a leap year or not.