Cluster creation



Connection


Connect to Cluster0
Set up connection security
Choose a connection method
Connect
I don't have the MongoDB Shell installed
I have the MongoDB Shell installed
1. Select your mongo shell version
To check your Mongo shell version, run:
mongosh --version or mongo --version
mongosh (2.0 or later)
2. Run your connection string in your command line
Use this connection string in your application
mongosh "mongodb+srv://cluster0.xqz9she.mongodb.net/" --apiVersion 1 --username agarwalshreyansh10_db_user
You will be prompted for the password for the Database User, agarwalshreyansh10_db_user. When entering your password, make sure all special characters are URL encoded.
RESOURCES
Add Data in the Shell
Access your Database Users
Troubleshoot Connections


Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows
PS C:\Users\Dell\Desktop\mongodb\mongosh-2.8.2-win32-x64\mongosh-2.8.2-win32-x64\bin>


Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows
PS C:\Users\Dell\Desktop\mongodb\mongosh-2.8.2-win32-x64\mongosh-2.8.2-win32-x64\bin> ./mongosh.exe "mongodb+srv://cluster0.xqz9she.mongodb.net/" --apiVersion 1 --username agarwalshreyansh10_db_user
Enter password: **********
Current Mongosh Log ID: 69fed4f0e406d93ee93682d0
Connecting to: mongodb+srv://<credentials>@cluster0.xqz9she.mongodb.net/?appName=mongosh+2.8.2
Using MongoDB: 8.0.23 (API Version 1)
Using Mongosh: 2.8.2
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell
For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/
Atlas atlas-gq8l8g-shard-0 [primary] test>

databases


Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows
PS C:\Users\Dell\Desktop\mongodb\mongosh-2.8.2-win32-x64\mongosh-2.8.2-win32-x64\bin> ./mongosh.exe "mongodb+srv://cluster0.xqz9she.mongodb.net/" --apiVersion 1 --username agarwalshreyansh10_db_user
Enter password: **********
Current Mongosh Log ID: 69fed4f0e406d93ee93682d0
Connecting to: mongodb+srv://<credentials>@cluster0.xqz9she.mongodb.net/?appName=mongosh+2.8.2
Using MongoDB: 8.0.23 (API Version 1)
Using Mongosh: 2.8.2
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell
For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/
Atlas atlas-gq8l8g-shard-0 [primary] test> show dbs
admin 360.00 KiB
local 49.48 GiB
Atlas atlas-gq8l8g-shard-0 [primary] test>

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Dell\Desktop\mongodb\mongosh-2.8.2-win32-x64\mongosh-2.8.2-win32-x64\bin> ./mongosh.exe "mongodb+srv://cluster0.xqz9she.mongodb.net/" --apiVersi
on 1 --username agarwalshreyansh10_db_user
Enter password: **********
Current Mongosh Log ID: 69fed4f0e406d93ee93682d0
Connecting to:          mongodb+srv://<credentials>@cluster0.xqz9she.mongodb.net/?appName=mongosh+2.8.2
Using MongoDB:          8.0.23 (API Version 1)
Using Mongosh:          2.8.2
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

Atlas atlas-gq8l8g-shard-0 [primary] test> show dbs
admin  360.00 KiB
local   49.48 GiB
Atlas atlas-gq8l8g-shard-0 [primary] test> use ecommerce
switched to db ecommerce
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce>
```

Collection

```
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

Atlas atlas-gq8l8g-shard-0 [primary] test> show dbs
admin  360.00 KiB
local   49.48 GiB
Atlas atlas-gq8l8g-shard-0 [primary] test> use ecommerce
switched to db ecommerce
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.insertMany([
|   { "order_id": "ORD001", "customer": "Alice", "city": "Mumbai",
|     "category": "Electronics", "product": "Laptop", "quantity": 1,
|     "price": 75000, "status": "delivered", "date": "2024-01-15" },
|
|   { "order_id": "ORD002", "customer": "Bob", "city": "Delhi",
|     "category": "Clothing", "product": "Jacket", "quantity": 3,
|     "price": 4500, "status": "pending", "date": "2024-02-20" },
|
|   { "order_id": "ORD003", "customer": "Carol", "city": "Mumbai",
|     "category": "Electronics", "product": "Phone", "quantity": 2,
|     "price": 25000, "status": "delivered", "date": "2024-03-10" },
|
|   { "order_id": "ORD004", "customer": "Dave", "city": "Pune",
|     "category": "Books", "product": "Big Data Guide", "quantity": 5,
|     "price": 800, "status": "shipped", "date": "2024-03-25" },
|
|   { "order_id": "ORD005", "customer": "Eve", "city": "Delhi",
|     "category": "Electronics", "product": "Tablet", "quantity": 1,
|     "price": 35000, "status": "delivered", "date": "2024-04-05" }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69fed564e406d93ee93682d1'),
    '1': ObjectId('69fed564e406d93ee93682d2'),
    '2': ObjectId('69fed564e406d93ee93682d3'),
    '3': ObjectId('69fed564e406d93ee93682d4'),
    '4': ObjectId('69fed564e406d93ee93682d5')
  }
}
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce>
```

Queries

1.orders delivered

```
}
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.find({ status: "delivered" })
[
  {
    _id: ObjectId('69fed564e406d93ee93682d1'),
    order_id: 'ORD001',
    customer: 'Alice',
    city: 'Mumbai',
    category: 'Electronics',
    product: 'Laptop',
    quantity: 1,
    price: 75000,
    status: 'delivered',
    date: '2024-01-15'
  },
  {
    _id: ObjectId('69fed564e406d93ee93682d3'),
    order_id: 'ORD003',
    customer: 'Carol',
    city: 'Mumbai',
    category: 'Electronics',
    product: 'Phone',
    quantity: 2,
    price: 25000,
    status: 'delivered',
    date: '2024-03-10'
  },
  {
    _id: ObjectId('69fed564e406d93ee93682d5'),
    order_id: 'ORD005',
    customer: 'Eve',
    city: 'Delhi',
    category: 'Electronics',
    product: 'Tablet',
    quantity: 1,
    price: 35000,
    status: 'delivered',
    date: '2024-04-05'
  }
]
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce>
```

2. Update status of ORD002 from pending to shipped

```
    price: 75000,
    status: 'delivered',
    date: '2024-01-15'
  },
  {
    _id: ObjectId('69fed564e406d93ee93682d3'),
    order_id: 'ORD003',
    customer: 'Carol',
    city: 'Mumbai',
    category: 'Electronics',
    product: 'Phone',
    quantity: 2,
    price: 25000,
    status: 'delivered',
    date: '2024-03-10'
  },
  {
    _id: ObjectId('69fed564e406d93ee93682d5'),
    order_id: 'ORD005',
    customer: 'Eve',
    city: 'Delhi',
    category: 'Electronics',
    product: 'Tablet',
    quantity: 1,
    price: 35000,
    status: 'delivered',
    date: '2024-04-05'
  }
]
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.updateOne(
|   { order_id: "ORD002" },
|   { $set: { status: "shipped" } }
| )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce>
```

3. Insert a new order document

```
mongosh mongodb+srv://<cl
  },
  {
    _id: ObjectId('69fed564e406d93ee93682d5'),
    order_id: 'ORD005',
    customer: 'Eve',
    city: 'Delhi',
    category: 'Electronics',
    product: 'Tablet',
    quantity: 1,
    price: 35000,
    status: 'delivered',
    date: '2024-04-05'
  }
]
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.updateOne(
|   { order_id: "ORD002" },
|   { $set: { status: "shipped" } }
| )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.insertOne({
|   "order_id": "ORD006",
|   "customer": "Ravi",
|   "city": "Bangalore",
|   "category": "Electronics",
|   "product": "Headphones",
|   "quantity": 2,
|   "price": 3000,
|   "status": "pending",
|   "date": "2024-04-15"
| })
{
  acknowledged: true,
  insertedId: ObjectId('69fed5d9e406d93ee93682d6')
}
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce>
```

4. Delete order with order_id ORD004

```
mongosh mongodb+srv://<cl
    _id: ObjectId('69fed564e406d93ee93682d5'),
    order_id: 'ORD005',
    customer: 'Eve',
    city: 'Delhi',
    category: 'Electronics',
    product: 'Tablet',
    quantity: 1,
    price: 35000,
    status: 'delivered',
    date: '2024-04-05'
  }
]
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.updateOne(
|   { order_id: "ORD002" },
|   { $set: { status: "shipped" } }
| )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.insertOne({
|   "order_id": "ORD006",
|   "customer": "Ravi",
|   "city": "Bangalore",
|   "category": "Electronics",
|   "product": "Headphones",
|   "quantity": 2,
|   "price": 3000,
|   "status": "pending",
|   "date": "2024-04-15"
| })
{
  acknowledged: true,
  insertedId: ObjectId('69fed5d9e406d93ee93682d6')
}
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.deleteOne({ order_id: "ORD004" })
{ acknowledged: true, deletedCount: 1 }
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce>
```

5. Total revenue per category

```
mongosh mongodb+srv://<cl
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.insertOne({
|   "order_id": "ORD006",
|   "customer": "Ravi",
|   "city": "Bangalore",
|   "category": "Electronics",
|   "product": "Headphones",
|   "quantity": 2,
|   "price": 3000,
|   "status": "pending",
|   "date": "2024-04-15"
| })
{
  acknowledged: true,
  insertedId: ObjectId('69fed5d9e406d93ee93682d6')
}
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.deleteOne({ order_id: "ORD004" })
{ acknowledged: true, deletedCount: 1 }
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.aggregate([
|   {
|     $group: {
|       _id: "$category",
|       totalRevenue: {
|         $sum: { $multiply: ["$price", "$quantity"] }
|       }
|     }
|   },
|   {
|     $sort: { totalRevenue: -1 }
|   }
| ])
[
  { _id: 'Electronics', totalRevenue: 166000 },
  { _id: 'Clothing', totalRevenue: 13500 }
]
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce>
```

6. Total number of orders and average order price per city

```
mongosh mongodb+srv://<cl
|   "status": "pending",
|   "date": "2024-04-15"
| })
{
  acknowledged: true,
  insertedId: ObjectId('69fed5d9e406d93ee93682d6')
}
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.deleteOne({ order_id: "ORD004" })
{ acknowledged: true, deletedCount: 1 }
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.aggregate([
|   {
|     $group: {
|       _id: "$category",
|       totalRevenue: {
|         $sum: { $multiply: ["$price", "$quantity"] }
|       }
|     }
|   },
|   {
|     $sort: { totalRevenue: -1 }
|   }
| ])
[
  { _id: 'Electronics', totalRevenue: 166000 },
  { _id: 'Clothing', totalRevenue: 13500 }
]
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.aggregate([
|   {
|     $group: {
|       _id: "$city",
|       totalOrders: { $sum: 1 },
|       avgOrderPrice: { $avg: "$price" }
|     }
|   }
| ])
[
  { _id: 'Mumbai', totalOrders: 2, avgOrderPrice: 50000 },
  { _id: 'Delhi', totalOrders: 2, avgOrderPrice: 19750 },
  { _id: 'Bangalore', totalOrders: 1, avgOrderPrice: 3000 }
]
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce>
```

7. Count orders by status, show only status appearing more than once

```
mongosh mongodb+srv://<cl

|         $sum: { $multiply: ["$price", "$quantity"] }
|       }
|     }
|   },
|   {
|     $sort: { totalRevenue: -1 }
|   }
| ])
[
  { _id: 'Electronics', totalRevenue: 166000 },
  { _id: 'Clothing', totalRevenue: 13500 }
]
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.aggregate([
|   {
|     $group: {
|       _id: "$city",
|       totalOrders: { $sum: 1 },
|       avgOrderPrice: { $avg: "$price" }
|     }
|   }
| ])
[
  { _id: 'Mumbai', totalOrders: 2, avgOrderPrice: 50000 },
  { _id: 'Delhi', totalOrders: 2, avgOrderPrice: 19750 },
  { _id: 'Bangalore', totalOrders: 1, avgOrderPrice: 3000 }
]
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce> db.orders.aggregate([
|   {
|     $group: {
|       _id: "$status",
|       orderCount: { $sum: 1 }
|     }
|   },
|   {
|     $match: {
|       orderCount: { $gt: 1 }
|     }
|   }
| ])
[ { _id: 'delivered', orderCount: 3 } ]
Atlas atlas-gq8l8g-shard-0 [primary] ecommerce>
```