

# Experiment - 12

Student Name: Shreyansh Gupta  
Branch: CSE - AIML  
Semester: 5  
Subject Name: ADBMS

UID: 24BAI70658  
Section/Group: 24AIT\_KRG-1\_B  
Date of Performance: 21/9/26  
Subject Code: 24CSP-310

**(A)**

Design a trigger which whenever there is an insertion on student table then, the currently inserted or deleted row should be printed as it as on the output console window.

**Solution:**

```
CREATE OR REPLACE FUNCTION FN_STUDENT_AUDIT()
RETURNS TRIGGER
LANGUAGE PLPGSQL
AS
$$
BEGIN
    IF TG_OP = 'INSERT' THEN
        RAISE NOTICE 'INSERTED ROW -> ID: %, NAME: %, AGE: %, CLASS:
%',
        NEW.ID, NEW.NAME, NEW.AGE, NEW.CLASS;
        RETURN NEW;

    ELSIF TG_OP = 'DELETE' THEN
        RAISE NOTICE 'DELETED ROW -> ID: %, NAME: %, AGE: %, CLASS:
%',
        OLD.ID, OLD.NAME, OLD.AGE, OLD.CLASS;
        RETURN OLD;

    END IF;
    RETURN NULL;
END;
$$
```

```
CREATE TRIGGER TRG_STUDENT_AUDIT
AFTER INSERT OR DELETE
ON STUDENT
FOR EACH ROW
EXECUTE FUNCTION FN_STUDENT_AUDIT();
```

```
INSERT INTO STUDENT(NAME, AGE, CLASS) VALUES('JOHN', 17, 11);
```

```
DELETE FROM STUDENT
WHERE NAME='JACK';
```

### **(B)**

Design a POSTGRESQL triggers that:

Whenever a new employee is inserted in tbl\_employee, a record should be added to tbl\_employee\_audit like:

"Employee name <emp\_name> has been added at <current\_time>"

Whenever an employee is deleted from tbl\_employee, a record should be added to tbl\_employee\_audit like:

"Employee name <emp\_name> has been deleted at <current\_time>"

The solution must use PostgreSQL triggers.

### **Solution:**

```
CREATE OR REPLACE FUNCTION AUDIT_EMPLOYEE_CHANGES()
RETURNS TRIGGER
LANGUAGE PLPGSQL
AS
$$
BEGIN
    IF TG_OP = 'INSERT' THEN
        INSERT INTO TBL_EMPLOYEE_AUDIT(message)
        VALUES ('Employee name ' || NEW.EMP_NAME || ' has been added at ' ||
NOW());
        RETURN NEW;

    ELSIF TG_OP = 'DELETE' THEN
        INSERT INTO TBL_EMPLOYEE_AUDIT(message)
```

```
VALUES ('Employee name ' || OLD.EMP_NAME || ' has been deleted at ' ||  
NOW());
```

```
RETURN OLD;  
END IF;
```

```
RETURN NULL;  
END;  
$$
```

```
CREATE TRIGGER TRG_EMPLOYEE_AUDIT  
AFTER INSERT OR DELETE  
ON TBL_EMPLOYEE  
FOR EACH ROW  
EXECUTE FUNCTION AUDIT_EMPLOYEE_CHANGES();
```

```
INSERT INTO TBL_EMPLOYEE(EMP_NAME, EMP_SALARY) VALUES  
('ALAN', 50000);
```

```
DELETE FROM TBL_EMPLOYEE  
WHERE EMP_NAME='ALAN';
```

```
SELECT * FROM TBL_EMPLOYEE_AUDIT;
```