# Data Exploration

Data exploration is the first step in data analysis and typically involves summarizing the main characteristics of a data set, including its size, accuracy, initial patterns in the data and other attributes. It is commonly conducted by data analysts using visual analytics tools, but it can also be done in more advanced statistical software, Python. Before it can conduct analysis on data collected by multiple data sources and stored in data warehouses, an organization must know how many cases are in a data set, what variables are included, how many missing values there are and what general hypotheses the data is likely to support. An initial exploration of the data set can help answer these questions by familiarizing analysts with the data with which they are working.

We divided the data 9:1 for Training and Testing purpose respectively.

Data Visualization

Data visualization is the graphical representation of information and data. By using visual elements like charts, graphs, and maps, data visualization tools provide an accessible way to see and understand trends, outliers, and patterns in data. In the world of Big Data, data visualization tools and technologies are essential to analyse massive amounts of information and make data-driven decisions.

Data Selection

Data selection is defined as the process of determining the appropriate data type and source, as well as suitable instruments to collect data. Data selection precedes the actual practice of data collection. This definition distinguishes data selection from selective data reporting (selectively excluding data that is not supportive of a research hypothesis) and interactive/active data selection (using collected data for monitoring activities/events, or conducting secondary data analyses). The process of selecting suitable data for a research project can impact data integrity.

The primary objective of data selection is the determination of appropriate data type, source, and instrument(s) that allow investigators to adequately answer research questions. This determination is often discipline-specific and is primarily driven by the nature of the investigation, existing literature, and accessibility to necessary data sources.

	Price	Area_Sqm	Bedrooms	Latitude	Longitude	PricePerSqM
0	13300000	74.32	2	19.210200	72.864891	178885.00
1	9000000	55.74	1	19.167700	72.949300	168566.16
2	9000000	43.66	1	19.130609	72.873816	206032.48
3	9000000	78.97	2	19.126005	72.825052	113926.88
4	100000000	464.51	5	19.075014	72.907571	215200.00

Correlation Heatmap

Data Transformation

The log transformation can be used to make highly skewed distributions less skewed. This can be valuable both for making patterns in the data more interpretable and for helping to meet the assumptions of inferential statistics.

It is hard to discern a pattern in the upper panel whereas the strong relationship is shown clearly in the lower panel. The comparison of the means of log-transformed data is actually a comparison of geometric means. This occurs because, as shown below, the anti-log of the arithmetic mean of log-transformed values is the geometric mean.

Skewed Price

## Normal Price

Skewed Area

Normal Area

Skewed Price/Sq.

Normal Price/Sq.

LANGUAGE AND MODELS USED

Python

Python is widely used in scientific and numeric computing:

- SciPy is a collection of packages for mathematics, science, and engineering.

- Pandas is a data analysis and modelling library.

- IPython is a powerful interactive shell that features easy editing and recording of a work session, and supports visualizations and parallel computing.

- The Software Carpentry Course teaches basic skills for scientific computing, running bootcamps and providing open-access teaching materials.

## Libraries Used for this Project include –

- **Pandas**
- **NumPy**
- **Matplotlib**
- **Seaborn**
- **Scikit Learn**
- **XG Boost**

MODELS USED

Regression Model

- Linear Regression is a machine learning algorithm based on supervised learning.

- It performs a regression task. Regression models a target prediction value based on independent variables.

- It is mostly used for finding out the relationship between variables and forecasting.

Real Vs Predicted

Random Forest Regression Model

- A Random Forest is an ensemble technique capable of performing both regression and classification tasks with the use of multiple decision trees and a technique called Bootstrap Aggregation, commonly known as bagging.

- Bagging, in the Random Forest method, involves training each decision tree on a different data sample where sampling is done with replacement.

- The basic idea behind this is to combine multiple decision trees in determining the final output rather than relying on individual decision trees.

Real Vs Predicted

XG Boost Regressor Model

- XG Boost stands for eXtreme Gradient Boosting.

- The XG Boost library implements the gradient boosting decision tree algorithm.

- Boosting is an ensemble technique where new models are added to correct the errors made by existing models.

- Models are added sequentially until no further improvements can be made.

Real Vs Predicted

RESULTS AND DISCUSSIONS

Best Suited Model

So, our study showed that……..

Linear Regression displayed the best performance for this Dataset and can be used for deploying purposes.

Random Forest Regressor and XGBoost Regressor are far behind, so can't be recommended for further deployment purposes.

RMSE Bar Graph

Deployment App

The Model is deployed through Python Web App Flask in collaboration with HTML and

CSS.

Now anyone can Predict

Lets get to know future house prices

| Area in SqM | Bedrooms | PricePerSqM | Latitude | Longitude | Predict |

{{ prediction_text }}