Document parsing: what we tested and what we found

Short report. First test: 62 documents. Then 43 harder documents (tough, real-world style, long). Scores are 0 to 5.

Score colours: 4.5 and above | 3.5 to 4.5 | 2.5 to 3.5 | 1.2 to 2.5 | below 1.2 **equal to best** = within 0.1 of the best, not ranked against each other; **clear winner** = more than 0.1 ahead.

1. Summary

- **Question:** which parser is best for which document, based on measured scores, not guesses.
- **Test:** 62 documents first, then 43 harder ones (14 tough, 14 real-world style, 6 long: 30 to 100 pages, 3 long mixed: text, tables, charts, photos and scans in one file, 31 to 99 pages, 6 research reports from a colleague, 9 to 66 pages, answer files for key pages only). Every parser on every document, scored against a hand-written answer.
- **Finding:** no parser is best for everything. Plain text and simple tables: fast parsers are enough. Charts: smart_pdf. Scans: Docling. Merged cells and nested tables: PyMuPDF4LLM, OpenDataLoader or Docling.
- **New combo, ADI + vision:** Azure Document Intelligence reads text and tables, a vision model reads only charts and photos. Paid, not used by the routing. It matches the best parsers on merged-header tables and scans (4.96 vs smart_pdf 2.96 and 2.36), and adds little on the research reports (section 3).
- **Still wrong:** a few documents drop to about 3.0 in Smart Extract (section 4). Nothing was changed in the routing.
- **Note:** all documents are generated by us, not real company files. The 6 research reports (9 to 66 pages) come from a colleague; their answer files cover key pages only.

Which parser for which document

Document type	Best choice	Watch out for
Digital PDF, mostly text	PyMuPDF (fast)	Nothing special
Digital PDF with tables	OpenDataLoader, PyMuPDF4LLM or Docling (equal)	Merged and nested tables: PyMuPDF, hybrid_pdf, smart_pdf are weaker
PDF with charts or photos	smart_pdf (reads chart values)	Photo-only pages: free parsers can score higher
Scans, phone photos	Docling	Parsers without OCR return nothing; Tesseract alone loses tables
Images (png, jpg)	Docling	-
Word	Unstructured or Docling	Native reader drops the page header
PowerPoint	Native reader (Docling if it has real charts)	Native reader cannot read charts
Excel, CSV	Native reader	Merged cells and charts need checking
Plain text	Plain text reader	Do not send it to other parsers

Equal means within 0.1 of the best score. Equal parsers are not ranked against each other; the app then prefers the fastest. Being listed first does not mean better.

2. How scores work

Each output is compared with a hand-written answer on up to 8 questions: Text, Table, Chart, Infographic, Numbers, Structure, Completeness, No extras. Score = average, 0 to 5. A crash, timeout or empty output counts as 0.

Parser	Good at	Weak at
PyMuPDF	Plain text, simple tables, very fast	Merged cells, scans (nothing)
PyMuPDF4LLM	Merged headers, long reports	Charts, scans
OpenDataLoader	Tables, forms	Scans (nothing)
Docling	Scans, tables, slides, images	Very slow on long files

Unstructured / MarkItDown	Word, Excel	PDF tables
hybrid_pdf	PyMuPDF + Tesseract OCR	Same as PyMuPDF on tables
smart_pdf	PyMuPDF + Tesseract OCR + vision model for charts and photos (max 8 per document)	Merged-header tables; adds photo descriptions

Smart Extract: **By document** sends the whole file to the best parser for its type. **By part** splits it: text with PyMuPDF, tables, scans and figures each to the parser that scored best on them. vlm (every page to the LLM) is off everywhere. Azure Document Intelligence was not tested (paid).

3. Results by test set

Smart Extract average score over the PDFs in each set:

Set	Documents	By document, paid	By part, paid	By document, free
Tough documents	14	4.32	4.05	4.59
Real-world style documents	14	4.59	4.26	4.44
Long documents	6	4.67	4.17	4.67
Long mixed documents	3	4.02	3.83 (2 of 3 finished)	4.16
Research reports (shared by a colleague)	6	1.40	1.44	1.58

- **Tough:** merged cells, nested tables, scan, charts. Parsers separate here; Smart Extract does well on 10 of 14.
- **Real-world style:** bank statement, payslip, lab report and more. Most parsers do well; By part is weaker than By document.
- **Long (30 to 100 pages):** length is not a problem for fast parsers. Docling takes minutes; scans need it anyway.

Long documents

Document	Pages	Best parser	Did not finish	Smart Extract: By document / By part / free
`annual_report_60p.pdf`	56	EQUAL (within 0.1): PyMuPDF4LLM, smart_pdf. Top score 4.18	Docling (timeout)	4.18 / 4.18 / 4.18
`big_workbook.xlsx`	Excel	native Excel reader 4.99 (clear winner)	none	4.99 / - / -
`contract_45p.pdf`	46	EQUAL (within 0.1): PyMuPDF4LLM, PyMuPDF, hybrid_pdf, smart_pdf. Top score 4.99	none	4.90 / 4.90 / 4.90
`handbook_40p.docx`	Word	EQUAL (within 0.1): native Word reader, Unstructured, Docling, MarkItDown. Top score 5.00	none	5.00 / - / -
`scanned_report_30p.pdf`	31	Docling 4.58 (clear winner)	pdfplumber (empty), PyMuPDF (empty), MarkItDown (empty), OpenDataLoader (empty)	4.58 / 4.58 / 4.58
`transaction_ledger_100p.pdf`	100	EQUAL (within 0.1): OpenDataLoader, PyMuPDF4LLM. Top score 5.00	Docling (timeout), smart_pdf (timeout)	5.00 / 3.01 / 5.00
`group_report_100p.pdf`	99	PyMuPDF4LLM 3.93 (clear winner)	none	3.66 / 3.80 / 3.93
`operations_report_36p.pdf`	36	EQUAL (within 0.1): Docling, PyMuPDF4LLM. Top score 4.66	smart_pdf (timeout)	4.64 / - / 4.64
`tender_pack_30p.pdf`	31	Docling 4.07 (clear winner)	none	3.77 / 3.86 / 3.90

The laptop slept during this run, so some timings and the Docling and smart_pdf timeouts on the 100-page ledger may be too long.

Research reports shared by a colleague (6 PDFs, 9 to 66 pages)

Broker and market-research PDFs: dense text, many wide tables (some on rotated landscape pages), charts, and small text boxes. **All 16 parsers were run on all 6 documents, including Azure Document Intelligence (paid, about 160 pages).** vlm and LlamaParse were not run. The answer files cover the key pages only (summary tables, key numbers, valuation and catalyst tables), because a full hand-written answer for 66 pages was not possible. So the scores are low for every parser (1 to 2.6) and are only good for comparing parsers with each other.

Document	Pages	Best parsers (equal = within 0.1)	Seconds of the best	Azure DI	Did not finish	Smart Extract: By document / By part / free
`alphasense_mash_report_9p.pdf`	9	EQUAL (within 0.1): Azure Document Intelligence (paid), ADI + vision (paid). Top score 2.58	19	2.58 in 19 s	none	2.29 / 2.38 / 2.22
`bernstein_novo_66p.pdf`	66	EQUAL (within 0.1): pdfplumber, PyMuPDF4LLM, Azure Document Intelligence (paid), ADI + vision (paid) +3 more. Top score 1.12	45	1.09 in 66 s	Unstructured (timeout), Docling (timeout), EasyOCR (timeout)	1.00 / 1.07 / 1.10
`hcw_madrigal_10p.pdf`	10	EQUAL (within 0.1): MarkItDown, Azure Document Intelligence (paid). Top score 1.62	12	1.52 in 22 s	EasyOCR (timeout)	1.19 / 1.19 / 1.46
`nh_bio_sector_14p.pdf`	14	EQUAL (within 0.1): OpenDataLoader, Docling, Azure Document Intelligence (paid), ADI + vision (paid) +2 more. Top score 1.64	21	1.62 in 25 s	none	1.40 / 1.40 / 1.57
`piper_madrigal_10p.pdf`	10	EQUAL (within 0.1): Docling, PyMuPDF4LLM, pdfminer, Azure Document Intelligence (paid) +1 more. Top score 1.43	229	1.34 in 28 s	none	1.16 / 1.16 / 1.42
`tbrc_mash_market_61p.pdf`	61	OpenDataLoader 1.86 (clear winner)	26	1.69 in 34 s	Docling (timeout), EasyOCR (timeout)	1.34 / 1.44 / 1.70

- **Mostly equal.** On 4 of 6 reports 2 to 5 parsers are within 0.1 of the best, so they are equal. Only two have a clear winner: Azure DI on AlphaSense (2.58) and OpenDataLoader on TBRC (1.86). The top score is held by OpenDataLoader (TBRC, NH), pdfplumber (Bernstein), Docling (Piper), MarkItDown (H.C. Wainwright) and Azure DI (AlphaSense).
- **Speed decides.** The fast parsers (PyMuPDF, PyMuPDF4LLM, OpenDataLoader, pdfplumber, MarkItDown) take 5 to 170 seconds. Docling takes 130 to 520 seconds on the 10 to 14 page files and did not finish the 61 and 66 page files in 25 minutes. EasyOCR did not finish 3 of 6 in 25 minutes. Unstructured did not finish the 66-page file in 15 minutes.
- **Azure DI (paid) is not better here.** It is first only on the AlphaSense report (2.58); on the others it is 0.02 to 0.17 below the best (equal to the best on 4 of them). It is fast (19 to 66 seconds per file) but costs money per page.
- **smart_pdf and the vision model do not help on these reports.** smart_pdf is equal to or below the plain PyMuPDF family on 5 of 6. In Smart Extract the free route (By document, free) scored higher than the paid route on 5 of 6 (for example Piper 1.42 vs 1.16, TBRC 1.70 vs 1.34); By part took up to 308 seconds on the 66-page file.
- **Limit:** the answer files are partial (key pages only), so use these scores only to compare parsers.

New combo: ADI + vision (Azure Document Intelligence for text and tables, a vision model only for charts and photos)

Built after the first tests. Azure DI reads the whole PDF; the vision model reads only the cut-out charts and photos (at most 8 per document); a page is never sent as a whole to the model. It is paid (Azure per page, vision per figure) and is never picked by the automatic routing. Tested on the 12 tough PDFs and the 6 research reports.

`-` in the Azure DI column = Azure DI alone was only run on the research reports.

Document	ADI + vision	smart_pdf	Azure DI alone	Best parser (score)

annual_report_spread.pdf	4.45	4.53	-	smart_pdf 4.53 (equal)
bom_wide_table.pdf	4.58	4.93	-	Docling 5.00
clinical_trial_table.pdf	4.42	3.01	-	PyMuPDF4LLM 5.00
contract_nested_clauses.pdf	4.81	4.21	-	ADI + vision (paid) 4.81 (equal)
financial_statement_multiheader.pdf	4.96	2.96	-	ADI + vision (paid) 4.96 (equal)
form_grid_ac4.pdf	4.50	4.55	-	PyMuPDF 4.55 (equal)
invoice_complex.pdf	4.68	4.47	-	OpenDataLoader 4.85
ledger_repeated_header.pdf	4.58	4.86	-	Docling 5.00
long_annual_report_20p.pdf	5.00	4.48	-	PyMuPDF4LLM 5.00 (equal)
mixed_table_chart_photo.pdf	4.00	3.90	-	ADI + vision (paid) 4.00 (equal)
policy_schedule_nested.pdf	3.89	2.92	-	OpenDataLoader 4.77
scanned_financial_statement.pdf	4.96	2.36	-	ADI + vision (paid) 4.96 (equal)
alphasense_mash_report_9p.pdf	2.55	2.29	2.58	Azure Document Intelligence (paid) 2.58 (equal)
bernstein_novo_66p.pdf	1.08	1.00	1.09	pdfplumber 1.12 (equal)
hcw_madrigal_10p.pdf	1.51	1.19	1.52	MarkItDown 1.62
nh_bio_sector_14p.pdf	1.60	1.40	1.62	OpenDataLoader 1.64 (equal)
piper_madrigal_10p.pdf	1.33	1.16	1.34	Docling 1.43 (equal)
tbrc_mash_market_61p.pdf	1.68	1.34	1.69	OpenDataLoader 1.86

- **Against smart_pdf (PyMuPDF + OCR + vision):** ADI + vision scored more than 0.1 higher on 12 of 18 PDFs and more than 0.1 lower on 2. Average on the 12 tough PDFs 4.57 vs 3.93; on the 6 research reports 1.62 vs 1.40. The big gains are on merged-header tables and the scan (financial statement 4.96 vs 2.96, scanned statement 4.96 vs 2.36), where Azure reads the table properly.
- **Against the best parser:** equal to the best (within 0.1) on 11 of 18 PDFs. It is clearly weaker on the nested table (policy schedule 3.89 vs 4.77) and not better than the free parsers on the research reports.
- **Charts:** on the two chart documents it scores 4.45 (annual report spread) and 4.0 (mixed page), with a Chart score of 5.0, the same as smart_pdf.
- **Azure alone vs ADI + vision on the research reports:** the two are within 0.04 of each other, so the vision model adds almost nothing there (few charts have values that the answer file checks).
- **Cost and speed:** 10 to 45 seconds on the tough documents and 30 to 85 seconds on the research reports, much faster than Docling. Two runs first failed with a network error and were run again; the table shows the re-run scores.

4. Problems found (none fixed yet)

1. **Table lines counted as a figure.** clinical_trial_table 3.01 and financial_statement_multiheader 2.96 in paid By document; free route 5.0 and 4.86. PyMuPDF splits a merged-cell table into small tables, the detector sees the lines as a picture, and smart_pdf then writes the numbers twice. Confirmed by running the detector directly.
2. **By part repeats merged cells.** purchase_order 3.54 vs 4.96, lab_report 3.26 vs 4.55, bill_of_lading 3.93 vs 4.56, policy_schedule_nested 3.06 vs 4.77, 100-page ledger 3.01 vs 5.0 (By part vs By document). Seen directly in the lab_report output; probable on the others.
3. **A network error looks like a bad score.** annual_report_spread first scored 3.98 because the chart call failed; rerun gave 4.53.
4. **The rule is per document type, not per file.** On payslip the choice (OpenDataLoader) scored 3.94, Docling 4.69.
5. **hybrid_pdf and smart_pdf are weak on scans** (2.3 to 2.7 vs Docling 4.4 to 4.7). Smart Extract avoids this by using Docling for scans.
6. **Native Word and Excel readers lose a little** (page header dropped, list numbers flattened).

7. **Long report with charts:** PyMuPDF4LLM is best at text and tables but reads no charts; smart_pdf reads charts but is weaker on text and tables. Both end at 4.18.
8. **Long mixed documents are slow with smart_pdf and By part.** On the 36-page report with 6 scanned pages, smart_pdf did not finish in 10 minutes and By part did not finish in 15 (cause not investigated; an orphaned Python process was also running on the laptop). By document with PyMuPDF4LLM took about 3 to 4 minutes and scored 4.64, close to the best (Docling 4.66, 7 minutes). On the 31-page tender pack the paid route (smart_pdf, 3.77) scored below the free one (PyMuPDF4LLM, 3.90) and Docling (4.07). On the 99-page file the paid By document run (smart_pdf, 3.66) was also below the free one (PyMuPDF4LLM, 3.93), and By part took 13 minutes.
9. **Only 8 figures per document are read by the vision model.** The 99-page report has about 27 charts, so smart_pdf scored only 1.1 on charts (others 0.0), and the 56-page report with 10 charts is also capped. For long documents with many charts most charts stay unread.

5. Done and not done

- **Done:** 62-document test, routing built from it, three harder test sets, causes of problems 1 and 3 found.
- **Not done:** fixes for the problems above (they change routing, need your yes), Azure Document Intelligence on the new sets (paid), real client documents.
- **Limits:** generated documents, one run each, differences under 0.1 are noise, timings are rough.

Appendix A. First test: parser against parser (62 documents)

Higher is better. A crash or a timeout counts as 0 on every parameter the document can test. Seconds are the median per document.

Documents: AI_agent_p1-3, contract, form_fields, multilingual, resume, rotated_pages.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
pymupdf	4.94	4.97	-	-	4.77	0.0	0	6	equal to best
hybrid_pdf (PyMuPDF + Tesseract OCR)	4.94	4.97	-	-	4.77	0.1	0	6	equal to best
smart_pdf (PyMuPDF + Tesseract OCR + a vision model for charts and figures) (paid)	4.94	4.97	-	-	4.77	0.1	0	6	equal to best
opendataloader	4.75	4.80	-	-	4.48	2.7	0	6	
haystack_converter	4.63	4.97	-	-	3.22	0.1	0	6	
langchain_loader	4.63	4.97	-	-	3.22	0.3	0	6	
llamaindex_reader	4.63	4.97	-	-	3.22	0.4	0	6	
pymupdf4llm	4.60	4.58	-	-	4.42	1.5	0	6	
pdfplumber	4.47	4.80	-	-	2.97	0.1	0	6	
... 6 more parsers scored lower									

Documents: 02_invoice_purchase_order, 03_legal_contract, 05_healthcare_discharge_summary, 06_insurance_claim_form, 07_logistics_shipping_manifest, 08_software_incident_report, balance_sheet, bank_statement, datasheet, digital, invoice, lab_report, multipage_table, purchase_order, two_column_paper.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
docling	4.50	4.45	4.99	-	4.22	27.5	0	15	equal to best
opendataloader	4.45	4.37	4.97	-	4.15	2.7	0	15	equal to best
pymupdf4llm	4.44	4.37	4.96	-	4.17	2.8	0	15	equal to best
pymupdf	4.31	4.23	4.77	-	3.98	0.2	0	15	
hybrid_pdf (PyMuPDF + Tesseract OCR)	4.31	4.23	4.77	-	3.98	0.4	0	15	

smart_pdf (PyMuPDF + Tesseract OCR + a vision model for charts and figures) (paid)	4.31	4.23	4.77	-	3.98	0.3	0	15	
pdfplumber	4.10	4.35	4.84	-	2.30	0.2	0	15	
markitdown	3.76	4.29	2.56	-	2.68	0.5	0	15	
haystack_converter	3.37	4.36	0.00	-	2.73	0.1	0	15	
... 6 more parsers scored lower									

Documents: 01_corporate_annual_report, 04_scientific_research_paper, 10_mixed_parser_killer, Generative_AI_p1-6, Overview of Amazon Web Services - Overview of Amazon Web Services, PIB_home_p1-6, annual_report_page, chart_report, chart_sample, datasheet_with_photo, flowchart_doc, product_brochure, slides.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
smart_pdf (PyMuPDF + Tesseract OCR + a vision model for charts and figures) (paid)	3.88	3.26	4.54	4.83	2.72	0.5	0	13	clear winner
pymupdf4llm	3.32	3.92	3.94	1.07	3.33	7.4	0	13	
opendataloader	3.17	3.83	3.94	0.60	3.24	3.4	0	13	
pymupdf	3.02	3.63	3.80	0.60	3.02	0.3	0	13	
hybrid_pdf (PyMuPDF + Tesseract OCR)	3.02	3.63	3.80	0.60	3.02	0.3	0	13	
pdfplumber	3.01	3.84	3.96	0.60	1.98	0.3	0	13	
docling	2.92	3.65	3.94	0.60	3.41	28.7	0	13	
markitdown	2.53	3.67	1.10	0.00	2.04	0.7	0	13	
haystack_converter	2.52	3.78	0.00	0.60	2.12	0.2	0	13	
... 6 more parsers scored lower									

Documents: AI_agent_mixed, mixed, mixed_digital_scanned.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
docling	4.51	4.30	5.00	-	4.00	42.5	0	3	equal to best
pymupdf4llm	4.42	4.30	4.55	-	4.00	8.0	0	3	equal to best
hybrid_pdf (PyMuPDF + Tesseract OCR)	3.83	4.20	2.50	-	3.33	4.3	0	3	
smart_pdf (PyMuPDF + Tesseract OCR + a vision model for charts and figures) (paid)	3.83	4.20	2.50	-	3.33	9.6	0	3	
easyocr	3.32	4.30	0.00	-	2.07	64.1	0	3	
ocr	3.11	4.13	0.00	-	2.07	8.4	0	3	
pymupdf	2.99	3.03	2.50	-	2.77	0.1	0	3	
opendataloader	2.98	3.03	2.50	-	2.70	2.7	0	3	
pdfplumber	2.79	3.07	2.50	-	1.53	0.1	0	3	
... 6 more parsers scored lower									

Documents: 09_scanned_maintenance_order, AI_agent_scanned_clean, AI_agent_scanned_noisy, infographic, scanned_invoice_clean, scanned_invoice_low_quality, scanned_invoice_skewed_noisy, scanned_report_page.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
docling	3.47	4.21	3.10	0.00	3.80	37.6	0	8	clear winner
pymupdf4llm	3.25	4.24	2.05	0.00	3.76	10.2	0	8	
unstructured	2.88	4.04	0.00	1.20	3.44	15.5	0	8	
easyocr	2.70	4.19	0.00	0.00	2.48	68.4	0	8	
hybrid_pdf (PyMuPDF + Tesseract OCR)	2.53	3.90	0.00	0.00	2.56	3.0	0	8	

ocr	2.53	3.90	0.00	0.00	2.56	3.2	0	8	
smart_pdf (PyMuPDF + Tesseract OCR + a vision model for charts and figures) (paid)	2.53	3.90	0.00	0.00	2.56	7.5	0	8	
pymupdf	0.00	0.00	0.00	0.00	0.00	0.0	0	8	
pdfminer	0.00	0.00	0.00	0.00	0.00	0.0	0	8	
... 6 more parsers scored lower									

Documents: handwritten_note.png, id_card.png, receipt_photo.jpg, screenshot.png.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
docling	4.85	4.85	-	-	4.90	12.6	0	4	clear winner
easyocr	4.68	4.75	-	-	4.55	8.2	0	4	
ocr	4.51	4.50	-	-	4.75	0.6	0	4	
unstructured	4.44	4.47	-	-	4.60	3.7	0	4	

Documents: procedure.docx, report.docx, report_with_figures.docx.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
unstructured	4.20	4.60	4.10	2.50	4.53	0.4	0	3	equal to best
docling	4.17	4.60	3.90	2.50	4.53	0.8	0	3	equal to best
docx	4.10	4.53	3.90	2.50	4.53	0.1	0	3	equal to best
markitdown	3.96	4.47	4.10	2.50	3.53	0.6	0	3	

Documents: deck.pptx, slides.pptx.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
pptx	4.86	4.75	5.00	-	4.85	0.0	0	2	clear winner
docling	4.62	4.30	5.00	-	4.65	0.3	0	2	
unstructured	4.56	4.30	5.00	-	4.25	0.2	0	2	
markitdown	4.51	4.75	5.00	-	4.35	0.2	0	2	

Documents: dashboard.pptx.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
docling	4.79	4.80	4.80	5.00	4.30	1.3	0	1	clear winner
markitdown	3.84	4.00	3.40	5.00	3.70	0.7	0	1	
pptx	2.76	3.30	2.70	0.00	3.70	0.0	0	1	
unstructured	2.76	3.30	2.70	0.00	3.70	0.4	0	1	

Documents: multi_sheet.xlsx, sales.xlsx.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
unstructured	4.45	4.50	4.65	-	4.15	1.4	0	2	clear winner
spreadsheet	4.33	4.40	4.40	-	4.20	0.0	0	2	
markitdown	4.33	4.35	4.50	-	4.15	0.2	0	2	
docling	4.26	4.45	4.45	-	3.50	0.4	0	2	

Documents: sales_with_chart.xlsx.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
spreadsheet	5.00	5.00	5.00	-	5.00	0.1	0	1	equal to best
markitdown	5.00	5.00	5.00	-	5.00	0.5	0	1	equal to best
unstructured	4.43	4.80	5.00	-	2.30	2.4	0	1	

docling	3.05	3.10	3.40	-	1.60	1.0	0	1	

Documents: parts.csv, sales.csv.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
spreadsheet	5.00	5.00	5.00	-	5.00	0.8	0	2	equal to best
markitdown	5.00	5.00	5.00	-	5.00	1.8	0	2	equal to best
unstructured	5.00	5.00	5.00	-	5.00	2.2	0	2	equal to best

Documents: runbook.md, shift_notes.txt.

Parser	Overall	Text	Tables	Charts	Structure	Seconds	Failed	Runs	Within 0.1 of best?
text	5.00	5.00	5.00	-	5.00	0.0	0	2	clear winner
unstructured	2.08	2.50	0.00	-	2.50	0.1	1	2	

Appendix B. Documents that mix text, tables, charts and photos

These were run through the real app (By document with paid parsers allowed, By part with paid parsers allowed, and By document with free parsers only), with the final routing table. Azure Document Intelligence was blocked in this test. Score is 0 to 5 against the hand-written answer.

Document	By document (paid allowed)	By part (paid allowed)	By document (free only)
01_corporate_annual_report.pdf	2.53 (smart_pdf)	2.54 (pymupdf, vision:azure_openai, smart_pdf)	2.45 (pymupdf4llm)
02_invoice_purchase_order.pdf	3.75 (opendataloader)	3.75 (pymupdf, smart_pdf)	-
03_legal_contract.pdf	3.63 (opendataloader)	3.47 (pymupdf, smart_pdf)	-
04_scientific_research_paper.pdf	2.84 (smart_pdf)	2.84 (pymupdf, smart_pdf, vision:azure_openai)	3.19 (pymupdf4llm)
05_healthcare_discharge_summary.pdf	3.22 (opendataloader)	3.22 (pymupdf, smart_pdf)	-
06_insurance_claim_form.pdf	3.19 (opendataloader)	3.19 (pymupdf, smart_pdf)	-
07_logistics_shipping_manifest.pdf	3.57 (opendataloader)	3.33 (pymupdf, smart_pdf)	-
08_software_incident_report.pdf	3.18 (opendataloader)	3.18 (pymupdf, smart_pdf)	-
09_scanned_maintenance_order.pdf	5.00 (docling)	5.00 (docling)	-
10_mixed_parser_killer.pdf	2.23 (smart_pdf)	1.99 (pymupdf, vision:azure_openai, smart_pdf)	2.72 (pymupdf4llm)
annual_report_page.pdf	3.84 (smart_pdf)	3.84 (pymupdf, vision:azure_openai, smart_pdf)	3.25 (pymupdf4llm)
dashboard.pptx	4.80 (docling)	-	-
datasheet_with_photo.pdf	3.87 (smart_pdf)	3.87 (pymupdf, vision:azure_openai, smart_pdf)	4.94 (pymupdf4llm)
flowchart_doc.pdf	4.12 (smart_pdf)	4.12 (pymupdf, vision:azure_openai, smart_pdf)	4.40 (pymupdf4llm)
infographic.pdf	4.78 (docling)	4.78 (docling)	4.78 (docling)
product_brochure.pdf	4.11 (smart_pdf)	4.11 (pymupdf, vision:azure_openai, smart_pdf)	4.92 (pymupdf4llm)
report_with_figures.docx	3.44 (unstructured)	-	-
sales_with_chart.xlsx	5.00 (spreadsheet)	-	-
scanned_report_page.pdf	3.16 (docling)	3.16 (docling)	3.16 (docling)

Average score over these documents: By document: 3.70 (19 documents), By part: 3.52 (16 documents), By document, free only: 3.76 (9 documents).

What this shows. On the 9 documents that were run both ways, the free parsers scored higher on 5 (04_scientific_research_paper, 10_mixed_parser_killer, datasheet_with_photo, flowchart_doc, product_brochure) and the paid vision path on 2 (01_corporate_annual_report, annual_report_page). The vision model clearly helps when the values only exist inside a chart, and it costs points when the document is mostly text with photos or diagrams, because the model adds descriptions that are not in the answer. The "charts and figures" routing group mixes both kinds, so its first pick (smart_pdf when paid parsers are allowed) is right on average but not on every document.

Reading the scores. The ten Copilot documents (names starting 01 to 10) score lower for every parser, because their answer files are summaries and not the full text. Compare parsers on the same document, not documents with each other.

Appendix C. Harder documents by type

Document	Set	Pages	Best parser	Smart Extract: By document, By part, free	What happened
`contract_nested_clauses.pdf`	Tough documents	3	ADI + vision (paid) 4.81 (clear winner)	4.41 / 4.16 / 4.41	Docling keeps the clause numbering best.
`long_annual_report_20p.pdf`	Tough documents	19	EQUAL (within 0.1): PyMuPDF4LLM, Docling, ADI + vision (paid). Top score 5.00	4.89 / 4.49 / 4.89	PyMuPDF4LLM and Docling are perfect (5.0).
`board_minutes.pdf`	Real-world style documents	1	EQUAL (within 0.1): PyMuPDF4LLM, Docling, PyMuPDF, hybrid_pdf +1 more. Top score 5.00	4.61 / 4.91 / 4.61	Mostly text. PyMuPDF4LLM and Docling are perfect. By document picked OpenDataLoader (4.61) because its rule is per document type, not per file.
`contract_45p.pdf`	Long documents	46	EQUAL (within 0.1): PyMuPDF4LLM, PyMuPDF, hybrid_pdf, smart_pdf. Top score 4.99	4.90 / 4.90 / 4.90	46 pages of nested clauses. PyMuPDF4LLM 4.99, PyMuPDF family 4.9, Docling 4.88 (but 3 minutes). Smart Extract scored 4.9 in all three modes, using PyMuPDF only.

Document	Set	Pages	Best parser	Smart Extract: By document, By part, free	What happened
`bom_wide_table.pdf`	Tough documents	1	EQUAL (within 0.1): Docling, OpenDataLoader, PyMuPDF, hybrid_pdf +1 more. Top score 5.00	4.99 / 4.89 / 4.99	12 columns in small print. The top parsers all keep every column.
`clinical_trial_table.pdf`	Tough documents	1	PyMuPDF4LLM 5.00 (clear winner)	3.01 / 3.02 / 5.00	PyMuPDF4LLM scores 5.0. smart_pdf scores 3.01 because the picture detector mistook the table lines for a figure.
`financial_statement_multiheader.pdf`	Tough documents	1	EQUAL (within 0.1): ADI + vision (paid), PyMuPDF4LLM. Top score 4.96	2.96 / 3.12 / 4.86	Two-row merged header. PyMuPDF4LLM and Docling keep it together. Smart Extract with paid parsers fell to 2.96 because it copied the same numbers twice (see section 7).
`form_grid_ac4.pdf`	Tough documents	1	EQUAL (within 0.1): PyMuPDF, hybrid_pdf, smart_pdf, OpenDataLoader +1 more. Top score 4.55	4.52 / 4.42 / 4.52	Easy for the PyMuPDF family. Nothing special.
`invoice_complex.pdf`	Tough documents	1	OpenDataLoader 4.85 (clear winner)	4.47 / 4.38 / 4.67	OpenDataLoader is best. smart_pdf adds a description of the QR code that is not in the answer.

`ledger_repeated_header.pdf`	Tough documents	3	**EQUAL** (within 0.1): Docling, OpenDataLoader. Top score 5.00	4.95 / 4.86 / 4.95	The header repeating on every page did not hurt anybody.
`policy_schedule_nested.pdf`	Tough documents	1	**EQUAL** (within 0.1): OpenDataLoader, PyMuPDF4LLM. Top score 4.77	4.77 / 3.06 / 4.77	A table inside a table. PyMuPDF4LLM and OpenDataLoader keep it right. PyMuPDF-based parsers repeat the outer text across columns.
`annual_report_income_statement.pdf`	Real-world style documents	1	**EQUAL** (within 0.1): OpenDataLoader, PyMuPDF4LLM. Top score 4.77	4.77 / 4.25 / 4.77	Dollar signs in their own cells and numbers in brackets. Layout-aware parsers (OpenDataLoader, PyMuPDF4LLM, Docling) beat plain PyMuPDF by 0.3 to 0.4.
`bank_statement.pdf`	Real-world style documents	3	**EQUAL** (within 0.1): PyMuPDF4LLM, OpenDataLoader, Docling, PyMuPDF +2 more. Top score 4.77	4.76 / 4.68 / 4.76	3 pages, header repeated. Every parser with a text layer does well (4.5 to 4.8).
`bill_of_lading.pdf`	Real-world style documents	1	OpenDataLoader 4.56 **(clear winner)**	4.56 / 3.93 / 4.56	Merged cells. OpenDataLoader, Docling and PyMuPDF4LLM are ahead of the PyMuPDF family (3.85).
`lab_report.pdf`	Real-world style documents	1	**EQUAL** (within 0.1): Docling, PyMuPDF4LLM, PyMuPDF, hybrid_pdf +1 more. Top score 4.93	4.55 / 3.26 / 4.55	Docling, PyMuPDF4LLM and the PyMuPDF family all above 4.8. By part scored only 3.26: the table piece came out with every merged cell repeated across 12 columns.
`payslip.pdf`	Real-world style documents	1	**EQUAL** (within 0.1): Docling, PyMuPDF4LLM. Top score 4.69	3.94 / 3.86 / 3.94	Two tables side by side. Docling and PyMuPDF4LLM are best (4.6 to 4.7); OpenDataLoader, the choice for this type, scored 3.94.
`purchase_order.pdf`	Real-world style documents	1	OpenDataLoader 4.96 **(clear winner)**	4.96 / 3.54 / 4.96	OpenDataLoader 4.96 is best. By part scored only 3.54.
`rfp_requirements_matrix.pdf`	Real-world style documents	1	**EQUAL** (within 0.1): Docling, PyMuPDF, hybrid_pdf, smart_pdf. Top score 5.00	4.75 / 4.92 / 4.75	Rowspan category cells and check boxes were easy: every top parser is 4.75 or better.
`transaction_ledger_100p.pdf`	Long documents	100	**EQUAL** (within 0.1): OpenDataLoader, PyMuPDF4LLM. Top score 5.00	5.00 / 3.01 / 5.00	100 pages, 2,500 rows. OpenDataLoader 5.0 in 13 s, PyMuPDF4LLM 4.99, PyMuPDF and hybrid_pdf only 3.01. Docling and smart_pdf did not finish in 10 minutes (the laptop slept during this run, so these two timeouts may be partly caused by that). Smart Extract By document 5.0, By part 3.01: its 100 table pieces went to smart_pdf.

Document	Set	Pages	Best parser	Smart Extract: By document, By part, free	What happened

`annual_report_spread.pdf`	Tough documents	2	**EQUAL** (within 0.1): smart_pdf, ADI + vision (paid). Top score 4.53	4.53 / 3.96 / 4.05	Chart page. smart_pdf wins because it reads the chart values.
`mixed_table_chart_photo.pdf`	Tough documents	1	**EQUAL** (within 0.1): ADI + vision (paid), smart_pdf. Top score 4.00	3.90 / 3.79 / 3.55	Table + chart + photo on one page. smart_pdf is best because it reads the chart.
`research_two_column.pdf`	Real-world style documents	1	smart_pdf 4.43 **(clear winner)**	4.43 / 4.32 / 3.74	Two columns with a chart. smart_pdf is clearly best (4.43) because it reads the chart.
`utility_bill.pdf`	Real-world style documents	1	smart_pdf 4.49 **(clear winner)**	4.49 / 4.50 / 3.58	Bill with a bar chart. smart_pdf wins (4.49) because it reads the chart; the free route scores 3.58.
`annual_report_60p.pdf`	Long documents	56	**EQUAL** (within 0.1): PyMuPDF4LLM, smart_pdf. Top score 4.18	4.18 / 4.18 / 4.18	56 pages with 10 charts. PyMuPDF4LLM has perfect text and tables (4.8 to 5.0) but reads no chart values (Chart 0.0). smart_pdf reads the charts (4.4) but its text and tables are weaker (3.4 to 4.4). They tie at 4.18. Smart Extract paid picked smart_pdf, free picked PyMuPDF4LLM, both 4.18. No parser did both parts well. Docling did not finish in 10 minutes.
`group_report_100p.pdf`	Long mixed documents	99	PyMuPDF4LLM 3.93 **(clear winner)**	3.66 / 3.80 / 3.93	99 pages: text, simple, merged-header, side-by-side and nested tables, about 27 bar and pie charts, photos and 14 scanned pages. Docling and Tesseract OCR were not run on it (too slow). PyMuPDF4LLM 3.93 is best (485 s), smart_pdf 3.66, PyMuPDF family 3.54, OpenDataLoader 3.53. Chart scores: smart_pdf 1.1, all others 0.0, because only 8 figures per document go to the vision model. Smart Extract: By document paid (smart_pdf) 3.66 in 48 s, By part 3.80 in 13 minutes (Docling read 34 scanned pieces, Tesseract 33), free (PyMuPDF4LLM) 3.93 in 3 minutes.

Document	Set	Pages	Best parser	Smart Extract: By document, By part, free	What happened
`scanned_financial_statement.pdf`	Tough documents	1	ADI + vision (paid) 4.96 **(clear winner)**	4.41 / 4.41 / 4.41	A scan: parsers without OCR return nothing. Docling and PyMuPDF4LLM read it.
`scanned_purchase_order_phone.pdf`	Real-world style documents	1	Docling 4.67 **(clear winner)**	4.67 / 4.67 / 4.67	A tilted, noisy phone photo. Docling 4.67 is far ahead; hybrid_pdf and smart_pdf (Tesseract only) get 2.30.
`scanned_report_30p.pdf`	Long documents	31	Docling 4.58 **(clear winner)**	4.58 / 4.58 / 4.58	31 scanned pages. Docling 4.58 (about 6 minutes), PyMuPDF4LLM 3.67, Tesseract-only parsers 2.66; parsers without OCR return nothing. Smart Extract sent every page to Docling in all three modes: 4.58.

Document	Set	Pages	Best parser	Smart Extract: By document, By part, free	What happened

`quality_manual.docx`	Tough documents	Word	Unstructured 4.86 (clear winner)	4.09 / - / -	Unstructured is clearly better than the native Word reader (the native one drops the page header).
`sop_goods_receipt.docx`	Real-world style documents	Word	Unstructured 4.93 (clear winner)	4.33 / - / -	Unstructured (4.93) is ahead of Docling (4.57) and the native Word reader (4.33).
`handbook_40p.docx`	Long documents	Word	EQUAL (within 0.1): native Word reader, Unstructured, Docling, MarkItDown. Top score 5.00	5.00 / - / -	40 sections. Every parser is at or near 5.0; the native Word reader is tied for first and the fastest.

Document	Set	Pages	Best parser	Smart Extract: By document, By part, free	What happened
`quarterly_review.pptx`	Real-world style documents	slides	Docling 4.50 (clear winner)	4.50 / - / -	Deck with a real chart. Docling reads the chart (4.50); the native reader does not (4.01).

Document	Set	Pages	Best parser	Smart Extract: By document, By part, free	What happened
`budget_model.xlsx`	Tough documents	Excel	MarkItDown 4.31 (clear winner)	4.04 / - / -	MarkItDown is slightly better than the native Excel reader; the rule keeps native first unless another parser wins by more than 0.5.
`hr_headcount_report.xlsx`	Real-world style documents	Excel	EQUAL (within 0.1): Unstructured, native Excel reader. Top score 3.75	3.73 / - / -	Excel with a real chart object. Native reader and Unstructured are tied (3.7).
`big_workbook.xlsx`	Long documents	Excel	native Excel reader 4.99 (clear winner)	4.99 / - / -	5 sheets x 300 rows. Native Excel reader 4.99, MarkItDown 4.82. Smart Extract used the native reader: 4.99.

Document	Set	Pages	Best parser	Smart Extract: By document, By part, free	What happened
`alphasense_mash_report_9p.pdf`	Research reports (shared by a colleague)	9	EQUAL (within 0.1): Azure Document Intelligence (paid), ADI + vision (paid). Top score 2.58	2.29 / 2.38 / 2.22	
`bernstein_novo_66p.pdf`	Research reports (shared by a colleague)	66	EQUAL (within 0.1): pdfplumber, PyMuPDF4LLM, Azure Document Intelligence (paid), ADI + vision (paid) +3 more. Top score 1.12	1.00 / 1.07 / 1.10	
`hcw_madrigal_10p.pdf`	Research reports (shared by a colleague)	10	EQUAL (within 0.1): MarkItDown, Azure Document Intelligence (paid). Top score 1.62	1.19 / 1.19 / 1.46	
`nh_bio_sector_14p.pdf`	Research reports (shared by a colleague)	14	EQUAL (within 0.1): OpenDataLoader, Docling, Azure Document Intelligence (paid), ADI + vision (paid) +2 more. Top score 1.64	1.40 / 1.40 / 1.57	
`piper_madrigal_10p.pdf`	Research reports (shared by a colleague)	10	EQUAL (within 0.1): Docling, PyMuPDF4LLM, pdfminer, Azure Document Intelligence (paid) +1 more. Top score 1.43	1.16 / 1.16 / 1.42	
`tbrc_mash_market_61p.pdf`	Research reports (shared by a colleague)	61	OpenDataLoader 1.86 (clear winner)	1.34 / 1.44 / 1.70	

Appendix D. Ranking per document (harder sets)

Sorted by score. **EQUAL to best** = within 0.1 of the best; not ranked against each other.

Rank	Parser	Score	Text	Table	Chart	Numbers	Structure	Complete	No extras	Seconds
1	smart_pdf (equal to best)	4.53	4.60	4.10	5.00	4.80	4.10	4.90	4.30	5
2	ADI + vision (paid) (equal to best)	4.45	4.40	4.20	5.00	4.60	4.00	4.50	4.40	13
3	PyMuPDF4LLM	4.05	4.70	3.60	2.10	4.30	4.30	4.60	4.70	74
4	PyMuPDF	3.69	4.60	3.80	0.00	4.10	4.20	4.20	4.90	2
5	hybrid_pdf	3.69	4.60	3.80	0.00	4.10	4.20	4.20	4.90	0
6	OpenDataLoader	3.50	4.30	3.90	0.00	3.60	4.10	3.70	5.00	19
7	Docling	3.42	4.10	4.00	0.00	3.40	3.90	3.50	5.00	189
8	pdfplumber	3.40	4.60	3.90	0.00	4.10	2.00	4.20	5.00	3
9	MarkItDown	3.07	4.60	1.40	0.00	4.10	2.10	4.20	5.00	2
10	Tesseract OCR	2.84	4.20	0.00	2.10	3.10	2.10	3.80	4.50	4
11	Unstructured	2.81	4.20	0.00	0.00	4.10	2.70	3.80	4.80	17

Note: Chart page. smart_pdf wins because it reads the chart values.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Docling (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	82
2	OpenDataLoader (equal to best)	4.99	5.00	5.00	5.00	5.00	5.00	5.00	20
3	PyMuPDF (equal to best)	4.93	4.90	4.90	5.00	5.00	5.00	4.90	14
4	hybrid_pdf (equal to best)	4.93	4.90	4.90	5.00	5.00	5.00	4.90	3
5	smart_pdf (equal to best)	4.93	4.90	4.90	5.00	5.00	5.00	4.90	2
6	PyMuPDF4LLM	4.77	5.00	3.60	5.00	5.00	5.00	5.00	9
7	ADI + vision (paid)	4.58	5.00	5.00	5.00	2.50	5.00	5.00	11
8	pdfplumber	4.53	4.90	4.90	5.00	2.50	5.00	4.90	14
9	MarkItDown	3.54	5.00	0.00	5.00	1.30	5.00	5.00	4
10	Unstructured	3.54	5.00	0.00	5.00	1.30	5.00	5.00	1
11	Tesseract OCR	2.90	3.90	0.00	3.60	1.90	3.30	4.80	4

Note: 12 columns in small print. The top parsers all keep every column.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	MarkItDown	4.31	4.60	4.10	4.00	4.10	4.60	4.60	3
2	native Excel reader	4.04	4.30	3.80	3.50	3.90	4.60	4.00	8
3	Unstructured	3.97	4.30	3.80	3.50	3.50	4.60	4.00	4
4	Docling	3.71	4.20	3.80	3.50	2.20	4.60	3.90	187

Note: MarkItDown is slightly better than the native Excel reader; the rule keeps native first unless another parser wins by more than 0.5.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	PyMuPDF4LLM	5.00	5.00	5.00	5.00	5.00	5.00	5.00	6
2	Docling	4.82	4.70	5.00	5.00	4.80	4.50	5.00	367
3	OpenDataLoader	4.43	4.90	4.50	5.00	2.50	4.90	4.80	18
4	ADI + vision (paid)	4.42	4.90	4.30	4.90	2.50	5.00	4.90	11
5	pdfplumber	4.26	4.90	4.10	4.90	2.00	5.00	4.70	1
6	PyMuPDF	4.08	4.60	3.60	4.80	2.20	4.90	4.30	2

7	hybrid_pdf	4.08	4.60	3.60	4.80	2.20	4.90	4.30	1
8	MarkItDown	3.66	4.90	0.00	5.00	2.20	4.90	4.90	1
9	Unstructured	3.56	4.90	0.00	5.00	1.60	4.90	4.90	0
10	Tesseract OCR	3.35	4.50	0.00	4.30	2.30	4.10	4.90	4
11	smart_pdf	3.01	3.20	2.70	3.20	1.60	4.90	2.40	0

Note: PyMuPDF4LLM scores 5.0. smart_pdf scores 3.01 because the picture detector mistook the table lines for a figure.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	ADI + vision (paid)	4.81	4.70	5.00	5.00	4.80	4.40	5.00	10
2	Docling	4.67	4.70	5.00	4.10	4.80	4.40	5.00	108
3	PyMuPDF4LLM	4.45	5.00	2.00	5.00	4.70	5.00	5.00	12
4	OpenDataLoader	4.41	4.50	5.00	4.10	3.60	4.30	4.90	20
5	PyMuPDF	4.21	4.90	1.70	5.00	4.10	4.90	4.80	5
6	hybrid_pdf	4.21	4.90	1.70	5.00	4.10	4.90	4.80	1
7	smart_pdf	4.21	4.90	1.70	5.00	4.10	4.90	4.80	0
8	pdfplumber	3.96	5.00	1.70	5.00	2.20	5.00	4.90	2
9	Unstructured	3.70	4.90	0.00	5.00	2.60	4.90	4.90	0
10	Tesseract OCR	3.67	5.00	0.00	5.00	2.20	4.90	5.00	9
11	MarkItDown	3.64	4.90	0.00	5.00	2.20	4.90	4.90	1

Note: Docling keeps the clause numbering best.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	ADI + vision (paid) (equal to best)	4.96	5.00	5.00	4.80	5.00	5.00	5.00	10
2	PyMuPDF4LLM (equal to best)	4.86	4.90	4.70	4.80	5.00	4.90	4.90	20
3	Docling	4.75	4.70	4.70	4.80	4.80	4.60	4.80	159
4	OpenDataLoader	4.51	4.90	4.80	5.00	2.50	4.90	4.90	15
5	pdfplumber	4.41	4.90	4.50	4.90	2.20	5.00	4.90	5
6	MarkItDown	4.29	5.00	3.30	5.00	2.50	5.00	5.00	1
7	PyMuPDF	3.94	4.30	3.60	4.80	2.10	4.90	3.90	4
8	hybrid_pdf	3.94	4.30	3.60	4.80	2.10	4.90	3.90	4
9	Unstructured	3.54	4.90	0.00	5.00	1.50	4.90	4.90	1
10	Tesseract OCR	3.20	4.40	0.00	3.80	2.20	4.10	4.80	5
11	smart_pdf	2.96	3.10	2.70	3.20	1.50	5.00	2.30	0

Note: Two-row merged header. PyMuPDF4LLM and Docling keep it together. Smart Extract with paid parsers fell to 2.96 because it copied the same numbers twice (see section 7).

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	PyMuPDF (equal to best)	4.55	4.90	2.50	5.00	5.00	4.90	4.90	1
2	hybrid_pdf (equal to best)	4.55	4.90	2.50	5.00	5.00	4.90	4.90	0
3	smart_pdf (equal to best)	4.55	4.90	2.50	5.00	5.00	4.90	4.90	0
4	OpenDataLoader (equal to best)	4.52	4.90	2.50	5.00	5.00	4.90	4.90	13
5	ADI + vision (paid) (equal to best)	4.50	4.90	2.30	5.00	4.90	4.90	5.00	13
6	Docling	4.43	5.00	1.60	5.00	5.00	5.00	5.00	16
7	pdfplumber	4.17	5.00	2.50	5.00	2.50	5.00	5.00	1
8	PyMuPDF4LLM	4.10	4.60	1.20	4.70	5.00	4.70	4.50	5
9	Unstructured	3.69	4.90	0.00	5.00	2.50	4.90	4.90	0

10	Tesseract OCR	3.62	4.90	0.00	5.00	2.10	4.80	4.90	2
11	MarkItDown	3.60	4.90	0.00	5.00	2.00	4.90	4.90	1

Note: Easy for the PyMuPDF family. Nothing special.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	OpenDataLoader	4.85	5.00	4.80	5.00	4.50	5.00	5.00	22
2	Docling	4.71	5.00	4.40	5.00	3.90	4.90	5.00	28
3	ADI + vision (paid)	4.68	4.70	5.00	5.00	4.00	5.00	4.40	12
4	PyMuPDF4LLM	4.67	4.80	3.90	4.90	4.80	5.00	4.70	20
5	PyMuPDF	4.61	4.90	4.00	5.00	4.10	5.00	4.80	3
6	hybrid_pdf	4.61	4.90	4.00	5.00	4.10	5.00	4.80	1
7	smart_pdf	4.47	4.60	4.00	5.00	4.00	5.00	4.30	0
8	pdfplumber	4.38	4.80	4.70	5.00	2.10	5.00	4.70	2
9	MarkItDown	4.05	4.90	2.10	5.00	2.40	5.00	4.90	1
10	Unstructured	3.68	4.90	0.00	5.00	2.30	4.90	4.90	1
11	Tesseract OCR	2.62	3.40	0.00	3.40	1.60	2.60	4.70	2

Note: OpenDataLoader is best. smart_pdf adds a description of the QR code that is not in the answer.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Docling (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	105
2	OpenDataLoader (equal to best)	4.95	5.00	4.70	5.00	5.00	5.00	5.00	39
3	PyMuPDF	4.86	5.00	4.20	5.00	5.00	5.00	5.00	40
4	PyMuPDF4LLM	4.86	5.00	4.20	5.00	5.00	5.00	5.00	35
5	hybrid_pdf	4.86	5.00	4.20	5.00	5.00	5.00	5.00	23
6	smart_pdf	4.86	5.00	4.20	5.00	5.00	5.00	5.00	12
7	ADI + vision (paid)	4.58	5.00	5.00	5.00	2.50	5.00	5.00	18
8	pdfplumber	4.45	5.00	4.20	5.00	2.50	5.00	5.00	47
9	MarkItDown	3.74	5.00	0.00	5.00	2.40	5.00	5.00	36
10	Unstructured	3.66	5.00	0.00	5.00	2.00	5.00	5.00	6
11	Tesseract OCR	3.01	3.90	0.10	4.00	1.90	3.20	4.90	20

Note: The header repeating on every page did not hurt anybody.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	PyMuPDF4LLM (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	114
2	Docling (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	116
3	ADI + vision (paid) (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	43
4	OpenDataLoader	4.89	5.00	4.40	5.00	5.00	5.00	5.00	268
5	pdfplumber	4.58	5.00	5.00	5.00	2.50	5.00	5.00	136
6	smart_pdf	4.48	4.70	4.00	4.00	4.80	5.00	4.40	35
7	PyMuPDF	4.46	4.70	3.90	3.90	4.80	5.00	4.40	152
8	hybrid_pdf	4.46	4.70	3.90	3.90	4.80	5.00	4.40	79
9	Unstructured	3.86	5.00	0.00	5.00	3.20	5.00	5.00	16
10	MarkItDown	3.73	5.00	0.00	5.00	2.40	5.00	5.00	152
11	Tesseract OCR	3.55	4.90	0.00	4.20	2.50	4.80	4.90	141

Note: PyMuPDF4LLM and Docling are perfect (5.0).

Rank	Parser	Score	Text	Table	Chart	Numbers	Structure	Complete	No extras	Seconds
1	ADI + vision (paid) (equal to best)	4.00	3.80	4.20	5.00	3.60	3.50	4.70	3.20	10
2	smart_pdf (equal to best)	3.90	3.60	3.60	5.00	4.00	3.20	5.00	2.90	9
3	PyMuPDF4LLM	3.55	4.50	3.60	0.00	4.20	3.70	4.60	4.30	4
4	OpenDataLoader	3.51	4.50	3.90	0.00	3.70	3.50	4.10	5.00	77
5	Docling	3.44	4.40	3.30	0.00	3.70	3.80	4.10	4.90	14
6	PyMuPDF	3.35	4.20	3.10	0.00	3.90	3.80	4.10	4.30	0
7	hybrid_pdf	3.35	4.20	3.10	0.00	3.90	3.80	4.10	4.30	0
8	MarkItDown	3.33	4.50	3.90	0.00	3.70	2.20	4.10	5.00	1
9	pdfplumber	3.08	4.30	3.30	0.00	3.70	1.70	4.10	4.50	1
10	Unstructured	2.79	4.40	0.00	0.00	3.70	2.60	4.00	4.90	0
11	Tesseract OCR	2.09	3.40	0.00	0.00	2.10	1.70	2.70	4.70	4

Note: Table + chart + photo on one page. smart_pdf is best because it reads the chart.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	OpenDataLoader (equal to best)	4.77	5.00	3.60	5.00	5.00	5.00	5.00	58
2	PyMuPDF4LLM (equal to best)	4.77	5.00	3.60	5.00	5.00	5.00	5.00	2
3	MarkItDown	4.58	5.00	5.00	5.00	2.50	5.00	5.00	1
4	pdfplumber	4.36	5.00	3.60	5.00	2.50	5.00	5.00	0
5	ADI + vision (paid)	3.89	3.90	2.90	3.90	4.50	5.00	3.20	15
6	Tesseract OCR	3.67	5.00	0.00	5.00	2.20	4.90	5.00	2
7	Docling	3.62	3.60	2.70	3.20	4.30	5.00	2.80	13
8	Unstructured	3.58	5.00	0.00	5.00	1.50	5.00	5.00	0
9	PyMuPDF	2.92	2.70	1.90	2.20	3.80	5.00	1.90	1
10	hybrid_pdf	2.92	2.70	1.90	2.20	3.80	5.00	1.90	0
11	smart_pdf	2.92	2.70	1.90	2.20	3.80	5.00	1.90	0

Note: A table inside a table. PyMuPDF4LLM and OpenDataLoader keep it right. PyMuPDF-based parsers repeat the outer text across columns.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Unstructured	4.86	4.90	4.80	4.60	5.00	5.00	4.90	0
2	MarkItDown	4.40	4.50	4.80	3.90	4.30	4.30	4.60	4
3	Docling	4.19	4.20	4.30	3.60	4.60	4.20	4.20	1
4	native Word reader	4.09	4.20	4.30	3.20	4.60	4.20	4.20	3

Note: Unstructured is clearly better than the native Word reader (the native one drops the page header).

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	ADI + vision (paid)	4.96	5.00	5.00	4.80	5.00	5.00	5.00	15
2	PyMuPDF4LLM	4.49	4.80	4.00	4.80	3.70	4.80	4.80	11
3	Docling	4.41	4.40	4.30	4.80	4.20	4.70	4.10	29
4	Unstructured	3.03	4.20	0.00	3.70	1.90	3.90	4.50	20
5	hybrid_pdf	2.36	3.30	0.00	2.40	1.30	2.50	4.80	12
6	Tesseract OCR	2.36	3.30	0.00	2.40	1.30	2.50	4.80	7
7	smart_pdf	2.36	3.30	0.00	2.40	1.30	2.50	4.80	8
-	pdfplumber	0.00 (empty)	-	-	-	-	-	-	0
-	PyMuPDF	0.00 (empty)	-	-	-	-	-	-	0

-	MarkItDown	0.00 (empty)	-	-	-	-	-	-	1
-	OpenDataLoader	0.00 (empty)	-	-	-	-	-	-	23

Note: A scan: parsers without OCR return nothing. Docling and PyMuPDF4LLM read it.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	OpenDataLoader (equal to best)	4.77	4.90	4.30	5.00	4.50	4.90	4.90	4
2	PyMuPDF4LLM (equal to best)	4.71	4.90	3.50	5.00	5.00	4.90	4.90	5
3	Docling	4.60	4.70	4.10	4.60	4.80	5.00	4.40	32
4	pdfplumber	4.36	4.90	4.20	4.90	2.10	5.00	4.90	0
5	MarkItDown	4.34	5.00	3.50	5.00	2.50	5.00	5.00	0
6	PyMuPDF	4.33	4.40	3.70	4.50	4.60	4.90	3.90	0
7	hybrid_pdf	4.33	4.40	3.70	4.50	4.60	4.90	3.90	0
8	smart_pdf	4.33	4.40	3.70	4.50	4.60	4.90	3.90	1
9	Unstructured	3.62	4.90	0.00	5.00	1.90	4.90	4.90	10
10	Tesseract OCR	2.32	3.20	0.00	1.80	1.90	2.40	4.60	1

Note: Dollar signs in their own cells and numbers in brackets. Layout-aware parsers (OpenDataLoader, PyMuPDF4LLM, Docling) beat plain PyMuPDF by 0.3 to 0.4.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	PyMuPDF4LLM (equal to best)	4.77	5.00	5.00	5.00	3.60	5.00	5.00	4
2	OpenDataLoader (equal to best)	4.76	4.90	4.90	4.90	4.00	4.80	5.00	5
3	Docling (equal to best)	4.71	4.90	5.00	4.90	3.70	4.80	5.00	35
4	PyMuPDF (equal to best)	4.68	4.80	4.70	4.90	3.90	4.90	4.80	2
5	hybrid_pdf (equal to best)	4.68	4.80	4.70	4.90	3.90	4.90	4.80	1
6	smart_pdf (equal to best)	4.68	4.80	4.70	4.90	3.90	4.90	4.80	2
7	pdfplumber	4.54	5.00	5.00	5.00	2.20	5.00	5.00	1
8	MarkItDown	3.98	5.00	1.60	5.00	2.30	5.00	5.00	2
9	Unstructured	3.57	5.00	0.00	5.00	1.40	5.00	5.00	2
10	Tesseract OCR	2.99	4.00	0.00	3.80	1.90	3.40	4.80	4

Note: 3 pages, header repeated. Every parser with a text layer does well (4.5 to 4.8).

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	OpenDataLoader	4.56	4.80	3.60	4.60	4.90	4.50	5.00	5
2	Docling	4.45	4.50	3.40	4.80	4.80	5.00	4.20	7
3	PyMuPDF4LLM	4.38	4.50	3.30	4.60	4.80	4.40	4.70	2
4	PyMuPDF	3.85	4.00	2.30	4.00	4.50	4.60	3.60	0
5	hybrid_pdf	3.85	4.00	2.30	4.00	4.50	4.60	3.60	0
6	smart_pdf	3.85	4.00	2.30	4.00	4.50	4.60	3.60	0
7	pdfplumber	3.84	4.60	2.80	4.60	2.00	4.50	4.60	0
8	MarkItDown	3.66	4.80	1.10	4.60	2.00	4.50	5.00	0
9	Unstructured	3.46	4.80	0.00	4.60	1.90	4.50	5.00	0
10	Tesseract OCR	3.30	4.50	0.00	4.20	1.90	4.20	4.90	1

Note: Merged cells. OpenDataLoader, Docling and PyMuPDF4LLM are ahead of the PyMuPDF family (3.85).

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	PyMuPDF4LLM (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	2

2	Docling (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	7
3	PyMuPDF (equal to best)	4.91	4.90	4.80	5.00	5.00	4.90	4.90	0
4	hybrid_pdf (equal to best)	4.91	4.90	4.80	5.00	5.00	4.90	4.90	0
5	smart_pdf (equal to best)	4.91	4.90	4.80	5.00	5.00	4.90	4.90	0
6	OpenDataLoader	4.61	4.90	4.80	5.00	3.20	4.90	4.90	3
7	pdfplumber	4.56	5.00	5.00	5.00	2.30	5.00	5.00	0
8	Unstructured	3.69	4.90	0.00	5.00	2.40	4.90	4.90	0
9	MarkItDown	3.65	4.90	0.00	5.00	2.20	4.90	4.90	0
10	Tesseract OCR	3.64	4.80	0.00	4.90	2.40	4.70	5.00	1

Note: Mostly text. PyMuPDF4LLM and Docling are perfect. By document picked OpenDataLoader (4.61) because its rule is per document type, not per file.

Rank	Parser	Score	Text	Table	Chart	Numbers	Structure	Complete	No extras	Seconds
1	Unstructured (equal to best)	3.75	3.60	3.50	5.00	3.70	3.10	3.20	4.00	1
2	native Excel reader (equal to best)	3.73	3.70	3.50	5.00	3.70	2.90	3.30	4.10	0
3	Docling	3.56	3.50	3.80	5.00	3.80	1.50	4.20	3.00	0
4	MarkItDown	3.40	3.30	2.80	5.00	3.40	2.70	3.50	3.10	0

Note: Excel with a real chart object. Native reader and Unstructured are tied (3.7).

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Docling (equal to best)	4.93	5.00	4.60	5.00	5.00	5.00	5.00	10
2	PyMuPDF4LLM (equal to best)	4.88	4.90	4.40	5.00	5.00	5.00	4.90	2
3	PyMuPDF (equal to best)	4.85	4.90	4.50	5.00	4.90	5.00	4.80	0
4	hybrid_pdf (equal to best)	4.85	4.90	4.50	5.00	4.90	5.00	4.80	0
5	smart_pdf (equal to best)	4.85	4.90	4.50	5.00	4.90	5.00	4.80	0
6	OpenDataLoader	4.55	4.70	4.30	5.00	4.00	5.00	4.40	4
7	pdfplumber	4.38	5.00	4.50	5.00	1.90	5.00	4.90	0
8	MarkItDown	4.26	5.00	3.00	5.00	2.50	5.00	5.00	0
9	Unstructured	3.68	4.90	0.00	5.00	2.20	5.00	4.90	0
10	Tesseract OCR	3.02	4.00	0.00	3.90	2.20	3.80	4.30	1

Note: Docling, PyMuPDF4LLM and the PyMuPDF family all above 4.8. By part scored only 3.26: the table piece came out with every merged cell repeated across 12 columns.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Docling (equal to best)	4.69	5.00	4.00	5.00	4.20	5.00	5.00	10
2	PyMuPDF4LLM (equal to best)	4.62	5.00	4.00	5.00	3.70	5.00	5.00	2
3	MarkItDown	4.34	5.00	4.00	5.00	2.00	5.00	5.00	0
4	PyMuPDF	4.05	4.90	0.90	5.00	3.70	5.00	4.80	0
5	hybrid_pdf	4.05	4.90	0.90	5.00	3.70	5.00	4.80	0
6	smart_pdf	4.05	4.90	0.90	5.00	3.70	5.00	4.80	0
7	OpenDataLoader	3.94	5.00	0.00	5.00	3.70	5.00	5.00	2
8	pdfplumber	3.67	4.90	0.90	5.00	1.40	5.00	4.80	0
9	Unstructured	3.61	5.00	0.00	5.00	1.70	5.00	5.00	0
10	Tesseract OCR	3.53	4.80	0.00	4.80	1.90	4.60	5.00	1

Note: Two tables side by side. Docling and PyMuPDF4LLM are best (4.6 to 4.7); OpenDataLoader, the choice for this type, scored 3.94.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	OpenDataLoader	4.96	5.00	4.80	5.00	5.00	5.00	5.00	4
2	PyMuPDF	4.79	4.90	4.50	5.00	4.40	5.00	4.90	0
3	PyMuPDF4LLM	4.79	4.70	4.60	5.00	4.90	4.90	4.60	8
4	hybrid_pdf	4.79	4.90	4.50	5.00	4.40	5.00	4.90	0
5	Docling	4.79	5.00	5.00	5.00	3.80	5.00	5.00	11
6	smart_pdf	4.79	4.90	4.50	5.00	4.40	5.00	4.90	0
7	pdfplumber	4.30	4.90	4.50	5.00	1.50	5.00	4.90	0
8	MarkItDown	4.02	5.00	1.90	5.00	2.20	5.00	5.00	0
9	Unstructured	3.80	5.00	0.00	5.00	2.80	5.00	5.00	0
10	Tesseract OCR	3.06	4.20	0.00	3.80	1.90	3.70	4.70	1

Note: OpenDataLoader 4.96 is best. By part scored only 3.54.

Rank	Parser	Score	Text	Table	Chart	Numbers	Structure	Complete	No extras	Seconds
1	Docling	4.50	4.40	4.70	5.00	5.00	3.70	3.90	4.90	0
2	MarkItDown	4.12	4.70	3.60	5.00	2.90	3.30	4.70	4.60	0
3	native PowerPoint reader	4.01	4.20	3.50	3.80	3.90	4.20	3.70	4.90	0
4	Unstructured	3.72	3.70	3.50	3.80	3.90	3.30	2.90	5.00	0

Note: Deck with a real chart. Docling reads the chart (4.50); the native reader does not (4.01).

Rank	Parser	Score	Text	Table	Chart	Numbers	Structure	Complete	No extras	Seconds
1	smart_pdf	4.43	4.50	3.70	5.00	4.80	4.00	5.00	4.10	4
2	Docling	3.79	4.80	3.80	0.00	4.00	4.40	4.60	4.90	8
3	PyMuPDF4LLM	3.74	4.70	3.10	0.00	4.30	4.60	4.80	4.70	7
4	OpenDataLoader	3.72	4.70	3.80	0.00	4.00	4.10	4.50	5.00	4
5	PyMuPDF	3.50	4.50	2.60	0.00	4.20	4.10	4.50	4.60	0
6	hybrid_pdf	3.50	4.50	2.60	0.00	4.20	4.10	4.50	4.60	0
7	pdfplumber	3.24	4.60	2.90	0.00	4.00	1.90	4.50	4.80	0
8	Tesseract OCR	2.57	4.40	0.00	0.00	2.70	2.20	4.30	4.40	1
9	MarkItDown	2.23	3.60	0.00	0.00	2.20	2.40	3.10	4.20	1
10	Unstructured	2.14	3.40	0.00	0.00	2.20	2.10	2.80	4.40	0

Note: Two columns with a chart. smart_pdf is clearly best (4.43) because it reads the chart.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Docling (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	10
2	PyMuPDF (equal to best)	4.95	5.00	4.90	5.00	5.00	5.00	4.90	0
3	hybrid_pdf (equal to best)	4.95	5.00	4.90	5.00	5.00	5.00	4.90	0
4	smart_pdf (equal to best)	4.95	5.00	4.90	5.00	5.00	5.00	4.90	0
5	PyMuPDF4LLM	4.89	4.90	4.70	5.00	4.90	4.80	5.00	3
6	OpenDataLoader	4.75	4.90	4.70	5.00	4.10	4.80	5.00	3
7	pdfplumber	4.40	4.90	4.60	5.00	2.20	4.80	4.90	0
8	MarkItDown	3.66	4.90	0.00	5.00	2.30	4.80	5.00	1
9	Unstructured	3.66	4.90	0.00	5.00	2.20	4.80	5.00	0
10	Tesseract OCR	3.64	4.90	0.00	5.00	2.20	4.70	5.00	1

Note: Rowspan category cells and check boxes were easy: every top parser is 4.75 or better.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Docling	4.67	5.00	3.30	5.00	4.80	5.00	4.90	13
2	PyMuPDF4LLM	3.58	4.50	0.50	4.00	3.60	4.50	4.40	7
3	Unstructured	2.90	3.80	0.00	3.30	2.50	3.30	4.50	9
4	hybrid_pdf	2.30	3.20	0.00	2.30	1.60	2.80	3.80	2
5	Tesseract OCR	2.30	3.20	0.00	2.30	1.60	2.80	3.80	2
6	smart_pdf	2.30	3.20	0.00	2.30	1.60	2.80	3.80	5
-	pdfplumber	0.00 (empty)	-	-	-	-	-	-	0
-	PyMuPDF	0.00 (empty)	-	-	-	-	-	-	0
-	MarkItDown	0.00 (empty)	-	-	-	-	-	-	0
-	OpenDataLoader	0.00 (empty)	-	-	-	-	-	-	2

Note: A tilted, noisy phone photo. Docling 4.67 is far ahead; hybrid_pdf and smart_pdf (Tesseract only) get 2.30.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Unstructured	4.93	4.90	4.80	5.00	5.00	4.90	5.00	0
2	Docling	4.57	4.60	5.00	3.90	4.80	4.20	5.00	0
3	MarkItDown	4.34	4.40	4.80	3.70	4.30	4.10	4.80	1
4	native Word reader	4.33	4.50	5.00	2.80	4.80	4.10	4.90	0

Note: Unstructured (4.93) is ahead of Docling (4.57) and the native Word reader (4.33).

Rank	Parser	Score	Text	Table	Chart	Numbers	Structure	Complete	No extras	Seconds
1	smart_pdf	4.49	4.60	4.50	5.00	4.90	3.10	5.00	4.30	4
2	PyMuPDF4LLM	3.58	4.70	3.20	0.00	4.30	3.40	4.80	4.60	2
3	OpenDataLoader	3.49	4.50	3.00	0.00	4.30	3.50	4.10	5.00	3
4	Docling	3.45	4.60	3.20	0.00	4.30	2.80	4.20	5.00	9
5	PyMuPDF	3.44	4.40	2.90	0.00	4.30	3.50	4.10	4.90	0
6	hybrid_pdf	3.44	4.40	2.90	0.00	4.30	3.50	4.10	4.90	0
7	pdfplumber	3.19	4.40	2.90	0.00	4.30	1.70	4.10	4.90	0
8	MarkItDown	2.84	4.50	0.00	0.00	4.30	2.00	4.10	5.00	1
9	Unstructured	2.73	4.50	0.00	0.00	4.30	1.20	4.10	5.00	0
10	Tesseract OCR	2.70	4.50	0.00	0.00	3.80	1.70	4.40	4.60	1

Note: Bill with a bar chart. smart_pdf wins (4.49) because it reads the chart; the free route scores 3.58.

Rank	Parser	Score	Text	Table	Chart	Numbers	Structure	Complete	No extras	Seconds
1	PyMuPDF4LLM (equal to best)	4.18	5.00	4.80	0.00	4.90	4.70	5.00	5.00	52
2	smart_pdf (equal to best)	4.18	4.40	3.40	4.40	3.70	4.40	5.00	4.00	162
3	OpenDataLoader	3.91	4.90	4.10	0.00	4.30	4.30	4.80	5.00	20
4	pdfplumber	3.86	5.00	4.80	0.00	4.80	2.40	5.00	5.00	18
5	MarkItDown	3.56	5.00	2.80	0.00	4.80	2.40	5.00	5.00	13
6	PyMuPDF	3.46	4.40	3.00	0.00	3.30	4.40	5.00	4.00	24
7	hybrid_pdf	3.46	4.40	3.00	0.00	3.30	4.40	5.00	4.00	25
8	Unstructured	3.17	5.00	0.00	0.00	4.80	2.40	5.00	5.00	22
9	Tesseract OCR	3.12	4.90	0.00	0.00	4.70	2.40	4.90	5.00	144
-	Docling	0.00 (timeout)	-	-	-	-	-	-	-	600

Note: 56 pages with 10 charts. PyMuPDF4LLM has perfect text and tables (4.8 to 5.0) but reads no chart values (Chart 0.0). smart_pdf reads the charts (4.4) but its text and tables are weaker (3.4 to 4.4). They tie at 4.18. Smart Extract paid picked smart_pdf, free picked

PyMuPDF4LLM, both 4.18. No parser did both parts well. Docling did not finish in 10 minutes.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	native Excel reader	4.99	5.00	5.00	5.00	5.00	5.00	5.00	13
2	MarkItDown	4.82	4.80	4.70	4.70	5.00	4.80	4.80	19
3	Docling	4.58	5.00	5.00	5.00	2.50	5.00	5.00	41
4	Unstructured	4.56	5.00	4.90	5.00	2.50	5.00	5.00	18

Note: 5 sheets x 300 rows. Native Excel reader 4.99, MarkItDown 4.82. Smart Extract used the native reader: 4.99.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	PyMuPDF4LLM (equal to best)	4.99	5.00	-	5.00	4.90	5.00	5.00	22
2	PyMuPDF (equal to best)	4.90	5.00	-	5.00	4.50	5.00	5.00	14
3	hybrid_pdf (equal to best)	4.90	5.00	-	5.00	4.50	5.00	5.00	14
4	smart_pdf (equal to best)	4.90	5.00	-	5.00	4.50	5.00	5.00	62
5	Docling	4.88	4.90	-	4.60	5.00	4.90	5.00	176
6	OpenDataLoader	4.79	4.90	-	4.60	4.60	4.90	5.00	11
7	pdfplumber	4.49	5.00	-	5.00	2.40	5.00	5.00	16
8	MarkItDown	4.49	5.00	-	5.00	2.40	5.00	5.00	14
9	Tesseract OCR	4.49	5.00	-	5.00	2.40	5.00	5.00	196
10	Unstructured	4.49	5.00	-	5.00	2.40	5.00	5.00	10

Note: 46 pages of nested clauses. PyMuPDF4LLM 4.99, PyMuPDF family 4.9, Docling 4.88 (but 3 minutes). Smart Extract scored 4.9 in all three modes, using PyMuPDF only.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	native Word reader (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5
2	Unstructured (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	6
3	Docling (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	14
4	MarkItDown (equal to best)	4.99	5.00	5.00	5.00	5.00	5.00	5.00	6

Note: 40 sections. Every parser is at or near 5.0; the native Word reader is tied for first and the fastest.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Docling	4.58	4.50	4.70	4.80	4.50	4.50	4.50	387
2	PyMuPDF4LLM	3.67	3.90	2.50	4.10	3.60	3.70	4.20	138
3	Unstructured	3.02	4.10	0.00	1.10	4.40	3.50	5.00	160
4	hybrid_pdf	2.66	4.20	0.00	1.10	2.10	3.60	5.00	74
5	Tesseract OCR	2.66	4.20	0.00	1.10	2.10	3.60	5.00	124
6	smart_pdf	2.66	4.20	0.00	1.10	2.10	3.60	5.00	169
-	pdfplumber	0.00 (empty)	-	-	-	-	-	-	0
-	PyMuPDF	0.00 (empty)	-	-	-	-	-	-	0
-	MarkItDown	0.00 (empty)	-	-	-	-	-	-	0
-	OpenDataLoader	0.00 (empty)	-	-	-	-	-	-	1

Note: 31 scanned pages. Docling 4.58 (about 6 minutes), PyMuPDF4LLM 3.67, Tesseract-only parsers 2.66; parsers without OCR return nothing. Smart Extract sent every page to Docling in all three modes: 4.58.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	OpenDataLoader (equal to best)	5.00	5.00	5.00	5.00	5.00	5.00	5.00	13
2	PyMuPDF4LLM (equal to best)	4.99	5.00	4.90	5.00	5.00	5.00	5.00	62

3	pdfplumber	4.58	5.00	5.00	5.00	2.50	5.00	5.00	40
4	MarkItDown	3.60	5.00	0.00	5.00	1.60	5.00	5.00	47
5	Unstructured	3.60	5.00	0.00	5.00	1.60	5.00	5.00	55
6	PyMuPDF	3.01	2.60	2.70	2.60	3.40	5.00	1.70	294
7	hybrid_pdf	3.01	2.60	2.70	2.60	3.40	5.00	1.70	292
8	Tesseract OCR	2.10	2.50	0.00	2.60	1.30	1.80	4.40	160
-	Docling	0.00 (timeout)	-	-	-	-	-	-	600
-	smart_pdf	0.00 (timeout)	-	-	-	-	-	-	600

Note: 100 pages, 2,500 rows. OpenDataLoader 5.0 in 13 s, PyMuPDF4LLM 4.99, PyMuPDF and hybrid_pdf only 3.01. Docling and smart_pdf did not finish in 10 minutes (the laptop slept during this run, so these two timeouts may be partly caused by that). Smart Extract By document 5.0, By part 3.01: its 100 table pieces went to smart_pdf.

Rank	Parser	Score	Text	Table	Chart	Numbers	Structure	Complete	No extras	Seconds
1	PyMuPDF4LLM	3.93	4.80	4.10	0.00	4.70	4.40	4.90	4.60	485
2	smart_pdf	3.66	4.50	3.00	1.10	4.00	4.00	4.80	4.30	104
3	PyMuPDF	3.54	4.60	2.90	0.00	4.00	4.10	4.50	4.70	42
4	hybrid_pdf	3.54	4.60	2.90	0.00	4.00	4.10	4.70	4.50	67
5	OpenDataLoader	3.53	4.70	2.00	0.00	4.30	4.30	4.50	5.00	38
6	pdfplumber	3.44	4.70	3.50	0.00	4.20	2.30	4.50	4.90	45
7	MarkItDown	3.39	4.70	2.90	0.00	4.30	2.30	4.50	5.00	33
8	Unstructured	2.97	4.70	0.00	0.00	4.30	2.30	4.50	5.00	31

Note: 99 pages: text, simple, merged-header, side-by-side and nested tables, about 27 bar and pie charts, photos and 14 scanned pages. Docling and Tesseract OCR were not run on it (too slow). PyMuPDF4LLM 3.93 is best (485 s), smart_pdf 3.66, PyMuPDF family 3.54, OpenDataLoader 3.53. Chart scores: smart_pdf 1.1, all others 0.0, because only 8 figures per document go to the vision model. Smart Extract: By document paid (smart_pdf) 3.66 in 48 s, By part 3.80 in 13 minutes (Docling read 34 scanned pieces, Tesseract 33), free (PyMuPDF4LLM) 3.93 in 3 minutes.

Rank	Parser	Score	Text	Table	Chart	Numbers	Structure	Complete	No extras	Seconds
1	Docling (equal to best)	4.66	4.80	4.30	5.00	4.60	4.30	4.90	4.70	416
2	PyMuPDF4LLM (equal to best)	4.64	4.80	4.10	5.00	4.70	4.30	4.90	4.70	175
3	hybrid_pdf	4.26	4.60	2.90	5.00	3.90	4.30	4.70	4.50	57
4	OpenDataLoader	4.24	4.60	2.70	5.00	4.30	3.80	4.30	5.00	45
5	PyMuPDF	4.11	4.40	2.90	5.00	3.90	3.80	4.20	4.60	70
6	pdfplumber	4.08	4.60	3.50	5.00	4.20	1.90	4.40	4.90	27
7	MarkItDown	3.98	4.60	2.80	5.00	4.30	1.90	4.30	5.00	38
8	Unstructured	2.87	4.60	0.00	0.00	4.30	1.90	4.30	5.00	44
9	Tesseract OCR	2.82	4.60	0.00	0.00	3.60	2.30	4.50	4.70	83
-	smart_pdf	0.00 (timeout)	-	-	-	-	-	-	-	600

Note: 36 pages of text, merged-header and side-by-side tables, a table inside a table, charts, photos and 6 scanned pages. Docling 4.66 and PyMuPDF4LLM 4.64 lead; OpenDataLoader 4.24, PyMuPDF 4.11. smart_pdf did not finish in 10 minutes and Smart Extract By part did not finish in 15. By document used PyMuPDF4LLM for all pages: 4.64. Note: each bar chart is followed by a table with the same values, so text parsers also got Chart points.

Rank	Parser	Score	Text	Table	Chart	Numbers	Structure	Complete	No extras	Seconds
1	Docling	4.07	4.90	4.40	0.00	4.60	4.60	4.90	5.00	245
2	PyMuPDF4LLM	3.90	4.90	3.40	0.00	4.70	4.40	4.90	4.90	76
3	OpenDataLoader	3.72	4.90	2.60	0.00	4.10	4.70	4.80	4.90	45
4	smart_pdf	3.65	4.10	2.80	2.50	3.60	4.10	5.00	3.50	163

5	pdfplumber	3.51	4.90	3.30	0.00	4.60	2.00	4.80	5.00	50
6	MarkItDown	3.30	4.90	1.90	0.00	4.60	1.90	4.80	5.00	30
7	PyMuPDF	3.29	4.20	2.60	0.00	3.60	4.20	4.90	3.70	52
8	hybrid_pdf	3.29	4.20	2.60	0.00	3.60	4.20	4.90	3.70	33
9	Unstructured	3.09	4.90	0.00	0.00	4.60	2.40	4.80	5.00	24
10	Tesseract OCR	2.95	4.80	0.00	0.00	3.90	2.40	4.70	4.90	68

Note: 31 pages: two-column text, a spanning-cell requirement matrix, form grids, photos, bar charts. Docling 4.07 and PyMuPDF4LLM 3.90 lead. smart_pdf 3.65 reads some chart values (Chart 2.5; the others 0.0) but loses on text and adds photo descriptions (No extras 3.5). Smart Extract: By document paid (smart_pdf) 3.77, By part 3.86, free (PyMuPDF4LLM) 3.90.

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Azure Document Intelligence (paid) (equal to best)	2.58	1.90	3.40	2.00	1.90	5.00	1.20	19
2	ADI + vision (paid) (equal to best)	2.55	1.90	3.40	2.00	1.90	5.00	1.10	32
3	smart_pdf	2.29	1.60	3.70	2.10	1.40	4.10	1.00	28
4	OpenDataLoader	2.28	1.80	2.10	2.60	1.80	4.20	1.20	10
5	PyMuPDF4LLM	2.22	1.60	2.10	2.10	1.60	4.90	1.00	27
6	pdfplumber	2.16	1.60	2.10	2.50	1.60	4.30	1.00	5
7	PyMuPDF	2.13	1.60	1.80	2.60	1.60	4.30	1.00	8
8	hybrid_pdf	2.13	1.60	1.80	2.60	1.60	4.30	1.00	6
9	Docling	2.00	1.50	2.30	1.50	1.50	4.30	0.90	183
10	EasyOCR	1.86	1.60	0.00	2.10	1.60	4.90	1.00	912
11	MarkItDown	1.82	1.60	0.00	2.50	1.50	4.30	1.00	7
12	Unstructured	1.81	1.60	0.00	2.50	1.60	4.30	1.00	30
13	Tesseract OCR	1.81	1.60	0.00	2.10	1.60	4.70	0.90	36
14	pdfminer	1.81	1.60	0.00	2.50	1.60	4.30	1.00	13
15	Haystack loader	1.81	1.60	0.00	2.50	1.60	4.30	1.00	13
16	LangChain loader	1.81	1.60	0.00	2.50	1.60	4.30	1.00	13
17	LlamaIndex reader	1.81	1.60	0.00	2.50	1.60	4.30	1.00	12

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	pdfplumber (equal to best)	1.12	0.20	0.60	0.20	0.70	5.00	0.10	45
2	PyMuPDF4LLM (equal to best)	1.10	0.20	0.40	0.20	0.70	5.00	0.10	171
3	Azure Document Intelligence (paid) (equal to best)	1.09	0.20	0.40	0.20	0.70	5.00	0.10	66
4	ADI + vision (paid) (equal to best)	1.08	0.20	0.40	0.20	0.70	5.00	0.10	85
5	PyMuPDF (equal to best)	1.05	0.20	0.50	0.20	0.50	4.80	0.10	37
6	hybrid_pdf (equal to best)	1.05	0.20	0.50	0.20	0.50	4.80	0.10	24
7	OpenDataLoader (equal to best)	1.02	0.20	0.00	0.20	0.70	5.00	0.10	26
8	smart_pdf	1.00	0.20	0.30	0.20	0.40	4.80	0.10	122
9	Tesseract OCR	1.00	0.20	0.00	0.30	0.60	4.80	0.10	342
10	MarkItDown	0.97	0.20	0.70	0.20	0.50	4.10	0.10	47
11	Haystack loader	0.87	0.20	0.00	0.20	0.50	4.20	0.10	32
12	LangChain loader	0.87	0.20	0.00	0.20	0.50	4.20	0.10	32
13	LlamaIndex reader	0.87	0.20	0.00	0.20	0.50	4.20	0.10	27
14	pdfminer	0.84	0.20	0.00	0.20	0.50	4.10	0.10	82
-	Unstructured	0.00 (timeout)	-	-	-	-	-	-	900
-	Docling	0.00 (timeout)	-	-	-	-	-	-	1500

-	EasyOCR	0.00 (timeout)	-	-	-	-	-	-	1500

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	MarkItDown (equal to best)	1.62	0.80	1.90	0.90	0.80	4.90	0.40	12
2	Azure Document Intelligence (paid) (equal to best)	1.52	0.80	1.00	1.00	1.00	5.00	0.50	22
3	ADI + vision (paid)	1.51	0.80	1.00	1.00	0.90	5.00	0.40	31
4	Docling	1.50	0.80	0.80	1.00	0.90	5.00	0.50	516
5	PyMuPDF4LLM	1.46	0.80	0.70	1.00	0.80	5.00	0.40	24
6	pdfminer	1.39	1.10	0.00	2.10	0.70	3.80	0.70	14
7	pdfplumber	1.34	0.80	0.40	0.90	0.60	4.90	0.40	13
8	Haystack loader	1.33	0.80	0.00	1.00	0.90	4.90	0.40	13
9	LangChain loader	1.33	0.80	0.00	1.00	0.90	4.90	0.40	14
10	LlamaIndex reader	1.33	0.80	0.00	1.00	0.90	4.90	0.40	16
11	Unstructured	1.31	0.80	0.00	1.00	0.80	4.90	0.50	156
12	Tesseract OCR	1.31	0.80	0.00	0.90	0.80	4.90	0.40	52
13	OpenDataLoader	1.28	0.90	0.00	1.10	0.70	4.60	0.50	15
14	PyMuPDF	1.20	0.50	0.30	0.50	0.60	4.90	0.30	12
15	hybrid_pdf	1.20	0.50	0.30	0.50	0.60	4.90	0.30	13
16	smart_pdf	1.19	0.50	0.30	0.50	0.60	4.90	0.30	31
-	EasyOCR	0.00 (timeout)	-	-	-	-	-	-	1500

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	OpenDataLoader (equal to best)	1.64	0.80	1.60	1.70	0.40	4.90	0.40	21
2	Docling (equal to best)	1.62	0.80	1.80	1.70	0.70	4.30	0.40	132
3	Azure Document Intelligence (paid) (equal to best)	1.62	0.80	1.60	1.50	0.40	4.90	0.40	25
4	ADI + vision (paid) (equal to best)	1.60	0.80	1.40	1.40	0.70	4.90	0.40	88
5	PyMuPDF4LLM (equal to best)	1.57	0.80	1.30	1.50	0.40	4.90	0.40	31
6	pdfplumber (equal to best)	1.54	0.80	1.30	1.60	0.40	4.80	0.40	19
7	MarkItDown	1.46	1.00	1.10	1.60	0.80	3.80	0.60	23
8	PyMuPDF	1.43	0.70	0.90	1.30	0.50	4.90	0.40	22
9	hybrid_pdf	1.43	0.70	0.90	1.30	0.50	4.90	0.40	23
10	smart_pdf	1.40	0.70	0.80	1.20	0.50	4.90	0.40	64
11	Haystack loader	1.29	1.00	0.00	1.60	0.80	3.90	0.60	27
12	LangChain loader	1.29	1.00	0.00	1.60	0.80	3.90	0.60	28
13	LlamaIndex reader	1.29	1.00	0.00	1.60	0.80	3.90	0.60	26
14	Tesseract OCR	1.27	1.00	0.00	1.50	0.70	3.80	0.60	77
15	pdfminer	1.25	1.00	0.00	1.60	0.40	3.90	0.60	33
16	Unstructured	1.23	1.30	0.00	1.60	0.70	3.10	0.80	195
17	EasyOCR	1.22	0.90	0.00	1.70	0.40	3.70	0.50	588

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	Docling (equal to best)	1.43	0.70	0.90	1.00	0.80	4.90	0.40	229
2	PyMuPDF4LLM (equal to best)	1.42	0.60	1.10	0.80	0.80	4.90	0.30	45
3	pdfminer (equal to best)	1.40	0.80	0.00	2.00	0.60	4.50	0.50	12
4	Azure Document Intelligence (paid) (equal to best)	1.34	0.60	0.60	0.90	0.70	4.90	0.30	28
5	ADI + vision (paid) (equal to best)	1.33	0.60	0.60	0.90	0.70	4.90	0.30	54

6	OpenDataLoader	1.27	0.70	0.00	0.90	0.80	4.80	0.40	18
7	Haystack loader	1.27	0.70	0.00	0.90	0.90	4.80	0.40	12
8	LangChain loader	1.27	0.70	0.00	0.90	0.90	4.80	0.40	11
9	LlamaIndex reader	1.27	0.70	0.00	0.90	0.90	4.80	0.40	11
10	Tesseract OCR	1.24	0.70	0.00	1.20	0.60	4.60	0.40	67
11	MarkItDown	1.21	0.70	0.00	0.90	0.70	4.70	0.40	16
12	pdfplumber	1.19	0.60	0.00	0.70	0.70	4.80	0.30	14
13	PyMuPDF	1.16	0.50	0.00	0.50	0.80	4.90	0.30	19
14	hybrid_pdf	1.16	0.50	0.00	0.50	0.80	4.90	0.30	17
15	smart_pdf	1.16	0.50	0.00	0.50	0.80	4.90	0.30	54
16	Unstructured	1.13	0.60	0.00	0.80	0.30	4.70	0.30	12
17	EasyOCR	1.12	0.70	0.00	1.00	0.50	4.20	0.40	459

Rank	Parser	Score	Text	Table	Numbers	Structure	Complete	No extras	Seconds
1	OpenDataLoader	1.86	0.40	3.80	1.70	0.30	4.80	0.20	26
2	pdfplumber	1.70	0.40	3.10	1.50	0.30	4.80	0.20	32
3	PyMuPDF4LLM	1.70	0.30	3.20	1.20	0.30	4.90	0.20	163
4	Azure Document Intelligence (paid)	1.69	0.40	3.30	1.10	0.30	4.90	0.20	34
5	ADI + vision (paid)	1.68	0.40	3.20	1.10	0.30	4.90	0.20	69
6	MarkItDown	1.59	0.40	2.40	1.50	0.30	4.80	0.20	26
7	smart_pdf	1.34	0.30	1.20	1.30	0.30	4.80	0.20	62
8	PyMuPDF	1.33	0.30	1.30	1.20	0.30	4.80	0.20	22
9	hybrid_pdf	1.33	0.30	1.30	1.20	0.30	4.80	0.20	20
10	Haystack loader	1.19	0.30	0.00	1.50	0.30	4.80	0.20	23
11	LangChain loader	1.19	0.30	0.00	1.50	0.30	4.80	0.20	22
12	LlamaIndex reader	1.19	0.30	0.00	1.50	0.30	4.80	0.20	24
13	Unstructured	1.18	0.30	0.00	1.40	0.30	4.80	0.20	34
14	pdfminer	1.17	0.30	0.00	1.40	0.30	4.80	0.20	38
15	Tesseract OCR	1.14	0.30	0.00	1.10	0.30	4.90	0.20	416
-	Docling	0.00 (timeout)	-	-	-	-	-	-	1500
-	EasyOCR	0.00 (timeout)	-	-	-	-	-	-	1500

Appendix E. The review factors, parser by parser

Same factors as the Azure IDP vs OpenDataLoader review: Text, Table, Chart, Infographic, Numeric, Structure, Completeness and the Hallucination penalty. Differences to the e-mail review: the e-mail scores by hand from 1 to 5; here the code scores from 0 to 5 against a written answer file. The hallucination penalty is shown as a negative number as in the e-mail (0 = nothing invented, -1 = everything extra): penalty = -(1 - precision/5). Total = the seven metrics added up + the penalty (the e-mail's 27 for Azure = 4+4+4+3+5+4+4-1). A metric that an answer file cannot test (no chart in the document, for example) is left out, so the total is also shown scaled to 8 metrics (sum x 8 / number of metrics tested).

Merged-cell tables, nested table, forms, a scan, charts and photos, a 20-page report (Azure DI alone was not run on these; ADI + vision was). Averages over the runs that gave an output; failed, empty and timed-out runs are counted in *Failed*, not in the averages.

Parser	Docs	Failed	Text	Table	Chart	Infographic	Numeric	Structure	Complete	Hallucination penalty	Total (sum)	Metrics tested	Total scaled to 8
ADI + vision (paid)	12	0	4.7	4.4	5.0	-	4.7	4.0	4.9	-0.08	27.6	7	**31.6**

smart_pdf	12	0	4.1	3.0	5.0	-	4.1	3.6	4.8	-0.22	24.4	7	**27.9**
PyMuPDF4LLM	12	0	4.9	3.7	1.1	-	4.8	4.7	4.9	-0.03	23.9	7	**27.4**
OpenDataLoader	12	1	4.8	4.3	0.0	-	4.7	4.2	4.7	-0.01	22.6	7	**25.9**
Docling	12	0	4.6	4.2	0.0	-	4.5	4.5	4.6	-0.06	22.4	7	**25.6**
PyMuPDF	12	1	4.5	3.4	0.0	-	4.4	4.0	4.8	-0.13	21.0	7	**24.0**
pdfplumber	12	1	4.9	3.9	0.0	-	4.8	2.2	4.8	-0.03	20.6	7	**23.5**
hybrid_pdf	12	0	4.4	3.1	0.0	-	4.3	3.8	4.6	-0.12	20.1	7	**22.9**
MarkItDown	12	1	4.9	1.4	0.0	-	4.8	2.2	4.8	-0.01	18.1	7	**20.7**
Unstructured	12	0	4.8	0.0	0.0	-	4.7	2.1	4.7	-0.02	16.3	7	**18.6**
Tesseract OCR	12	0	4.2	0.0	1.1	-	3.8	2.0	3.8	-0.03	14.9	7	**17.0**

Colleague's reports (9 to 66 pages). The answer files cover key pages only, so absolute values are low for every parser (the hallucination penalty is near -0.9 for all of them because most of each report is not in the answer file); compare parsers with each other. Failed, empty and timed-out runs are counted in *Failed*.

Parser	Docs	Failed	Text	Table	Chart	Infographic	Numeric	Structure	Complete	Hallucination penalty	Total (sum)	Metrics tested	Total scaled to 8
Azure DI (paid)	6	0	0.8	1.7	-	-	1.1	0.8	5.0	-0.91	8.5	6	**11.3**
ADI + vision (paid)	6	0	0.8	1.7	-	-	1.1	0.9	5.0	-0.92	8.5	6	**11.3**
Docling	6	2	0.9	1.4	-	-	1.3	1.0	4.6	-0.89	8.4	6	**11.2**
PyMuPDF4LLM	6	0	0.7	1.5	-	-	1.1	0.8	4.9	-0.92	8.1	6	**10.8**
OpenDataLoader	6	0	0.8	1.2	-	-	1.4	0.8	4.7	-0.91	8.0	6	**10.7**
pdfplumber	6	0	0.7	1.2	-	-	1.2	0.7	4.8	-0.92	7.8	6	**10.4**
MarkItDown	6	0	0.8	1.0	-	-	1.3	0.8	4.4	-0.91	7.4	6	**9.8**
smart_pdf	6	0	0.6	1.1	-	-	1.0	0.7	4.7	-0.92	7.1	6	**9.5**
PyMuPDF	6	0	0.6	0.8	-	-	1.1	0.7	4.8	-0.92	7.0	6	**9.4**
hybrid_pdf	6	0	0.6	0.8	-	-	1.1	0.7	4.8	-0.92	7.0	6	**9.4**
EasyOCR	6	3	1.1	0.0	-	-	1.6	0.8	4.3	-0.87	6.9	6	**9.2**
Unstructured	6	1	0.9	0.0	-	-	1.5	0.7	4.4	-0.89	6.6	6	**8.8**
pdfminer	6	0	0.8	0.0	-	-	1.6	0.7	4.2	-0.90	6.5	6	**8.6**
LangChain / LlamaIndex / Haystack loaders	18	0	0.8	0.0	-	-	1.3	0.8	4.5	-0.91	6.5	6	**8.6**
Tesseract OCR	6	0	0.8	0.0	-	-	1.2	0.8	4.6	-0.91	6.4	6	**8.6**

Parsers that were not run on a set do not appear in its table (pdfminer, EasyOCR and the loaders only ran on the first 62 documents and the research reports).

The six research reports from a colleague (answer files cover key pages only, so absolute values are low). Scale 0 to 5 per metric.

Metric	Azure DI (paid)	OpenDataLoader	ADI + vision (paid)	PyMuPDF4LLM	Docling
Text Accuracy	0.78	0.80	0.78	0.72	0.95
Table Reconstruction	1.72	1.25	1.67	1.47	1.45
Chart Understanding	-	-	-	-	-
Infographic Parsing	-	-	-	-	-
Entity & Numeric Fidelity	1.12	1.37	1.10	1.13	1.30
Structure	0.83	0.78	0.87	0.77	0.97
Completeness	4.95	4.72	4.95	4.93	4.62

Hallucination penalty	-0.91	-0.91	-0.92	-0.92	-0.89
Total (sum)	**8.5**	**8.0**	**8.5**	**8.1**	**8.4**
Metrics tested	6	6	6	6	6

In the e-mail review the strengths were: Azure IDP better on tables and structure, OpenDataLoader more complete on narrative text and footnotes. On these six native reports the two are close; the table above shows where they differ.

Found by automatic checks on the saved outputs, not by reading every output by hand:

- **Structure:** tables found in the output vs tables in the answer file; rows where the same cell text is repeated 3 or more times in a row (a merged cell copied across columns).
- **Artifacts:** share of repeated lines (duplicated content), placeholder columns such as Col2, empty output.
- **Numbers:** numbers of the answer file that are missing in the output, with up to 3 examples.
- **Charts:** chart values of the answer file found in the output.
- **Strong at:** metrics scored 4.5 or more.

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
smart_pdf (best)	4.53	3 tables found, 4 expected; 1 rows with a cell repeated across columns	none found	1 of 32 numbers missing (2.)	7 of 7 chart values found	Text, Chart, Numeric, Complete
ADI + vision (paid)	4.45	3 tables found, 4 expected	none found	2 of 32 numbers missing (1., 2.)	7 of 7 chart values found	Chart, Numeric, Complete
OpenDataLoader	3.50	2 tables found, 4 expected; 1 rows with a cell repeated across columns	none found	10 of 32 numbers missing (2., 120, 150)	0 of 7 chart values found	-
PyMuPDF4LLM	4.05	1 tables found, 4 expected; 1 rows with a cell repeated across columns	none found	3 of 32 numbers missing (2., 3, 310)	5 of 7 chart values found	Text, Complete
Docling	3.42	2 tables found, 4 expected; 1 rows with a cell repeated across columns	none found	12 of 32 numbers missing (1, 2, 2.)	0 of 7 chart values found	-
PyMuPDF	3.69	1 tables found, 4 expected; 1 rows with a cell repeated across columns	none found	10 of 32 numbers missing (2., 120, 150)	0 of 7 chart values found	Text
Unstructured	2.81	0 tables found, 4 expected	20% of lines repeated	10 of 32 numbers missing (2., 120, 150)	0 of 7 chart values found	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
Docling (best)	5.00	1 tables found, 1 expected	none found	0 of 92 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
smart_pdf	4.93	1 tables found, 1 expected; 6 rows with a cell repeated across columns	none found	0 of 92 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
ADI + vision (paid)	4.58	1 tables found, 1 expected	none found	0 of 92 numbers missing	no chart in answer file	Text, Table, Numeric, Complete
OpenDataLoader	4.99	1 tables found, 1 expected; 3 rows with a cell repeated across columns	none found	0 of 92 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
PyMuPDF4LLM	4.77	1 tables found, 1 expected; 2 rows with a cell repeated across columns	none found	0 of 92 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
PyMuPDF	4.93	1 tables found, 1 expected; 6 rows with a cell repeated across columns	none found	0 of 92 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
Tesseract OCR	2.90	0 tables found, 1 expected	none found	31 of 92 numbers missing (01, 02, 23)	no chart in answer file	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
PyMuPDF4LLM (best)	5.00	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	0 of 59 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete

smart_pdf	3.01	5 tables found, 1 expected; 8 rows with a cell repeated across columns; table split into fragments	29% of lines repeated; 2 placeholder columns (Col2...)	0 of 59 numbers missing	no chart in answer file	Complete
ADI + vision (paid)	4.42	1 tables found, 1 expected	none found	0 of 59 numbers missing	no chart in answer file	Text, Numeric, Complete
OpenDataLoader	4.43	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	0 of 59 numbers missing	no chart in answer file	Text, Table, Numeric, Complete
Docling	4.82	1 tables found, 1 expected	none found	1 of 59 numbers missing (27)	no chart in answer file	Text, Table, Numeric, Structure, Complete
PyMuPDF	4.08	4 tables found, 1 expected; 8 rows with a cell repeated across columns; table split into fragments	2 placeholder columns (Col2...)	0 of 59 numbers missing	no chart in answer file	Text, Numeric, Complete

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
ADI + vision (paid) (best)	4.96	1 tables found, 1 expected	none found	0 of 75 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
smart_pdf	2.96	6 tables found, 1 expected; 15 rows with a cell repeated across columns; table split into fragments	6 placeholder columns (Col2...)	0 of 75 numbers missing	no chart in answer file	Complete
OpenDataLoader	4.51	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	0 of 75 numbers missing	no chart in answer file	Text, Table, Numeric, Complete
PyMuPDF4LLM	4.86	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	1 of 75 numbers missing (2025)	no chart in answer file	Text, Table, Numeric, Structure, Complete
Docling	4.75	1 tables found, 1 expected	none found	3 of 75 numbers missing (1, 2, 2.)	no chart in answer file	Text, Table, Numeric, Structure, Complete
PyMuPDF	3.94	5 tables found, 1 expected; 15 rows with a cell repeated across columns; table split into fragments	6 placeholder columns (Col2...)	0 of 75 numbers missing	no chart in answer file	Numeric, Complete

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
OpenDataLoader (best)	4.85	2 tables found, 2 expected; 4 rows with a cell repeated across columns	none found	0 of 47 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
smart_pdf	4.47	2 tables found, 2 expected; 4 rows with a cell repeated across columns	none found	0 of 47 numbers missing	no chart in answer file	Text, Numeric, Complete
ADI + vision (paid)	4.68	2 tables found, 2 expected	none found	0 of 47 numbers missing	no chart in answer file	Text, Table, Numeric, Complete
PyMuPDF4LLM	4.67	2 tables found, 2 expected; 3 rows with a cell repeated across columns	none found	0 of 47 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
Docling	4.71	2 tables found, 2 expected	none found	0 of 47 numbers missing	no chart in answer file	Text, Numeric, Complete
PyMuPDF	4.61	2 tables found, 2 expected; 4 rows with a cell repeated across columns	none found	0 of 47 numbers missing	no chart in answer file	Text, Numeric, Complete
Tesseract OCR	2.62	0 tables found, 2 expected	none found	17 of 47 numbers missing (220, 3, 4)	no chart in answer file	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
Docling (best)	5.00	3 tables found, 1 expected	none found	0 of 369 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
smart_pdf	4.86	3 tables found, 1 expected; 6 rows with a cell repeated across columns	none found	0 of 369 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
ADI + vision (paid)	4.58	3 tables found, 1 expected	none found	0 of 369 numbers missing	no chart in answer file	Text, Table, Numeric, Complete

OpenDataLoader	4.95	3 tables found, 1 expected; 6 rows with a cell repeated across columns	none found	0 of 369 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
PyMuPDF4LLM	4.86	3 tables found, 1 expected; 6 rows with a cell repeated across columns	none found	0 of 369 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
PyMuPDF	4.86	3 tables found, 1 expected; 6 rows with a cell repeated across columns	none found	0 of 369 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
Tesseract OCR	3.01	0 tables found, 1 expected	none found	145 of 369 numbers missing (2602, 9275, 79146)	no chart in answer file	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
ADI + vision (paid) (best)	4.00	3 tables found, 2 expected	20% of lines repeated	1 of 18 numbers missing (1.)	4 of 4 chart values found	Chart, Complete
smart_pdf	3.90	3 tables found, 2 expected; 1 rows with a cell repeated across columns	14% of lines repeated; 1 placeholder columns (Col2...)	0 of 18 numbers missing	4 of 4 chart values found	Chart, Complete
OpenDataLoader	3.51	1 tables found, 2 expected; 1 rows with a cell repeated across columns	none found	8 of 18 numbers missing (1, 120, 2)	0 of 4 chart values found	Text
PyMuPDF4LLM	3.55	1 tables found, 2 expected; 1 rows with a cell repeated across columns	none found	0 of 18 numbers missing	3 of 4 chart values found	Text, Complete
Docling	3.44	1 tables found, 2 expected	none found	8 of 18 numbers missing (1, 120, 2)	0 of 4 chart values found	-
PyMuPDF	3.35	1 tables found, 2 expected; 1 rows with a cell repeated across columns	1 placeholder columns (Col2...)	7 of 18 numbers missing (1, 120, 2)	0 of 4 chart values found	-
Tesseract OCR	2.09	0 tables found, 2 expected	none found	14 of 18 numbers missing (6420, 5180, 1.2)	0 of 4 chart values found	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
OpenDataLoader (best)	4.77	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	0 of 12 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
smart_pdf	2.92	1 tables found, 1 expected; 6 rows with a cell repeated across columns	5 placeholder columns (Col2...)	0 of 12 numbers missing	no chart in answer file	Complete
ADI + vision (paid)	3.89	3 tables found, 1 expected	none found	0 of 12 numbers missing	no chart in answer file	Structure, Complete
PyMuPDF4LLM	4.77	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	0 of 12 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
Docling	3.62	1 tables found, 1 expected; 5 rows with a cell repeated across columns	none found	0 of 12 numbers missing	no chart in answer file	Complete
PyMuPDF	2.92	1 tables found, 1 expected; 6 rows with a cell repeated across columns	5 placeholder columns (Col2...)	0 of 12 numbers missing	no chart in answer file	Complete

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
ADI + vision (paid) (best)	4.96	1 tables found, 1 expected	none found	0 of 75 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
smart_pdf	2.36	0 tables found, 1 expected	none found	51 of 75 numbers missing (18, 19, 1240.55)	no chart in answer file	-
OpenDataLoader	0.00	no output (empty)	-	-	-	-
PyMuPDF4LLM	4.49	1 tables found, 1 expected; 2 rows with a cell repeated across columns	none found	1 of 75 numbers missing (2025)	no chart in answer file	Text, Numeric, Complete

Docling	4.41	1 tables found, 1 expected; 3 rows with a cell repeated across columns	none found	3 of 75 numbers missing (1, 2, 2.)	no chart in answer file	Numeric, Complete
PyMuPDF	0.00	no output (empty)	-	-	-	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
OpenDataLoader (best)	4.77	1 tables found, 1 expected; 2 rows with a cell repeated across columns	none found	0 of 48 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
smart_pdf	4.33	1 tables found, 1 expected; 7 rows with a cell repeated across columns	6 placeholder columns (Col2...)	0 of 48 numbers missing	no chart in answer file	Numeric, Structure, Complete
PyMuPDF4LLM	4.71	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	0 of 48 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
Docling	4.60	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	0 of 48 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
PyMuPDF	4.33	1 tables found, 1 expected; 7 rows with a cell repeated across columns	6 placeholder columns (Col2...)	0 of 48 numbers missing	no chart in answer file	Numeric, Structure, Complete
Tesseract OCR	2.32	0 tables found, 1 expected	none found	37 of 48 numbers missing (2024, 2023, 44870)	no chart in answer file	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
PyMuPDF4LLM (best)	4.77	3 tables found, 3 expected; 3 rows with a cell repeated across columns	none found	0 of 180 numbers missing	no chart in answer file	Text, Table, Numeric, Complete
smart_pdf	4.68	3 tables found, 3 expected; 3 rows with a cell repeated across columns	none found	4 of 180 numbers missing (22175.00, 231850.75, 10050.00)	no chart in answer file	Text, Table, Numeric, Complete
OpenDataLoader	4.76	3 tables found, 3 expected; 3 rows with a cell repeated across columns	none found	3 of 180 numbers missing (1, 3, 2)	no chart in answer file	Text, Table, Numeric, Complete
Docling	4.71	3 tables found, 3 expected	none found	3 of 180 numbers missing (1, 3, 2)	no chart in answer file	Text, Table, Numeric, Complete
PyMuPDF	4.68	3 tables found, 3 expected; 3 rows with a cell repeated across columns	none found	4 of 180 numbers missing (22175.00, 231850.75, 10050.00)	no chart in answer file	Text, Table, Numeric, Complete
Tesseract OCR	2.99	0 tables found, 3 expected	none found	73 of 180 numbers missing (262581, 34800.00, 83600.75)	no chart in answer file	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
OpenDataLoader (best)	4.56	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	0 of 12 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
smart_pdf	3.85	1 tables found, 1 expected; 3 rows with a cell repeated across columns	2 placeholder columns (Col2...)	0 of 12 numbers missing	no chart in answer file	Structure, Complete
PyMuPDF4LLM	4.38	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	0 of 12 numbers missing	no chart in answer file	Text, Numeric, Structure
Docling	4.45	1 tables found, 1 expected	none found	0 of 12 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete

PyMuPDF	3.85	1 tables found, 1 expected; 3 rows with a cell repeated across columns	2 placeholder columns (Col2...)	0 of 12 numbers missing	no chart in answer file	Structure, Complete
Tesseract OCR	3.30	0 tables found, 1 expected	none found	2 of 12 numbers missing (8830415, 7115)	no chart in answer file	Text

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
Docling (best)	4.93	2 tables found, 1 expected	none found	0 of 31 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
smart_pdf	4.85	2 tables found, 1 expected; 2 rows with a cell repeated across columns	none found	0 of 31 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
OpenDataLoader	4.55	2 tables found, 1 expected; 2 rows with a cell repeated across columns	none found	0 of 31 numbers missing	no chart in answer file	Text, Numeric, Complete
PyMuPDF4LLM	4.88	1 tables found, 1 expected; 2 rows with a cell repeated across columns	none found	0 of 31 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
PyMuPDF	4.85	2 tables found, 1 expected; 2 rows with a cell repeated across columns	none found	0 of 31 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
Tesseract OCR	3.02	0 tables found, 1 expected	none found	9 of 31 numbers missing (41, 88213094, 10)	no chart in answer file	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
Docling (best)	4.69	3 tables found, 2 expected	none found	0 of 15 numbers missing	no chart in answer file	Text, Numeric, Complete
smart_pdf	4.05	1 tables found, 2 expected; 1 rows with a cell repeated across columns	none found	0 of 15 numbers missing	no chart in answer file	Text, Numeric, Complete
OpenDataLoader	3.94	1 tables found, 2 expected; 1 rows with a cell repeated across columns	none found	0 of 15 numbers missing	no chart in answer file	Text, Numeric, Complete
PyMuPDF4LLM	4.62	2 tables found, 2 expected; 2 rows with a cell repeated across columns	none found	0 of 15 numbers missing	no chart in answer file	Text, Numeric, Complete
PyMuPDF	4.05	1 tables found, 2 expected; 1 rows with a cell repeated across columns	none found	0 of 15 numbers missing	no chart in answer file	Text, Numeric, Complete
Tesseract OCR	3.53	0 tables found, 2 expected	none found	1 of 15 numbers missing (20418)	no chart in answer file	Text, Numeric, Complete

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
OpenDataLoader (best)	4.96	1 tables found, 1 expected; 2 rows with a cell repeated across columns	none found	0 of 39 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
smart_pdf	4.79	1 tables found, 1 expected; 2 rows with a cell repeated across columns	none found	0 of 39 numbers missing	no chart in answer file	Text, Table, Numeric, Complete
PyMuPDF4LLM	4.79	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	0 of 39 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
Docling	4.79	1 tables found, 1 expected	none found	0 of 39 numbers missing	no chart in answer file	Text, Table, Numeric, Complete
PyMuPDF	4.79	1 tables found, 1 expected; 2 rows with a cell repeated across columns	none found	0 of 39 numbers missing	no chart in answer file	Text, Table, Numeric, Complete
Tesseract OCR	3.06	0 tables found, 1 expected	none found	14 of 39 numbers missing (500, 3.20, 1600.00)	no chart in answer file	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
smart_pdf (best)	4.43	3 tables found, 2 expected; 2 rows with a cell repeated across columns	1 placeholder columns (Col2...)	0 of 22 numbers missing	4 of 4 chart values found	Text, Chart, Numeric, Complete

OpenDataLoader	3.72	1 tables found, 2 expected; 1 rows with a cell repeated across columns	none found	7 of 22 numbers missing (120, 2, 150)	0 of 4 chart values found	Text, Complete
PyMuPDF4LLM	3.74	1 tables found, 2 expected; 1 rows with a cell repeated across columns	none found	1 of 22 numbers missing (310)	2 of 4 chart values found	Text, Structure, Complete
Docling	3.79	1 tables found, 2 expected	none found	7 of 22 numbers missing (120, 2, 150)	0 of 4 chart values found	Text, Complete
PyMuPDF	3.50	2 tables found, 2 expected; 2 rows with a cell repeated across columns	1 placeholder columns (Col2...)	6 of 22 numbers missing (120, 150, 3)	0 of 4 chart values found	Text, Complete
Unstructured	2.14	0 tables found, 2 expected	none found	16 of 22 numbers missing (82, 1420, 960)	0 of 4 chart values found	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
Docling (best)	4.67	1 tables found, 1 expected	none found	0 of 39 numbers missing	no chart in answer file	Text, Numeric, Structure, Complete
smart_pdf	2.30	0 tables found, 1 expected	none found	24 of 39 numbers missing (4500187723, 22, 400001)	no chart in answer file	-
OpenDataLoader	0.00	no output (empty)	-	-	-	-
PyMuPDF4LLM	3.58	1 tables found, 1 expected; 1 rows with a cell repeated across columns	none found	8 of 39 numbers missing (3.20, 1600.00, 41.50)	no chart in answer file	Text, Complete
PyMuPDF	0.00	no output (empty)	-	-	-	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
smart_pdf (best)	4.49	2 tables found, 2 expected	none found	0 of 21 numbers missing	6 of 6 chart values found	Text, Table, Chart, Numeric, Complete
OpenDataLoader	3.49	1 tables found, 2 expected	none found	5 of 21 numbers missing (410, 385, 430)	1 of 6 chart values found	Text
PyMuPDF4LLM	3.58	1 tables found, 2 expected; 1 rows with a cell repeated across columns	none found	0 of 21 numbers missing	6 of 6 chart values found	Text, Complete
Docling	3.45	1 tables found, 2 expected	none found	5 of 21 numbers missing (410, 385, 430)	1 of 6 chart values found	Text
PyMuPDF	3.44	1 tables found, 2 expected	none found	5 of 21 numbers missing (410, 385, 430)	1 of 6 chart values found	-
Tesseract OCR	2.70	0 tables found, 2 expected	none found	5 of 21 numbers missing (410, 385, 430)	1 of 6 chart values found	Text

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
PyMuPDF4LLM (best)	4.18	55 tables found, 64 expected; 55 rows with a cell repeated across columns	20% of lines repeated	1 of 620 numbers missing (92)	27 of 36 chart values found	Text, Table, Numeric, Structure, Complete
smart_pdf	4.18	63 tables found, 64 expected; 546 rows with a cell repeated across columns	20% of lines repeated; 213 placeholder columns (Col2...)	4 of 620 numbers missing (79, 317, 60)	34 of 36 chart values found	Complete
OpenDataLoader	3.91	55 tables found, 64 expected; 55 rows with a cell repeated across columns	10% of lines repeated	50 of 620 numbers missing (6, 11, 12)	0 of 36 chart values found	Text, Complete
Docling	0.00	no output (timeout)	-	-	-	-
PyMuPDF	3.46	55 tables found, 64 expected; 602 rows with a cell repeated across columns	25% of lines repeated; 514 placeholder columns (Col2...)	32 of 620 numbers missing (121, 338, 261)	0 of 36 chart values found	Complete
Tesseract OCR	3.12	0 tables found, 64 expected	none found	68 of 620 numbers missing (4963, 36.9, 7333)	25 of 36 chart values found	Text, Numeric, Complete

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at

Docling (best)	4.58	30 tables found, 30 expected; 26 rows with a cell repeated across columns	none found	0 of 255 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
smart_pdf	2.66	0 tables found, 30 expected	none found	221 of 255 numbers missing (1.1, 40.9, 1.2)	no chart in answer file	-
OpenDataLoader	0.00	no output **(empty)**	-	-	-	-
PyMuPDF4LLM	3.67	27 tables found, 30 expected; 28 rows with a cell repeated across columns	none found	45 of 255 numbers missing (2.1, 2.2, 2.3)	no chart in answer file	-
PyMuPDF	0.00	no output **(empty)**	-	-	-	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
OpenDataLoader (best)	5.00	100 tables found, 100 expected; 200 rows with a cell repeated across columns	none found	0 of 7439 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
smart_pdf	0.00	no output **(timeout)**	-	-	-	-
PyMuPDF4LLM	4.99	100 tables found, 100 expected; 200 rows with a cell repeated across columns	none found	0 of 7439 numbers missing	no chart in answer file	Text, Table, Numeric, Structure, Complete
Docling	0.00	no output **(timeout)**	-	-	-	-
PyMuPDF	3.01	100 tables found, 100 expected; 9137 rows with a cell repeated across columns	1200 placeholder columns (Col2...)	0 of 7439 numbers missing	no chart in answer file	Complete
Tesseract OCR	2.10	2 tables found, 100 expected	none found	4297 of 7439 numbers missing (2601, 4901, 248400.00)	no chart in answer file	-

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
Docling (best)	4.66	30 tables found, 44 expected; 9 rows with a cell repeated across columns	10% of lines repeated	1 of 247 numbers missing (45)	20 of 20 chart values found	Text, Chart, Numeric, Complete
smart_pdf	0.00	no output **(timeout)**	-	-	-	-
OpenDataLoader	4.24	19 tables found, 44 expected; 14 rows with a cell repeated across columns	none found	48 of 247 numbers missing (1.1, 83.2, 1.2)	20 of 20 chart values found	Text, Chart
PyMuPDF4LLM	4.64	30 tables found, 44 expected; 29 rows with a cell repeated across columns	10% of lines repeated	14 of 247 numbers missing (2.1, 2.2, 2.3)	20 of 20 chart values found	Text, Chart, Numeric, Complete
PyMuPDF	4.11	28 tables found, 44 expected; 81 rows with a cell repeated across columns	19% of lines repeated; 101 placeholder columns (Col2...)	47 of 247 numbers missing (1.1, 83.2, 1.2)	20 of 20 chart values found	Chart
Tesseract OCR	2.82	0 tables found, 44 expected	none found	87 of 247 numbers missing (2025, 62, 37)	14 of 20 chart values found	Text, Complete

Parser	Score	Structure	Artifacts	Numbers	Charts	Strong at
Docling (best)	4.07	18 tables found, 18 expected	none found	22 of 179 numbers missing (270, 202, 287)	0 of 24 chart values found	Text, Numeric, Structure, Complete
smart_pdf	3.65	21 tables found, 18 expected; 51 rows with a cell repeated across columns	11% of lines repeated; 46 placeholder columns (Col2...)	11 of 179 numbers missing (043, 270, 202)	13 of 24 chart values found	Complete
OpenDataLoader	3.72	18 tables found, 18 expected; 12 rows with a cell repeated across columns	none found	39 of 179 numbers missing (028, 029, 030)	0 of 24 chart values found	Text, Structure, Complete

PyMuPDF4LLM	3.90	18 tables found, 18 expected; 12 rows with a cell repeated across columns	13% of lines repeated	5 of 179 numbers missing (110, 63, 101)	13 of 24 chart values found	Text, Numeric, Complete
PyMuPDF	3.29	18 tables found, 18 expected; 57 rows with a cell repeated across columns	12% of lines repeated; 76 placeholder columns (Col2...)	23 of 179 numbers missing (043, 270, 202)	0 of 24 chart values found	Complete
Tesseract OCR	2.95	0 tables found, 18 expected	none found	45 of 179 numbers missing (4.4, 59, 2.1)	13 of 24 chart values found	Text, Complete

23 documents are listed: the ones where the best parser was at least 0.6 above the median, or 1.5 above the worst.