LAB-8: Forward Chaining

```
facts = {
  "American(Robert)": True,
  "Missile(T1)": True,
  "Enemy(A, America)": True,
  "Owns(A, T1)": True,
  "Hostile(A)": False,
  "Weapon(T1)": False,
  "Sells(Robert, T1, A)": False,
  "Criminal(Robert)": False,
}
rules = [
  ("American(Robert) and Weapon(T1) and Sells(Robert, T1, A) and Hostile(A)", "Criminal(Robert)"),
  ("Owns(A, T1) and Missile(T1)", "Weapon(T1)"),
  ("Missile(T1) and Owns(A, T1)", "Sells(Robert, T1, A)"),
  ("Enemy(A, America)", "Hostile(A)"),
]
def check_fact(fact):
  return facts.get(fact, False)
  def parse_condition(condition):
  return condition.split(" and ")
def forward_reasoning():
  new_inferences = True
   while new_inferences:
```

print_inferred_facts()

OUPUT:

```
Inferred: Weapon(T1)
Inferred: Sells(Robert, T1, A)
Inferred: Hostile(A)
Inferred: Criminal(Robert)

Final Inferred Facts:
American(Robert) is TRUE
Missile(T1) is TRUE
Enemy(A, America) is TRUE
Owns(A, T1) is TRUE
Hostile(A) is TRUE
Weapon(T1) is TRUE
Sells(Robert, T1, A) is TRUE
Criminal(Robert) is TRUE
```