

PROJECT: ASTROSIGHT

BPHS KNOWLEDGE BASE + SWISS EPHEMERIS + RAG PIPELINE

You are working on my final-year project called ASTROSIGHT.

AstroSight is an AI-based Vedic Astrology application that combines:

- 1. Deterministic astronomical calculations using Swiss Ephemeris
- 2. Vedic astrology feature calculation
- 3. Classical Vedic astrology rules from Brihat Parashara Hora Shastra (BPHS)
- 4. Retrieval-Augmented Generation (RAG)
- 5. An LLM for natural-language interpretation
- 6. A separate AI/computer-vision based palm-reading module

I have provided TWO PDF SOURCE DOCUMENTS:

SOURCE 1:

Brihat Parashara Hora Shastra — Volume I
English translation by Girish Chand Sharma

SOURCE 2:

Brihat Parashara Hora Shastra — Volume II
English translation by Girish Chand Sharma

These two PDFs are the primary source documents for the astrology knowledge base.

=====

IMPORTANT: SOURCE OF TRUTH

=====

Use the supplied BPHS Volume I and Volume II PDFs as the source of truth for classical astrological rules.

DO NOT replace them with another edition.

DO NOT use another translation.

DO NOT silently merge information from websites, other books, or other astrology systems into the BPHS knowledge base.

DO NOT invent missing rules.

If something cannot be reliably extracted from the PDFs, mark it for manual review.

If OCR/text extraction is unclear, DO NOT guess.

=====

OVERALL ASTROSIGHT ARCHITECTURE

=====

The final system should follow this architecture:

USER

- |
- | Birth Date
- | Birth Time
- | Birth Place

v

LOCATION + TIMEZONE PROCESSING

|

v

LOCAL TIME -> UTC

|

v

JULIAN DAY

|

v

SWISS EPHEMERIS

|

v

PLANETARY POSITIONS + ASCENDANT + HOUSE DATA

|

v

VEDIC ASTROLOGY FEATURE ENGINE

|

+--> Rashi

+--> Nakshatra

+--> Nakshatra Pada

+--> Bhava / Houses

+--> Planetary dignity

+--> Exaltation / Debilitation

+--> Planetary relationships

+--> Aspects

+--> Retrograde

+--> Vargas

+--> Dashas

+--> Yogas

|

v


STRUCTURED BIRTH CHART

|

+-----+

|

|



SEPARATE PALM READING MODULE:

PALM IMAGE

|

v

IMAGE VALIDATION

|

v

IMAGE PREPROCESSING

|

v

PALM SEGMENTATION

|

v

PALM-LINE DETECTION

|

v

FEATURE EXTRACTION

|

v

ML / COMPUTER VISION

|

v

PALM FEATURES

|

v

PALMISTRY KNOWLEDGE / LLM

|

v

INTERPRETATION

Do not mix the astronomical astrology pipeline with the palm image pipeline.

=====

PART 1 — SWISS EPHEMERIS

=====

THIS IS A CORE REQUIREMENT.

AstroSight MUST use Swiss Ephemeris for astronomical calculations.

Use the Python package:

pyswisseph

Import it as:

import swisseph as swe

Do NOT use an LLM to calculate planetary positions.

Do NOT ask the LLM to infer planetary positions.

Do NOT use approximate planetary positions.

Do NOT use a random astrology API as the primary calculation engine.

Create:

src/astrology/ephemeris.py

This module must be responsible for deterministic astronomical calculations.

The module must be independent from the LLM and RAG system.

```
=====
SWISS EPHEMERIS CALCULATIONS
=====
```

At minimum calculate:

Sun

Moon

Mars

Mercury

Jupiter

Venus

Saturn

Rahu / North Node

Ketu / South Node

For each applicable planetary body preserve:

- longitude
- latitude where available
- apparent position where applicable
- speed
- retrograde status
- zodiac sign
- degree within sign

Also calculate:

- Ascendant / Lagna
- house-related data required by the selected house system

Preserve the raw astronomical values before converting them into Vedic features.

=====

SIDEREAL ZODIAC

=====

AstroSight is a Vedic astrology system.

Therefore the implementation must explicitly use a SIDEREAL zodiac.

Do NOT silently use a tropical zodiac.

Use:

Swiss Ephemeris

+

Sidereal Zodiac

+

Lahiri Ayanamsha

The ayanamsha must be configurable.

Initial default:

swe.SIDM_LAHIRI

Configure:

swe.set_sid_mode(swe.SIDM_LAHIRI)

Do not hard-code the ayanamsha in multiple files.

Create a central configuration value such as:

AYANAMSHA = swe.SIDM_LAHIRI

=====

BIRTH TIME AND TIMEZONE

=====

Birth time entered by the user is LOCAL CIVIL TIME.

Do NOT directly send local time to Swiss Ephemeris without timezone conversion.

Pipeline:

Birth Date

+

Birth Time

+

Birth Place

|

v

Latitude / Longitude

|

v

Timezone

|

v

Local Civil Time

|

v

UTC

|

v

Julian Day

|

v

Swiss Ephemeris

Preserve:

- original birth date
- original birth time
- original birth place
- latitude
- longitude
- timezone
- UTC datetime
- Julian Day

Example input:

```
{  
  "date_of_birth": "YYYY-MM-DD",  
  "time_of_birth": "HH:MM:SS",  
  "place_of_birth": "Mumbai, India",  
  "latitude": 19.0760,  
  "longitude": 72.8777,  
  "timezone": "Asia/Kolkata"  
}
```

```
=====
```

JULIAN DAY

```
=====
```

Create a reliable function that converts UTC date/time into Julian Day.

The Julian Day used by Swiss Ephemeris must be clearly recorded.

Example conceptual pipeline:

local_datetime

->

timezone conversion

->

UTC datetime

->

Julian Day

->

Swiss Ephemeris

Do not calculate Julian Day using an approximate custom formula if Swiss Ephemeris provides the required function.

=====

HOUSE / ASCENDANT CALCULATION

=====

Create a clear configuration for the house system.

Do not silently mix house systems.

The implementation should clearly document which house system is used.

The Ascendant / Lagna must be calculated deterministically.

Preserve:

- Ascendant longitude
- Ascendant sign
- degree within sign

- house cusps if applicable

=====

PART 2 — VEDIC FEATURE ENGINE

=====

Create:

`src/astrology/vedic_features.py`

This module converts Swiss Ephemeris astronomical output into structured Vedic astrology features.

It must NOT generate natural-language interpretations.

It must calculate structured information such as:

- Rashi
- Nakshatra
- Nakshatra Pada
- Lagna
- Bhava / House
- Planetary dignity
- Exaltation
- Debilitation
- Own sign
- Planetary relationships
- Retrograde status
- Planetary aspects
- Relevant Vargas / divisional charts
- Vimshottari Dasha
- Antardasha

- Relevant Yogas
- Other supported Vedic features

Keep astronomical calculations and astrological interpretation separate.

Swiss Ephemeris:

astronomical positions

Vedic Feature Engine:

structured astrological features

BPHS:

classical astrological rules

RAG:

retrieval of relevant rules

LLM:

natural-language interpretation

=====

PART 3 — BPHS PDF INSPECTION

=====

First inspect BOTH supplied PDFs completely.

Identify:

- title
- volume
- author

- translator
- table of contents
- chapter numbers
- chapter titles
- printed page numbers
- PDF page numbers
- major sections

Create:

data/source_inventory.json

Example:

```
{
  "sources": [
    {
      "source_id": "BPHS_VOL_1",
      "title": "Brihat Parashara Hora Shastra",
      "volume": "Volume I",
      "translator": "Girish Chand Sharma",
      "chapters": []
    },
    {
      "source_id": "BPHS_VOL_2",
      "title": "Brihat Parashara Hora Shastra",
      "volume": "Volume II",
      "translator": "Girish Chand Sharma",
      "chapters": []
    }
  ]
}
```

```
}
```

Only include metadata that can actually be verified from the PDFs.

```
=====
```

PART 4 — CHAPTER MAP

```
=====
```

Create:

data/chapter_map.json

Map every chapter from Volume I and Volume II.

Each record must contain:

```
{  
  "source_id": "BPHS_VOL_1",  
  "volume": "Volume I",  
  "chapter": 14,  
  "chapter_title": "...",  
  "printed_page_start": 194,  
  "printed_page_end": 200,  
  "pdf_page_start": 195,  
  "pdf_page_end": 201  
}
```

IMPORTANT:

Keep PRINTED PAGE and PDF PAGE as separate fields.

Never assume they are identical.

=====

PART 5 — ATOMIC RULE EXTRACTION

=====

This is the most important knowledge-base task.

Do NOT store each entire chapter as one giant vector.

Break meaningful astrological statements into atomic rules.

For example, if a chapter discusses planets in a house, create separate rules for:

Sun in house

Moon in house

Mars in house

Mercury in house

Jupiter in house

Venus in house

Saturn in house

Include Rahu and Ketu only when the supplied source explicitly discusses them.

Similarly extract individual rules for:

- house lord in house

- planets in signs

- planetary aspects

- exaltation

- debilitation

- planetary relationships
- divisional charts
- planetary strengths
- Karakas
- Yogas
- Raja Yogas
- wealth combinations
- Dasha results
- Antardasha results
- Ashtakavarga
- Avasthas
- Argala
- Upapada
- Bhava Pada
- other structured rules

Do not create vague chapter-level records when individual rules can be extracted.

=====

PART 6 — NO HALLUCINATION

=====

NEVER invent astrological rules.

NEVER add information because it is commonly known elsewhere.

NEVER use another astrology website to fill gaps.

If a statement is not supported by the supplied PDFs:

DO NOT ADD IT AS A BPHS RULE.

If OCR is uncertain:

"extraction_status": "needs_review"

If a page is unreadable:

record the page number in a review report.

=====

PART 7 — SOURCE TEXT PRESERVATION

=====

Every extracted rule must preserve the relevant source passage.

Use:

source_text

Also preserve sufficient surrounding context when necessary:

context_text

Do not unnecessarily paraphrase source material.

If an extracted passage is uncertain, flag it rather than silently correcting it.

=====

PART 8 — RULE METADATA

=====

Each rule should use a structure similar to:

```
{  
  "rule_id": "BPHS_V1_CH14_P194_H1_SUN_001",  
  
  "source_id": "BPHS_VOL_1",  
  
  "book_title": "Brihat Parashara Hora Shastra",  
  
  "volume": "Volume I",  
  
  "translator": "Girish Chand Sharma",  
  
  "chapter": 14,  
  
  "chapter_title": "...",  
  
  "printed_page": 194,  
  
  "pdf_page": 195,  
  
  "house": 1,  
  
  "planet": "Sun",  
  
  "sign": null,  
  
  "nakshatra": null,  
  
  "rule_type": "planet_in_house",
```

```
"topic": "personality",

"source_text": "...",

"context_text": "...",

"priority": "high",

"extraction_status": "verified"
}
```

Use null when a field does not apply.

Do not invent metadata.

=====

PART 9 — CONTROLLED RULE TYPES

=====

Use categories such as:

planet_in_house
planet_in_sign
house_lord_in_house
planetary_aspect
planetary_relationship
exaltation
debilitation
planetary_strength
varga
yoga

raja_yoga
wealth_yoga
longevity
dasha
antardasha
pratyantardasha
ashtakavarga
avastha
karaka
argala
upapada
bhava_pada
transit
remedy
other

If a rule does not fit, use:

other

and preserve the source text.

=====

PART 10 — 12 HOUSE KNOWLEDGE BASE

=====

For the 12-house material, create:

data/bphs/houses/house_01.jsonl
data/bphs/houses/house_02.jsonl
data/bphs/houses/house_03.jsonl

data/bphs/houses/house_04.jsonl
data/bphs/houses/house_05.jsonl
data/bphs/houses/house_06.jsonl
data/bphs/houses/house_07.jsonl
data/bphs/houses/house_08.jsonl
data/bphs/houses/house_09.jsonl
data/bphs/houses/house_10.jsonl
data/bphs/houses/house_11.jsonl
data/bphs/houses/house_12.jsonl

Use the actual BPHS chapter structure to determine which material belongs to each house.

Do not assume chapter number equals house number.

For each house, extract individual relevant rules.

For example:

House 1:

- general first-house rules
- Sun in first
- Moon in first
- Mars in first
- etc.
- house-lord related rules
- applicable combinations

House 2:

- general second-house rules
- planetary placements
- relevant lord conditions

- relevant combinations

Continue for all 12 houses.

=====

PART 11 — OTHER KNOWLEDGE CATEGORIES

=====

Do not limit the knowledge base to the 12 houses.

Create:

data/bphs/planets/

data/bphs/signs/

data/bphs/vargas/

data/bphs/aspects/

data/bphs/strengths/

data/bphs/yogas/

data/bphs/karakas/

data/bphs/dashas/

data/bphs/ashtakavarga/

data/bphs/avasthas/

data/bphs/special_rules/

Extract relevant source material into these categories.

Do not unnecessarily duplicate rules.

Use metadata/tags when a rule belongs to multiple topics.

=====

PART 12 — VOLUME I PRIORITIES

=====

For Volume I, prioritize material concerning:

- planetary characteristics
- benefic/malefic nature
- planetary relationships
- signs
- Vargas
- divisional charts
- aspects
- house interpretation
- Houses 1–12
- house lords
- Rahu and Ketu
- planetary strengths
- Karakas
- Karakamsa
- Yoga Karakas
- Nabhasa Yogas
- other Yogas
- Raja Yogas
- wealth combinations
- Avasthas

Do not delete other chapters.

Classify:

"priority": "high"

"priority": "medium"

"priority": "low"

=====

PART 13 — VOLUME II PRIORITIES

=====

For Volume II, prioritize:

- Vimshottari Dasha
- other Dasha systems
- Mahadasha
- Antardasha
- Pratyantardasha
- relevant smaller Dasha levels
- Dasha results
- Ashtakavarga
- Trikona Shodhana
- Ekadhipatya Shodhana
- Pinda Shodhana
- Ashtakavarga results
- Samudaya Ashtakavarga
- Sudarshana Chakra
- Panchamahapurusha Yogas
- Gunas
- other structured astrological rules

Do not delete lower-priority material.

=====

PART 14 — JSONL

=====

Every JSONL file must contain ONE JSON object per line.

Example:

```
{"rule_id":"BPHS_V1_CH14_P194_H1_SUN_001","source_id":"BPHS_VOL_1","volume":"Volume I","chapter":14,"chapter_title":"...", "printed_page":194,"pdf_page":195,"house":1,"planet":"Sun","rule_type":"planet_in_house","topic":"personality","source_text":"...", "context_text":"...", "priority":"high","extraction_status":"verified"}
```

Do NOT wrap JSONL records inside an array.

=====

PART 15 — EMBEDDINGS

=====

After creating and validating the JSONL knowledge base, create an embedding pipeline.

Create:

`scripts/generate_embeddings.py`

Create a field:

`retrieval_text`

It should combine relevant structured information with source content.

For example:

"First House. Sun in First House. Personality. [source text]"

Do not embed only metadata.

Do not embed unrelated chapters together.

The embedding model must be configurable.

Create:

.env.example

Include:

```
EMBEDDING_PROVIDER=  
EMBEDDING_MODEL=  
SUPABASE_URL=  
SUPABASE_SERVICE_ROLE_KEY=
```

Never commit real API keys.

The vector dimension must automatically correspond to the selected embedding model.

Do NOT blindly use 1536.

```
=====
```

PART 16 — SUPABASE

```
=====
```

Use:

SUPABASE POSTGRESQL

+

PGVECTOR

Create:

supabase/migrations/001_create_bphs_rules.sql

Table:

bphs_rules

Recommended columns:

id

rule_id

source_id

book_title

volume

translator

chapter

chapter_title

printed_page

pdf_page

house

planet

sign

nakshatra

rule_type

topic

priority
source_text
context_text
retrieval_text
extraction_status
metadata
embedding

Use a vector dimension matching the selected embedding model.

=====

PART 17 — DATABASE INDEXES

=====

Create suitable indexes for:

- house
- planet
- chapter
- rule_type
- topic
- vector similarity

Use pgvector-compatible indexing.

=====

PART 18 — INGESTION PIPELINE

=====

Create:

scripts/

extract_bphs.py

validate_jsonl.py

generate_embeddings.py

upload_to_supabase.py

test_retrieval.py

Pipeline:

BPHS PDFs

↓

Text extraction

↓

Chapter detection

↓

Atomic rule extraction

↓

JSONL

↓

Validation

↓

Retrieval text

↓

Embeddings

↓

Supabase

↓

Vector retrieval

=====

PART 19 — VALIDATION

=====

Create:

scripts/validate_jsonl.py

Validate:

- JSON syntax
- required fields
- rule_id
- source_id
- chapter
- printed page
- PDF page
- source_text
- extraction_status
- valid house number
- duplicate rule IDs

Create:

reports/validation_report.json

Example:

```
{  
  "total_rules": 0,  
  "verified_rules": 0,  
  "needs_review": 0,  
  "duplicate_rules": 0,
```

```
"missing_source_text": 0
}
```

PART 20 — RAG RETRIEVAL

Create:

`src/rag/retriever.py`

The retrieval system must combine:

1. Structured metadata filtering
2. Vector similarity

Example query:

```
{
  "house": 10,
  "planet": "Mars",
  "topic": "career"
}
```

The system should first narrow the search using metadata when possible.

Then perform vector similarity.

Do NOT rely only on semantic similarity when chart facts are known.

PART 21 — CHART-AWARE RETRIEVAL

The future AstroSight chart engine may produce:

```
{
  "ascendant": "...",
  "houses": {
    "1": {
      "sign": "...",
      "planets": []
    },
    "10": {
      "sign": "...",
      "planets": ["Mars"]
    }
  }
}
```

The retrieval system should identify relevant conditions such as:

- Mars in 10th house
- 10th house general rules
- 10th lord
- relevant Mars aspects
- planetary dignity
- relevant Yogas
- relevant strength conditions

Retrieve only relevant source material.

Do not send the entire BPHS book to the LLM.

=====

PART 22 — CONTEXT BUILDER

=====

Create:

src/rag/context_builder.py

It should combine chart facts and retrieved BPHS rules.

Example:

CHART FACT:

Mars is placed in the 10th house.

RELEVANT BPHS RULE:

[retrieved source text]

SOURCE:

BPHS Volume I

Chapter X

Printed page Y

Rule ID: ...

Do this for all relevant retrieved rules.

=====

PART 23 — LLM INTERPRETATION

=====

Create:

prompts/astrology_interpretation.txt

The LLM receives:

1. Structured birth chart
2. Vedic features
3. Relevant BPHS rules
4. Source metadata

The LLM must NOT calculate astronomical positions.

The LLM must NOT invent BPHS rules.

The LLM must distinguish:

- A. Calculated chart facts
- B. Classical rule statements
- C. Synthesized interpretation

Instruction:

"Interpret the chart using the supplied structured chart data and retrieved source material. Do not introduce unsupported astrological rules."

=====

PART 24 — SOURCE TRACEABILITY

=====

Every interpretation derived from a BPHS rule must be traceable.

Preserve:

- source
- volume
- chapter
- chapter title
- printed page
- PDF page
- rule ID

Example:

```
{  
  "source": {  
    "book": "Brihat Parashara Hora Shastra",  
    "volume": "Volume I",  
    "chapter": 23,  
    "printed_page": 261,  
    "pdf_page": 262,  
    "rule_id": "BPHS_V1_CH23_P261_..."  
  }  
}
```

This is required for academic demonstration.

=====

PART 25 — TEST CASES

=====

Create:

tests/test_retrieval_cases.json

Include:

- 1. Sun in First House
- 2. Venus in Seventh House
- 3. Mars in Tenth House
- 4. Jupiter in Fifth House
- 5. Career-related query
- 6. Marriage-related query
- 7. Wealth-related query
- 8. Education-related query
- 9. Jupiter Mahadasha
- 10. Ashtakavarga query

For each test case record:

- query
- metadata filters
- retrieved rule IDs
- chapters
- pages

Create:

reports/knowledge_base_report.json

Include:

- total chapters
- total rules
- rules per chapter
- rules per house
- rules per planet
- rules per topic
- rules needing review
- pages with extraction problems
- duplicates
- missing metadata

Also create:

reports/knowledge_base_report.md

=====

PART 27 — PROJECT STRUCTURE

=====

Create:

astrosight/

└─ data/
| └─ source_inventory.json
| └─ chapter_map.json

```
| └─ bphs/
|   └─ houses/
|     └─ house_01.jsonl
|     └─ house_02.jsonl
|     └─ house_03.jsonl
|     └─ house_04.jsonl
|     └─ house_05.jsonl
|     └─ house_06.jsonl
|     └─ house_07.jsonl
|     └─ house_08.jsonl
|     └─ house_09.jsonl
|     └─ house_10.jsonl
|     └─ house_11.jsonl
|     └─ house_12.jsonl
|   |
|   └─ planets/
|   └─ signs/
|   └─ vargas/
|   └─ aspects/
|   └─ strengths/
|   └─ yogas/
|   └─ karakas/
|   └─ dashas/
|   └─ ashtakavarga/
|   └─ avasthas/
|   └─ special_rules/
|
| └─ src/
|   └─ astrology/
|     └─ ephemeris.py
```

```
| | └─ vedic_features.py
| | └─ chart.py
| |
| └─ rag/
|   └─ embeddings.py
|   └─ retriever.py
|   └─ context_builder.py
|
└─ scripts/
  └─ extract_bphs.py
  └─ validate_jsonl.py
  └─ generate_embeddings.py
  └─ upload_to_supabase.py
  └─ test_retrieval.py
  |
  └─ prompts/
    └─ astrology_interpretation.txt
    |
    └─ supabase/
      └─ migrations/
        └─ 001_create_bphs_rules.sql
        |
        └─ tests/
          └─ test_retrieval_cases.json
          |
          └─ reports/
            └─ validation_report.json
            └─ knowledge_base_report.json
            └─ knowledge_base_report.md
            |
```


└─ .env.example
└─ requirements.txt
└─ README.md

=====

PART 28 — REQUIREMENTS.TXT

=====

Include appropriate dependencies.

At minimum evaluate the need for:

pyswisseph
pydantic
python-dotenv
supabase
numpy
pandas

Add PDF extraction libraries only if actually required.

Do not add unnecessary packages.

=====

PART 29 — SWISS EPHEMERIS TEST

=====

Create:

tests/test_ephemeris.py

Test that:

1. A valid birth date/time can be converted to Julian Day.
2. Swiss Ephemeris returns planetary positions.
3. Sidereal mode is active.
4. Lahiri ayanamsha is configured.
5. Ascendant calculation returns a valid result.
6. Planetary longitudes are within valid ranges.
7. Retrograde information can be represented.
8. The output is deterministic for identical input.

Example expected structure:

```
{  
  "planet": "Sun",  
  "longitude": 123.456,  
  "sign": "...",  
  "degree": 3.456,  
  "retrograde": false  
}
```

Do not hard-code fake astronomical results.

Generate expected values using the actual Swiss Ephemeris calculation.

=====

PART 30 — CHART JSON

=====

Create a standard structured chart format.

Example:

```
{
  "birth_data": {
    "date": "...",
    "time": "...",
    "place": "...",
    "latitude": 0,
    "longitude": 0,
    "timezone": "...",
    "utc_datetime": "...",
    "julian_day": 0
  },

  "settings": {
    "zodiac": "sidereal",
    "ayanamsha": "Lahiri",
    "house_system": "..."
  },

  "ascendant": {
    "longitude": 0,
    "sign": "...",
    "degree": 0
  },

  "planets": {},

  "houses": {},

  "nakshatras": {},
```

```
"dashes": {},
```

```
"yogas": []
```

```
}
```

This JSON becomes the bridge between the astronomical engine,
Vedic feature engine, RAG system, and LLM.

```
=====
```

PART 31 — IMPORTANT SEPARATION

```
=====
```

Maintain strict separation:

SWISS EPHEMERIS

=

Astronomical calculation

VEDIC FEATURE ENGINE

=

Structured Vedic calculations

BPHS KNOWLEDGE BASE

=

Classical rule source

SUPABASE PGVECTOR

=

Knowledge storage and retrieval

RAG

=

Relevant knowledge retrieval

LLM

=

Natural-language interpretation

PALM ML/CV

=

Image-based palm analysis

Do not merge these responsibilities.

=====

PART 32 — DO NOT OVERENGINEER

=====

For the first working version, do NOT add:

- Kubernetes
- unnecessary microservices
- graph neural networks
- LLM fine-tuning
- unnecessary agents
- multiple vector databases
- unnecessary cloud services

Build the simplest reliable architecture first.

=====

PART 33 — EXTRACTION WORKFLOW

Do NOT process all PDF pages blindly on the first run.

Follow this order:

STEP 1:

Inspect Volume I and Volume II.

STEP 2:

Create `source_inventory.json`.

STEP 3:

Create `chapter_map.json`.

STEP 4:

Extract a small sample.

Use:

- one or two relevant chapters from Volume I
- one relevant Dasha section from Volume II

STEP 5:

Validate:

- chapter detection
- printed pages
- PDF pages
- source text

- rule splitting
- metadata
- JSONL validity

STEP 6:

If the sample is correct, process the remaining chapters.

STEP 7:

Generate complete JSONL knowledge base.

STEP 8:

Run validation.

STEP 9:

Generate embeddings.

STEP 10:

Create Supabase database migration.

STEP 11:

Upload records.

STEP 12:

Run retrieval tests.

STEP 13:

Run Swiss Ephemeris tests.

STEP 14:

Generate final reports.

=====

PART 34 — README

=====

Create a detailed README explaining:

- AstroSight architecture
- Swiss Ephemeris
- Vedic feature engine
- BPHS knowledge base
- RAG
- Supabase pgvector
- LLM layer
- project setup
- environment variables
- installation
- PDF extraction
- JSONL generation
- embedding generation
- Supabase setup
- upload process
- retrieval
- chart calculation
- testing
- known limitations
- manual review process

=====

PART 35 — COPYRIGHT

=====

The supplied BPHS English translation may be copyrighted.

Do not create functionality intended to publicly redistribute the complete translated book.

Preserve source provenance.

Use the source material only in accordance with the user's rights and applicable licensing.

Do not scrape external websites to replace the supplied PDFs.

=====

PART 36 — ACADEMIC FRAMING

=====

Do not claim that astrology is scientifically proven.

Describe AstroSight academically as:

"An AI-based computational Vedic astrology and interpretation system integrating astronomical computation, classical astrological rules, retrieval-augmented generation, and natural-language AI."

The system is an implementation of computational Vedic astrology and AI-assisted interpretation.

=====

FINAL OUTPUT REQUIRED

=====

At the end provide:

- A. Number of chapters identified
- B. Number of chapters processed

- C. Number of rules extracted
- D. Number of rules requiring review
- E. Number of rules per house
- F. Number of rules per planet
- G. Number of rules per major category
- H. Swiss Ephemeris version/package used
- I. Embedding model
- J. Embedding dimension
- K. Supabase table
- L. Retrieval strategy
- M. Test results
- N. Extraction problems
- O. Pages requiring manual verification
- P. Exact commands required to run the complete system

MOST IMPORTANT:

DO NOT HALLUCINATE SOURCE CONTENT.

DO NOT INVENT BPHS RULES.

DO NOT GUESS WHEN PDF EXTRACTION IS UNCERTAIN.

DO NOT REPLACE THE SUPPLIED BPHS EDITION WITH ANOTHER EDITION.

DO NOT USE THE LLM TO CALCULATE PLANETARY POSITIONS.

USE SWISS EPHEMERIS FOR THE ASTRONOMICAL CALCULATIONS.

USE THE BPHS PDFs FOR THE CLASSICAL ASTROLOGICAL KNOWLEDGE.

USE RAG TO RETRIEVE RELEVANT KNOWLEDGE.

USE THE LLM TO GENERATE THE FINAL NATURAL-LANGUAGE INTERPRETATION.

Start by inspecting the two supplied BPHS PDFs and creating the source inventory and chapter map.
Do not begin full-scale extraction until the sample extraction and validation structure are established.