

File Edit Selection View Go Debug Terminal Help

MYSJAN...

EXPLORER

- OPEN EDITORS
- TS login.component.ts Apr21-SET...
- FOODADDA_CLIENT
- Apr21-SET1-CS_Apr21-SET1-CS-Ja...
- e2e
- node_modules
- src
 - app
 - all-restaurants
 - home
 - login
 - # login.component.css
 - login.component.html
 - TS login.component.spec.ts
 - TS login.component.ts
 - models
 - nav
 - register
 - # register.component.css
 - register.component.html
 - TS register.component.spec.ts
 - TS register.component.ts
 - TS roleTypeEnum.ts
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css

OUTLINE

TS login.component.ts x

```
1 import { Component, OnInit } from '@angular/core';
2 import { FormBuilder, FormGroup, Validators } from '@angular/forms';
3 import { TransferdataService } from '../transferdata.service';
4 import { Router } from '@angular/router';
5 import { AuthService } from '../auth.service';
6
7 @Component({
8   selector: 'app-login',
9   templateUrl: './login.component.html',
10  styleUrls: ['./login.component.css']
11 })
12 export class LoginComponent implements OnInit {
13   contactNumber:number;
14   password:string;
15   loginForm: FormGroup;
16   successMessage: string;
17   errorMessage: string;
18
19   constructor(private formBuilder:FormBuilder, private service:TransferdataService,
20     private router: Router, public authenticationService: AuthService) { }
21
22   ngOnInit(): void {
23     this.loginForm=this.formBuilder.group({
24       contactNumber: ['',[Validators.required, Validators.pattern("[6-9][0-9]{9}")]],
25       password: ['',[Validators.required]]
26     })
27   }
28
29   login(){
30
31     this.successMessage = null;
```

Ln 11, Col 3 Spaces:2 UTF-8 CRLF TypeScript 3.4.3

27°C Haze ENG 14:53 24-08-2021

Type here to search

File Edit Selection View Go Debug Terminal Help

MYSJAN...

EXPLORER

- OPEN EDITORS
- TS login.component.ts Apr21-SET...
- FOODADDA_CLIENT
- Apr21-SET1-CS_Apr21-SET1-CS-Ja...
- e2e
- node_modules
- src
- app
- all-restaurants
- home
- login
- # login.component.css
- login.component.html
- TS login.component.spec.ts
- TS login.component.ts
- models
- nav
- register
- # register.component.css
- register.component.html
- TS register.component.spec.ts
- TS register.component.ts
- TS roleTypeEnum.ts
- trending-restaurants
- TS app-routing.module.ts
- # app.component.css

OUTLINE

ts login.component.ts x

```
17 errorMessage: string;
18
19 constructor(private formBuilder:FormBuilder, private service:TransferdataService,
20   private router: Router, public authenticationService: AuthService) { }
21
22 ngOnInit(): void {
23   this.loginForm=this.formBuilder.group({
24     contactNumber: ['',[Validators.required, Validators.pattern("[6-9][0-9]{9}")]],
25     password: ['',[Validators.required]]
26   })
27 }
28
29 login(){
30
31   this.successMessage = null;
32   this.errorMessage = null;
33   this.service.login(this.loginForm.value).subscribe(
34     response => {
35       this.successMessage = JSON.stringify(response);
36       this.authenticationService.authenticate();
37       this.authenticationService.setUser(response.userName);
38       this.router.navigate(['/home'])
39     },
40     error => this.errorMessage = error.error.errorMessage
41   )
42 }
43
44 }
45
46 }
```

Ln 11, Col 3 Spaces:2 UTF-8 CRLF TypeScript 3.4.3

27°C Haze ENG 14:54 24-08-2021

Type here to search

EXPLORER

OPEN EDITORS

- login.component.html Ap... M

FOODADDA_CLIENT

- Apr21-SET1-CS_Apr21-SET1... ●
- e2e
- node_modules
- src
 - app
 - all-restaurants
 - home
 - login
 - # login.component.css
 - login.component.html M
- TS login.component.spec.ts
- TS login.component.ts
- models
- nav
- register
- trending-restaurants
- TS app-routing.module.ts
- # app.component.css
- app.component.html
- TS app.component.spec.ts
- TS app.component.ts
- TS app.module.ts
- TS auth.service.ts

OUTLINE

login.component.html

```
1 <div class="row">
2   <div class="col-md-5 offset-md-4">
3     <div class="card">
4       <div class="card-header bg-primary text-center login-heading">LogIn</div>
5       <div class="card-body">
6         <div>
7           <form class="form" [FormGroup]="loginForm" (ngSubmit)="login()">
8             <div class="form-group">
9               <input type="text" id="contactNumber" class="form-control" formControlName="contactNumber" placeholder="Enter your contact number here">
10              <span class="text-danger" id="contactNumberError" *ngIf="loginForm.controls.contactNumber.invalid && loginForm.controls.contactNumber.dirty"> Please Enter Your Valid Contact Number</span>
11            </div>
12            <div class="form">
13              <input type="password" id="password" class="form-control" formControlName="password" placeholder="Enter Your Password Here">
14              <span class="text-danger" id="passwordError" *ngIf="loginForm.controls.password.invalid && loginForm.controls.password.dirty"> Please Enter your Password</span>
15            </div>
16            <button type="submit" class="btn btn-primary" [disabled]="loginForm.pristine || loginForm.invalid"> Login</button>
17            <a mat-button class="rah" routerLink="/register">New User Register</a>
18          </form>
19          <div *ngIf="errorMessage!=null">
20            <span> {{ errorMessage }} </span>
21          </div>
22        </div>
23      </div>
24    </div>
25  </div>
26</div>
```



EXPLORER

- OPEN EDITORS
 - login.component.html Ap... M
- FOODADDA_CLIENT
 - Apr21-SET1-CS_Apr21-SET1... ●
 - e2e
 - node_modules
 - src
 - app
 - all-restaurants
 - home
 - login
 - # login.component.css
 - login.component.html M
 - TS login.component.spec.ts
 - TS login.component.ts
 - models
 - nav
 - register
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css
 - app.component.html
 - TS app.component.spec.ts
 - TS app.component.ts
 - TS app.module.ts
 - TS auth.service.ts

OUTLINE

```
14          && loginForm.controls.contactNumber.dirty">
15          Please Enter Your Valid Contact Number</span>
16      
```

```
17      </div>
18      <div class="form">
19          <input type="password" id="password" class="form-control"
20          formControlName="password" placeholder="Enter Your Password Here">
21          <span class="text-danger" id="passwordError"
22          *ngIf="loginForm.controls.password.invalid
23          && loginForm.controls.password.dirty">
24          Please Enter your Password</span>
25      
```

```
26      <button type="submit" class="btn btn-primary"
27          [disabled]="loginForm.pristine || loginForm.invalid">
28          Login</button>
29      <a mat-button class="rah" routerLink="/register">New User Register</a>
30      
```

```
31      </form>
32      <div *ngIf="errorMessage!=null">
33          <span class="text-danger">{{errorMessage}}</span>
34      
```

```
35      <div *ngIf="successMessage!=null">
36          <span class="text-success">{{successMessage}}</span>
37      
```

```
38      </div>
39      </div>
40      </div>
41      </div>
42  
```

File Edit Selection View Go Debug Terminal Help na MYSJAN... - X

EXPLORER

OPEN EDITORS

nav.component.html Apr21-SE...

FOODADDA_CLIENT

- Apr21-SET1-CS_Apr21-SET1-CS-Ja...
- e2e
- node_modules
- src
 - app
 - all-restaurants
 - home
 - login
 - models
 - nav
 - # nav.component.css
 - nav.component.html
 - register
 - trending-restaurants
- TS app-routing.module.ts
- # app.component.css
- nav.component.spec.ts
- nav.component.ts
- TS app.component.html
- TS app.component.spec.ts
- TS app.component.ts
- TS app.module.ts
- TS auth.service.ts

OUTLINE

nav.component.html x

```
1 <!-- Navbar -->
2 <mat-toolbar class="navbar">
3   <a mat-button class="rah1" routerLink="home">FOOD ADDA</a>
4   <label class="ml-auto mt-2 rah">{{authenticationService.userName$ | async}}</label>
5   <a mat-button *ngIf="(authenticationService.authenticated$ | async) === false"
6     class="rah" routerLink="login">Login</a>
7   <a mat-button *ngIf="(authenticationService.authenticated$ | async) === true"
8     | class="rah" (click)="logout()">Logout</a>
9 </mat-toolbar>
```

Ln 8, Col 5 Spaces: 4 UTF-8 CRLF HTML 😊 🔔

master 0 0 ▲ 0

Type here to search

27°C Haze ⚡ ENG 15:01 24-08-2021


EXPLORER

- OPEN EDITORS
- nav.component.ts Apr21-SET1...
- FOODADDA_CLIENT
 - Apr21-SET1-CS_Apr21-SET1-CS-Ja...
 - e2e
 - node_modules
 - src
 - app
 - all-restaurants
 - home
 - login
 - models
 - nav
 - # nav.component.css
 - nav.component.html
 - TS nav.component.spec.ts
 - TS nav.component.ts
 - register
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css
 - app.component.html
 - TS app.component.spec.ts
 - TS app.component.ts
 - TS app.module.ts
 - TS auth.service.ts

OUTLINE

```
TS nav.component.ts x
1 import { Component, OnInit } from '@angular/core';
2 import { AuthService } from '../auth.service';
3 import { Router } from '@angular/router';
4
5 @Component({
6   selector: 'app-nav',
7   templateUrl: './nav.component.html',
8   styleUrls: ['./nav.component.css']
9 })
10 export class NavComponent implements OnInit {
11
12   title = 'FoodAddaApplication';
13
14   constructor(public authenticationService: AuthService, private router: Router) { }
15   ngOnInit() {
16
17   }
18
19   logout() {
20     this.authenticationService.deauthenticate();
21     this.authenticationService.setUser("");
22     this.router.navigate(['/home'])
23   }
24
25 }
```





EXPLORER

- OPEN EDITORS
- register.component.html M
- FOODADDA_CLIENT
- Apr21-SET1-CS_Apr21-SET1... ●
- e2e
- node_modules
- src
- app
- all-restaurants
- home
- login
- models
- nav
- register
- # register.component.css
- register.component.html M
- register.component.spec.ts
- register.component.ts
- roleTypeEnum.ts
- trending-restaurants
- app-routing.module.ts
- # app.component.css
- app.component.html
- app.component.spec.ts
- app.component.ts
- app.module.ts


OUTLINE

```
<div class="row m-5">
  <div class="col-md-5 offset-md-4">
    <div class="card">
      <div class="card-header text-center register-heading abc">Register</div>
      <div class="card-body">
        <div>
          <form class="form" [formGroup]="registrationForm" (ngSubmit)="register()">
            <div class="form-group">
              <label for="name">Name</label>
              <input type="text" formControlName="name" class="form-control" placeholder="Enter your name">
              <span id="nameError" class="text-danger" *ngIf="!registrationForm.controls.name.valid && registrationForm.controls.name.dirty">
                Sorry, The entered name is of invalid pattern!
              </span>
            </div>

            <div class="form-group">
              <label for="emailId">Email Id</label>
              <input type="email" formControlName="emailId" class="form-control" placeholder="Enter your email id">
              <span id="emailIdError" class="text-danger" *ngIf="!registrationForm.controls.emailId.valid && registrationForm.controls.emailId.dirty">
                Please enter a valid email address.
              </span>
            </div>

            <div class="form-group">
              <label for="contactNumber">Contact Number</label>
```





EXPLORER


- OPEN EDITORS
- register.component.html M
- FOODADDA_CLIENT
- Apr21-SET1-CS_Apr21-SET1... ●
- e2e
- node_modules
- src
- app
- all-restaurants
- home
- login
- nav
- register
- # register.component.css
- register.component.html M
- register.component.spec.ts
- register.component.ts
- roleTypeEnum.ts
- trending-restaurants
- app-routing.module.ts
- # app.component.css
- app.component.html
- app.component.spec.ts
- app.component.ts
- app.module.ts

register.component.html

```
30 <div class="form-group">
31   <label for="contactNumber">Contact Number</label>
32   <input type="number" formControlName="contactNumber" class="form-control"
33     placeholder="Enter your contact number">
34   <span id="contactNumberError" class="text-danger"
35     *ngIf="!registrationForm.controls.contactNumber.valid
36     && registrationForm.controls.contactNumber.dirty">
37     Please enter a 10 digit contact number,
38     should contain only digits and should start with 6,7,8 or 9!
39   </span>
40 </div>

42 <div class="form-group">
43   <label for="password">Password</label>
44   <input type="password" formControlName="password" class="form-control"
45     placeholder="Enter password">
46   <span id="passwordError" class="text-danger"
47     *ngIf="!registrationForm.controls.password.valid
48     && registrationForm.controls.password.dirty">
49     It should contain at least one uppercase, one lowercase,
50     one digit and one special
51     character (amongst - ! @, #, $, %, ^, &, *)>
52   </span>
53 </div>

55 <div class="">
56   <label>User Role</label> <br>
57   <div class="form-group form-inline center-block">
58     <div *ngFor="let role of userRoleList">
59       <label for="{{role | lowercase}}" class="radio-inline mr-2">
60         <input type="radio" id="{{role | lowercase}}" class="mr-1" value={{role | lowercase}}>
```



EXPLORER

- OPEN EDITORS
- register.component.html ... M
- FOODADDA_CLIENT
- Apr21-SET1-CS_Apr21-SET1... ●
- e2e
- node_modules
- src
- app
- all-restaurants
- home
- login
- models
- nav
- register
- # register.component.css
- register.component.html M
- register.component.spec.ts
- register.component.ts
- roleTypeEnum.ts
- trending-restaurants
- app-routing.module.ts
- # app.component.css
- app.component.html
- app.component.spec.ts
- app.component.ts
- app.module.ts

OUTLINE

< register.component.html x

```
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
```

```
<div class="">
    <label>User Role</label> <br>
    <div class="form-group form-inline center-block">
        <div *ngFor="let role of userRoleList">
            <label for="{{role | lowercase}}" class="radio-inline mr-2">
                <input type="radio" id="{{role | lowercase}}"
                    class="mr-1" value='{{role}}'
                    (change)="onRoleChange($event)" formControlName="userRole">
                {{role}}</label>
        </div>
    </div>
</div>

<div *ngIf="addressSection">
    <div class="row">
        <div class="col">
            <div class="form-group">
                <label for="addressOne">Address Name</label> <br>
                <select class="form-control" formControlName="address"
                    id="address">
                    <option value="">Select Name</option>
                    <option *ngFor="let type of addressName"
                        value="{{type}}">{{type}}</option>
                </select>
                <span id="passwordError" class="text-danger">
                    *ngIf="!registrationForm.controls.address.valid
                    && registrationForm.controls.address.dirty">
                    Select address name.
                </span>
            </div>
        </div>
    </div>
</div>
```




EXPLORER


register-component.html

master* 5 x 0 ▲ 0

 Type here to search



Ln 138, Col 33 Spaces: 4 UTF-8 CRLF HTML 😊 🔔
📅 27°C Haze ⏵ ✖️ ⚡ ENG 15:05
24-08-2021 🗣




EXPLORER

OPEN EDITORS
register.component.html M
FOODADDA_CLIENT
Apr21-SET1-CS_Apr21-SET1-... ●
e2e
node_modules
src
app
all-restaurants
home
login
models
nav
register
register.component.css
register.component.html M
register.component.spec.ts
register.component.ts
roleTypeEnum.ts
trending-restaurants
app-routing.module.ts
app.component.css
app.component.html
app.component.spec.ts
app.component.ts
app.module.ts
OUTLINE

< register.component.html x

```
136          <span id="passwordError" class="text-danger"  
137          *ngIf="!registrationForm.controls.city.valid  
138          && registrationForm.controls.city.dirty">  
139          City should contain only alphabets.  
140      </span>  
141      </div>  
142  </div>  
143  
144<div class="row">  
145     <div class="col">  
146         <div class="form-group">  
147             <label for="state">State</label>  
148             <select class="form-control" formControlName="state" id="state">  
149                 <option value="">Select state</option>  
150                 <option *ngFor="let type of statelist" value="{{type}}>{{type}}</option>  
151             </select>  
152             <span id="stateTypeError" class="text-danger"  
153             *ngIf="registrationForm.controls.state.dirty  
154             && registrationForm.controls.state.invalid">  
155             Choose atleast one state!  
156         </span>  
157     </div>  
158  </div>  
159<div class="col">  
160     <div class="form-group">  
161         <label for="pincode">Pincode</label> <br>  
162         <input type="number" formControlName="pincode" class="form-control" placeholder="Enter Your Pincode">  
163     </div>  
164  </div>  
165 166
```





EXPLORER


- OPEN EDITORS
- register.component.html M
- FOODADDA_CLIENT
- Apr21-SET1-CS_Apr21-SET1...
- e2e
- node_modules
- src
- app
- all-restaurants
- home
- login
- models
- nav
- register
- # register.component.css
- register.component.html M
- register.component.spec.ts
- register.component.ts
- roleTypeEnum.ts
- trending-restaurants
- app-routing.module.ts
- # app.component.css
- app.component.html
- app.component.spec.ts
- app.component.ts
- app.module.ts

OUTLINE

< register.component.html >

```
162<div class="col">
163    <div class="form-group">
164        <label for="pincode">Pincode</label> <br>
165        <input type="number" formControlName="pincode"
166            class="form-control"
167            placeholder="Enter Your Pincode">
168        <span id="passwordError" class="text-danger"
169            *ngIf="!registrationForm.controls.pincode.valid
170            && registrationForm.controls.pincode.dirty">
171            Pin code should be of 6-digit.
172        </span>
173    </div>
174</div>
175<button class="btn abc" type="submit" [disabled]="registrationForm.invalid">
176    Register</button>
177</form>
178</div>
179<div *ngIf="errorMessage!=null">
180    <span class="text-danger">{{errorMessage}}</span>
181</div>
182<div *ngIf="successMessage!=null">
183    <span class="text-success">{{successMessage}}</span>
184</div>
185</div>
186</div>
187</div>
188</div>
189</div>
190</div>
191</div>
192</div>
```






EXPLORER

- OPEN EDITORS
- TS register.component.ts Ap... M
- FOODADDA_CLIENT
 - Apr21-SET1-CS_Apr21-SET1... ●
 - e2e
 - node_modules
 - src
 - app
 - all-restaurants
 - home
 - login
 - nav
 - register
 - # register.component.css
 - register.component.html
 - TS register.component.spec.ts
 - TS register.component.ts M
 - roleTypeEnum.ts
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css
 - app.component.html
 - TS app.component.spec.ts
 - TS app.component.ts
 - TS app.module.ts
- OUTLINE

TS register.component.ts x

```
28 | constructor(private formBuilder: FormBuilder, private service: TransferdataService,
29 |   private router: Router) { }
30 |
31 | ngOnInit(): void {
32 |   this.registrationForm = this.formBuilder.group({
33 |     name: ['', [Validators.required, Validators.pattern("([A-Za-z]+)( [A-Za-z]+)*")]],
34 |     emailId: ['', [Validators.required, Validators.pattern("[A-Za-z0-9]+@[ ][A-Za-z]+[.](com|in)")]],
35 |     contactNumber: ['', [Validators.required, Validators.pattern("[6-9]\\d{9}")]],
36 |     userRole: ['', [Validators.required]],
37 |     password: ['', [Validators.required, Validators.minLength(7), Validators.maxLength(20),
38 |       Validators.pattern("^(?=.*[a-z])(?=.*[A-Z])(?=.*\\d)(?=.*[$!%*&#amp;^])[A-Za-z\\d$!%*&#amp;^]{7,20}")]],
39 |     address: ['', [Validators.required]],
40 |     addressOne: ['', [Validators.required]],
41 |     addressTwo: ['', [Validators.required]],
42 |     area: ['', [Validators.required, Validators.pattern("[A-Za-z]+")]],
43 |     city: ['', [Validators.required, Validators.pattern("[A-Za-z]+")]],
44 |     state: ['', [Validators.required]],
45 |     pincode: ['', [Validators.required, Validators.pattern("\\d{6}")]],
46 |   });
47 |
48 |
49 | onRoleChange(event) {
50 |   var target = event.target.id;
51 |   if (target == "customer") {
52 |     this.addressSection = true;
53 |     this.registrationForm.get("address").setValidators([Validators.required]);
54 |     this.registrationForm.get("addressOne").setValidators([Validators.required]);
55 |     this.registrationForm.get("addressTwo").setValidators([Validators.required]);
56 |     this.registrationForm.get("area").setValidators([Validators.required,
57 |       Validators.pattern("[A-Za-z]+")]);
58 |     this.registrationForm.get("city").setValidators([Validators.required,</pre></div><div data-bbox="678 912 997 941" data-label="Page-Footer">Ln 59, Col 9 Spaces:2 UTF-8 CRLF TypeScript 3.4.3 15:08</div><div data-bbox="678 946 997 990" data-label="Page-Footer">27°C Haze ENG 15:08 24-08-2021</div><div data-bbox="0 946 23 987" data-label="Image"><img alt="Windows taskbar icon."/></div><div data-bbox="39 955 174 986" data-label="Page-Footer">Type here to search</div><div data-bbox="311 946 591 990" data-label="Page-Footer"><img alt="Taskbar icons for various applications like File Explorer, Task View, Task Manager, and others."/></div><div data-bbox="711 946 997 990" data-label="Page-Footer">27°C Haze ENG 15:08 24-08-2021</div>
```



EXPLORER

- OPEN EDITORS
- TS register.component.ts Ap... M
- FOODADDA_CLIENT
 - Apr21-SET1-CS_Apr21-SET1... ●
 - e2e
 - node_modules
 - src
 - app
 - all-restaurants
 - home
 - login
 - models
 - nav
 - register
 - # register.component.css
 - register.component.html
 - TS register.component.spec.ts
 - TS register.component.ts M
 - roleTypeEnum.ts
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css
 - app.component.html
 - TS app.component.spec.ts
 - TS app.component.ts
 - TS app.module.ts
- OUTLINE

TS register.component.ts x

```
52      this.addressSection = true;
53      this.registrationForm.get("address").setValidators([Validators.required]);
54      this.registrationForm.get("addressOne").setValidators([Validators.required]);
55      this.registrationForm.get("addressTwo").setValidators([Validators.required]);
56      this.registrationForm.get("area").setValidators([Validators.required,
57          | Validators.pattern("[A-Za-z]+")]);
58      this.registrationForm.get("city").setValidators([Validators.required,
59          | Validators.pattern("[A-Za-z]+")]);
60      this.registrationForm.get("state").setValidators([Validators.required]);
61      this.registrationForm.get("pincode").setValidators([Validators.required, Validators.pattern("\\d{6}"),
62 } else {
63     this.addressSection = false;
64     this.registrationForm.get("address").clearValidators();
65     this.registrationForm.get("addressOne").clearValidators();
66     this.registrationForm.get("addressTwo").clearValidators();
67     this.registrationForm.get("area").clearValidators();
68     this.registrationForm.get("city").clearValidators();
69     this.registrationForm.get("state").clearValidators();
70     this.registrationForm.get("pincode").clearValidators();
71 }
72
73
74     this.registrationForm.get('address').updateValueAndValidity();
75     this.registrationForm.get('addressOne').updateValueAndValidity();
76     this.registrationForm.get('addressTwo').updateValueAndValidity();
77     this.registrationForm.get('area').updateValueAndValidity();
78     this.registrationForm.get('city').updateValueAndValidity();
79     this.registrationForm.get('state').updateValueAndValidity();
80     this.registrationForm.get('pincode').updateValueAndValidity();
81 }
```





EXPLORER


- OPEN EDITORS
- TS register.component.ts Ap... M
- FOODADDA_CLIENT
- Apr21-SET1-CS_Apr21-SET1-...
- e2e
- node_modules
- src
- app
- all-restaurants
- home
- login
- models
- nav
- register
- # register.component.css
- register.component.html
- TS register.component.spec.ts
- TS register.component.ts M
- TS roleTypeEnum.ts
- trending-restaurants
- TS app-routing.module.ts
- # app.component.css
- app.component.html
- TS app.component.spec.ts
- TS app.component.ts
- TS app.module.ts

OUTLINE

TS register.component.ts x

```
81 }
82 }
83 }
84 register() {
85
86     this.userDetails = new Users();
87     this.userDetails.userName = this.registrationForm.value.name;
88
89     this.userDetails.emailId = this.registrationForm.value.emailId;
90     this.userDetails.contactNumber = this.registrationForm.value.contactNumber;
91     this.userDetails.password = this.registrationForm.value.password;
92
93     this.roles = new Roles();
94     this.roles.roleType = this.registrationForm.value.userRole.toUpperCase();
95     this.userDetails.roles.push(this.roles);
96
97     this.addressData = new UserAddress();
98
99     this.addressData.userAddressName = this.registrationForm.value.address;
100    this.addressData.addressLine1 = this.registrationForm.value.addressOne;
101    this.addressData.addressLine2 = this.registrationForm.value.addressTwo;
102    this.addressData.area = this.registrationForm.value.area;
103    this.addressData.city = this.registrationForm.value.city;
104    this.addressData.userState = this.registrationForm.value.state;
105    this.addressData.pincode = this.registrationForm.value.pincode;
106    this.userDetails.addressList.push(this.addressData);
107    this.errorMessage = null;
108    this.successMessage = null;
109    this.service.register(this.userDetails).subscribe(
110      (response) => {
111        this.registrationForm.reset();
```





EXPLORER

- OPEN EDITORS
- TS register.component.ts Ap... M
- FOODADDA_CLIENT
- Apr21-SET1-CS_Apr21-SET1... ●
 - e2e
 - node_modules
 - src
 - app
 - all-restaurants
 - home
 - login
 - models
 - nav
 - register
 - # register.component.css
 - register.component.html
 - TS register.component.spec.ts
 - TS register.component.ts M
 - roleTypeEnum.ts
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css
 - app.component.html
 - TS app.component.spec.ts
 - TS app.component.ts
 - TS app.module.ts

OUTLINE

TS register.component.ts x

```
92      this.roles = new Roles();
93      this.roles.roleType = this.registrationForm.value.userRole.toUpperCase();
94      this.userDetails.roles.push(this.roles);
95
96
97      this.addressData = new UserAddress();
98
99      this.addressData.userAddressName = this.registrationForm.value.address;
100     this.addressData.addressLine1 = this.registrationForm.value.addressOne;
101     this.addressData.addressLine2 = this.registrationForm.value.addressTwo;
102     this.addressData.area = this.registrationForm.value.area;
103     this.addressData.city = this.registrationForm.value.city;
104     this.addressData.userState = this.registrationForm.value.state;
105     this.addressData.pincode = this.registrationForm.value.pincode;
106     this.userDetails.addressList.push(this.addressData);
107     this.errorMessage = null;
108     this.successMessage = null;
109     this.service.register(this.userDetails).subscribe(
110       (response) => {
111         this.registrationForm.reset();
112         this.successMessage = response.successMessage;
113       },
114       (error) => {
115         this.errorMessage = error.error.errorMessage
116       }
117     )
118   }
119 }
```



File Edit Selection View Go Debug Terminal Help app MYSJAN...

EXPLORER

OPEN EDITORS

TS app-routing.module.ts Apr21...

FOODADDA_CLIENT

- src
 - app
 - all-restaurants
 - home
 - login
 - models
 - nav
 - register
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css
 - app.component.html
 - TS app.component.spec.ts
 - TS app.component.ts
 - TS app.module.ts
 - TS auth.service.ts
 - TS transferdata.service.spec.ts
 - TS transferdata.service.ts
 - TS user-role.pipe.spec.ts
 - TS user-role.pipe.ts
 - assets
 - environments
 - materials
- OUTLINE

TS app-routing.module.ts

```
1 import { NgModule } from '@angular/core';
2 import { Routes, RouterModule } from '@angular/router';
3 import { HomeComponent } from './home/home.component';
4 import { TrendingRestaurantsComponent } from './trending-restaurants/trending-restaurants.component';
5 import { AllRestaurantsComponent } from './all-restaurants/all-restaurants.component';
6
7
8 import { LoginComponent } from './login/login.component';
9 import { RegisterComponent } from './register/register.component';
10
11
12 const routes: Routes = [
13   { path: "", component: HomeComponent },
14   { path: "home", component: HomeComponent },
15   { path: "home/trends", component: TrendingRestaurantsComponent },
16   { path: 'home/allRestaurants', component: AllRestaurantsComponent },
17   { path: 'register', component: RegisterComponent},
18   { path: 'login', component: LoginComponent}
19 ];
20
21 @NgModule({
22   imports: [RouterModule.forRoot(routes)],
23   exports: [RouterModule]
24 })
25 export class AppRoutingModule { }
```

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF TypeScript 3.4.3

27°C Haze ENG 15:12 24-08-2021

Type here to search

File Edit Selection View Go Debug Terminal Help MYSJAN...

EXPLORER

OPEN EDITORS

TS app.module.ts Apr21-SET1-CS_A...

FOODADDA_CLIENT

- src
 - app
 - all-restaurants
 - home
 - login
 - models
 - nav
 - register
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css
 - app.component.html
 - TS app.component.spec.ts
 - TS app.component.ts
 - TS app.module.ts
 - TS auth.service.ts
 - TS transferdata.service.spec.ts
 - TS transferdata.service.ts
 - TS user-role.pipe.spec.ts
 - TS user-role.pipe.ts
 - assets
 - environments
 - materials
- OUTLINE

TS app.module.ts

```
1 import { BrowserModule } from '@angular/platform-browser';
2 import { NgModule } from '@angular/core';
3
4 import { AppRoutingModule } from './app-routing.module';
5 import { AppComponent } from './app.component';
6 import { NoopAnimationsModule } from '@angular/platform-browser/animations';
7 import { NavComponent } from './nav/nav.component';
8 import { HomeComponent } from './home/home.component';
9 import { AllRestaurantsComponent } from './all-restaurants/all-restaurants.component';
10 import { TrendingRestaurantsComponent } from './trending-restaurants/trending-restaurants.component';
11 import { MaterialModule } from 'src/materials/material.module';
12 import { TransferdataService } from './transferdata.service';
13 import { HttpClientModule } from '@angular/common/http';
14 import { RegisterComponent } from './register/register.component';
15 import { LoginComponent } from './login/login.component';
16 import { FormsModule, ReactiveFormsModule } from '@angular/forms';
17 import { UserRolePipe } from './user-role.pipe';
18 import { AuthService } from './auth.service';
19
20 @NgModule({
21   declarations: [
22     AppComponent,
23     NavComponent,
24     HomeComponent,
25     AllRestaurantsComponent,
26     TrendingRestaurantsComponent,
27     RegisterComponent,
28     LoginComponent,
29     UserRolePipe
30   ],
31   imports: [
```

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF TypeScript 3.4.3

27°C Haze ENG 15:12 24-08-2021

Type here to search



EXPLORER

- OPEN EDITORS
- TS app.module.ts Apr21-SET1-CS_A...
- FOODADDA_CLIENT
- src
 - app
 - all-restaurants
 - home
 - login
 - models
 - nav
 - register
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css
 - ▷ app.component.html
 - TS app.component.spec.ts
 - TS app.component.ts
 - TS app.module.ts
 - TS auth.service.ts
 - TS transferdata.service.spec.ts
 - TS transferdata.service.ts
 - TS user-role.pipe.spec.ts
 - TS user-role.pipe.ts
 - ▷ assets
 - ▷ environments
 - ▷ materials
- OUTLINE

TS app.module.ts

```
16 import { FormsModule, ReactiveFormsModule } from '@angular/forms';
17 import { UserRolePipe } from './user-role.pipe';
18 import { AuthService } from './auth.service';
19
20 @NgModule({
21   declarations: [
22     AppComponent,
23     NavComponent,
24     HomeComponent,
25     AllRestaurantsComponent,
26     TrendingRestaurantsComponent,
27     RegisterComponent,
28     LoginComponent,
29     UserRolePipe
30   ],
31   imports: [
32     BrowserModule,
33     AppRoutingModule,
34     NoopAnimationsModule,
35     MaterialModule,
36     ReactiveFormsModule,
37     FormsModule,
38     HttpClientModule
39   ],
40   providers: [TransferDataService, AuthService],
41   bootstrap: [AppComponent]
42 })
43 export class AppModule { }
```


master 0 0 0 0 0 0

Type here to search

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF TypeScript 3.4.3

15:12
24-08-2021

27°C Haze ENG



EXPLORER

- OPEN EDITORS
 - TS auth.service.ts Apr21-SET1-CS...
 - TS transferdata.service.ts Apr21-SE...
- FOODADDA_CLIENT
 - src
 - app
 - all-restaurants
 - home
 - login
 - models
 - nav
 - register
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css
 - app.component.html
 - TS app.component.spec.ts
 - TS app.component.ts
 - TS app.module.ts
 - TS auth.service.ts
 - TS transferdata.service.spec.ts
 - TS transferdata.service.ts
 - TS user-role.pipe.spec.ts
 - TS user-role.pipe.ts
 - assets
 - environments
 - OUTLINE

TS auth.service.ts TS transferdata.service.ts

```
1 import { Injectable } from '@angular/core';
2 import { Restaurant } from './models/Restaurant';
3 import { HttpClient } from '@angular/common/http';
4 import { Observable } from 'rxjs';
5 import { environment } from 'src/environments/environment';
6 import { Users } from './models/Users';

7
8 @Injectable({
9   providedIn: 'root'
10 })
11 export class TransferDataService {
12   sharedData:Restaurant[] = [];
13
14   constructor(private http:HttpClient) { }

15
16   getAllRestaurants():Observable<Restaurant[]>{
17     return this.http.get<Restaurant[]>(environment.getRestaurants);
18   }
19
20   register(data:any):Observable<any>{
21     return this.http.post<any>(environment.register, data)
22   }
23
24   login(data:any):Observable<Users>{
25     return this.http.post<Users>(environment.login, data);
26   }
27
28 }
```



EXPLORER

- OPEN EDITORS
- TS environment.ts Apr21-SET1-CS...
- FOODADDA_CLIENT
 - login
 - models
 - nav
 - register
 - trending-restaurants
 - TS app-routing.module.ts
 - # app.component.css
 - ↳ app.component.html
 - TS app.component.spec.ts
 - TS app.component.ts
 - TS app.module.ts
 - TS auth.service.ts
 - TS transferdata.service.spec.ts
 - TS transferdata.service.ts
 - TS user-role.pipe.spec.ts
 - TS user-role.pipe.ts
 - ↳ assets
 - environments
 - TS environment.prod.ts
 - TS environment.ts
 - materials
 - ★ favicon.ico
 - ↳ index.html
- OUTLINE

TS environments.ts x

```
1 // This file can be replaced during build by using the `fileReplacements` array.
2 // `ng build --prod` replaces `environment.ts` with `environment.prod.ts`.
3 // The list of file replacements can be found in `angular.json`.
4
5 export const environment = {
6   getRestaurants : "http://localhost:4000/cibo/searchAPI/viewAllRestaurants",
7   production: false,
8   register : "http://localhost:4000/cibo/userAPI/register",
9   login : "http://localhost:4000/cibo/userAPI/login"
10 };
11
12 /*
13 * For easier debugging in development mode, you can import the following file
14 * to ignore zone related error stack frames such as `zone.run`, `zoneDelegate.invokeTask`.
15 *
16 * This import should be commented out in production mode because it will have a negative impact
17 * on performance if an error is thrown.
18 */
19 // import 'zone.js/dist/zone-error'; // Included with Angular CLI.
20
```

