

1: Install Angular CLI

```
npm install -g @angular/cli
```

2: Create Project

```
ng new user-auth-app  
cd user-auth-app  
ng serve
```

Generate Components & Service

```
ng g c components/register  
ng g c components/login  
ng g c components/profile  
ng g s services/auth
```

3: AUTH SERVICE

 `src/app/services/auth.ts`

```
import { Injectable } from '@angular/core';  
  
@Injectable({  
  providedIn: 'root'  
})  
export class AuthService {  
  
  register(user: any) {  
    localStorage.setItem('user', JSON.stringify(user));  
  }  
  
  login(email: string, password: string): boolean {  
    const user = JSON.parse(localStorage.getItem('user') || '{}');  
  
    if (user.email === email && user.password === password) {  
      localStorage.setItem('loggedIn', 'true');  
      return true;  
    }  
    return false;  
  }  
  
  getUser() {  
    return JSON.parse(localStorage.getItem('user') || '{}');  
  }  
}
```

```

isLoggedIn() {
  return localStorage.getItem('loggedIn') === 'true';
}

logout() {
  localStorage.removeItem('loggedIn');
}
}

```

4: ROUTES SETUP

 `app.routes.ts`

```

import { Routes } from '@angular/router';
import { Login } from '../components/login/login';
import { Register } from '../components/register/register';
import { Profile } from '../components/profile/profile';

export const routes: Routes = [
  { path: '', component: Login },
  { path: 'login', component: Login },
  { path: 'register', component: Register },
  { path: 'profile', component: Profile }
];

```

5:REGISTER COMPONENT

 `register.ts`

```

import { Component } from '@angular/core';
import { FormsModule } from '@angular/forms';
import { RouterModule } from '@angular/router';
import { AuthService } from '../../services/auth';
import { Router } from '@angular/router';

@Component({
  selector: 'app-register',
  standalone: true,
  imports: [FormsModule, RouterModule],
  templateUrl: './register.html',
  styleUrls: ['./register.css']
})
export class Register {

  user = {
    name: '',
    email: '',

```

```

    password: "
  };

  constructor(private auth: AuthService, private router: Router) {}

  registerUser() {
    this.auth.register(this.user);
    alert('Registered Successfully');
    this.router.navigate(['/login']);
  }
}

```

`register.html`

```

<h2>Register</h2>

<form (ngSubmit)="registerUser()">
  <input type="text" [(ngModel)]="user.name" name="name" placeholder="Name"
  required><br>
  <input type="email" [(ngModel)]="user.email" name="email" placeholder="Email"
  required><br>
  <input type="password" [(ngModel)]="user.password" name="password"
  placeholder="Password" required><br>

  <button type="submit">Register</button>
</form>

<a routerLink="/login">Go to Login</a>

```

6: LOGIN COMPONENT

 `login.ts`

```

import { Component } from '@angular/core';
import { FormsModule } from '@angular/forms';
import { AuthService } from '../services/auth';
import { RouterModule } from '@angular/router';
import { Router } from '@angular/router';

@Component({
  selector: 'app-login',
  standalone: true,
  imports: [FormsModule, RouterModule],
  templateUrl: './login.html',
  styleUrls: ['./login.css']
})
export class Login {

```

```

email = "";
password = "";

constructor(private auth: AuthService, private router: Router) {}

loginUser() {
  const success = this.auth.login(this.email, this.password);

  if (success) {
    alert('Login Successful');
    this.router.navigate(['/profile']);
  } else {
    alert('Invalid Credentials');
  }
}
}

```

login.html

```

<h2>Login</h2>

<form (ngSubmit)="loginUser()">
  <input type="email" [(ngModel)]="email" name="email" placeholder="Email" required><br>
  <input type="password" [(ngModel)]="password" name="password"
placeholder="Password" required><br>

  <button type="submit">Login</button>
</form>

<a routerLink="/register">Go to Register</a>

```

7: PROFILE COMPONENT

profile.ts

```

import { Component, OnInit } from '@angular/core';
import { AuthService } from '../services/auth';
import { Router } from '@angular/router';

@Component({
  selector: 'app-profile',
  standalone: true,
  templateUrl: './profile.html',
  styleUrls: ['./profile.css']
})
export class Profile implements OnInit {

```

```

user: any = {};

constructor(private auth: AuthService, private router: Router) {}

ngOnInit() {
  if (!this.auth.isLoggedIn()) {
    this.router.navigate(['/login']);
  }
  this.user = this.auth.getUser();
}

logout() {
  this.auth.logout();
  this.router.navigate(['/login']);
}
}

```

profile.html

```

<h2>Profile</h2>

<p><b>Name:</b> {{ user.name }}</p>
<p><b>Email:</b> {{ user.email }}</p>

<button (click)="logout()">Logout</button>

```

app.ts

```

import { Component } from '@angular/core';
import { RouterOutlet } from '@angular/router';

@Component({
  selector: 'app-root',
  standalone: true,
  imports: [RouterOutlet],
  templateUrl: './app.html',
  styleUrls: ['./app.css']
})
export class App {
}

```

app.html

```

<router-outlet></router-outlet>

```

