The rest of the workspace. One clear system.

Everyday operations, detailed forms and recovery states — ready for the next implementation pass.

213 additional screen states

174 audited workflow requirements

03 effective viewport sizes



A complete directory + 213 screen states. Numbering continues from Phase 1: 73–286.

Purchasing · Documents · GST · Stock · Customers · Marketing
Setup · Printing · Recovery · Staff · Services · Food · QR · Checkout

Use after the current Phase 1 build is accepted. Reuse its shell and components, then bind these views to the existing Windows contracts.

BUILD HANDOFF

Continue the product. Preserve its behavior.

The design defines visual hierarchy. The existing Windows application remains the authority for business rules and data.

01 / Reconcile the current build

Read the Gemini prompt and current application source. Preserve local work. Finish and verify Phase 1 before beginning Phase 2. Compare the live source to inspected commit 7932bbbedabdd0cef4295919a91674f35fa815cf.

02 / Reuse the component system

Use the same orange, slate, white, Inter and Plus Jakarta Sans system. Match page, drawer, dialog, form, table and status treatments. Copy visual intent into the existing TypeScript DOM/Electron renderer.

03 / Work through the coverage ledger

Every numbered design has an editable screen body, PNG and source seam. The 174 requirement rows include fields, actions and finite admission outcomes. Shared scanner and updater requirements map to a single implementation, not duplicate modules.

04 / Bind real states and recovery

Main-process totals, permissions, revisions, document identity, stock, tax and named IPC contracts remain authoritative. Unknown outcomes stay unknown until reconciled. A queued receipt is not proof of paper output.

05 / Verify before declaring completion

Use screenshots at 1920×1080, 1366×768 and 1280×720 effective pixels; exercise loading, empty, denied, stale, conflict, unknown and success states. Run repository-required full checks. Mark unavailable native/hardware tests NOT_MEASURED.

Reference only · synthetic records · no production actions

This book and demo do not implement the Windows app, contact customers, authenticate accounts, process payments or operate devices. The original tablet PDF and Phase 1 remain in the parent reference folder. Visual and source coverage are documented separately from native qualification.

EXPLORE

Screen directory

Select a row to jump to a full-screen design. IDs match the demo, screenshots and implementation ledger.

73	More ways to run your business	9
74	Supplier directory & account	11
75	Add supplier	13
76	Record supplier payment	14
77	Purchase register	15
78	Create purchase	16
79	Received stock row	18
80	Correct purchase	19
81	Expense history & correction	20
82	Cash in / cash out	22
83	Financial overview	23
84	Sales, quotations & challans	24
85	Invoice INV-2026-1042	25
86	Document evidence needs review	26
87	Reprint queue	27
88	Detailed A4 invoice	28
89	Build sales return	29
90	Confirm sales return	30
91	Void sale preview	31
92	Create quotation	32
93	Quotation QUO-2026-028	33
94	Existing Billing draft	34
95	Create delivery challan	35
96	Select challans for invoice	36
97	Complete GST credit note	37
98	Credit-note correction history	39
99	Report catalogue	40
100	Building Sales summary	41
101	Sales summary report	42
102	Save report privately	43
103	Report unavailable	44
104	Operational overview	45
105	Build GST filing pack	46
106	GST filing identity review	47
107	GST filing pack summary	48
108	GST relief blockers	49

EXPLORE

Screen directory / continued

Select a row to jump to a full-screen design. IDs match the demo, screenshots and implementation ledger.

109	Day-close cash count	50
110	Day-close history	51
111	Inventory catalogue	52
112	Inventory search states	53
113	Create product	54
114	Edit product	56
115	Categories, variants & modifiers	57
116	Record stock movement	58
117	Stock movement history	59
118	Inventory review queue	60
119	Preview catalogue import	61
120	Apply or recover import	63
121	Reverse applied import pages	64
122	Import result states	65
123	Build product catalogue	67
124	Catalogue ready	68
125	Customer credit ageing	69
126	Customer profile & khata	70
127	Prepare khata statement	72
128	Receive khata payment	74
129	Marketing workspace	75
130	Coupon details	76
131	Loyalty programme	77
132	Message consent	78
133	Manual customer message	80
134	Receipt promotion preview	82
135	Checkout record recovery	83
136	Messages & receipt promotions	84
137	Sign in to Biteaze	85
138	Create a business account	86
139	Reset your password	87
140	Continue with Google	88
141	End User Licence Agreement	89
142	Biteaze could not open	90
143	Account deletion in progress	91
144	Add this PC	92

EXPLORE

Screen directory / continued

Select a row to jump to a full-screen design. IDs match the demo, screenshots and implementation ledger.

145	Import products	93
146	Review product import	95
147	Import customer balances	96
148	Restore business data	97
149	Billing readiness	98
150	Setup guide · business and account	99
151	Setup guide · hardware	100
152	Setup guide · business settings	101
153	Setup guide · final review	102
154	Discover receipt printers	103
155	Edit printer and routes	104
156	Printers and device tests	105
157	Physical printer qualification	106
158	Receipt output and reprint	107
159	Print job history	108
160	Confirm the last print outcome	109
161	Barcode label batch	110
162	Exact label preview	112
163	Label batch needs correction	113
164	Operator settings	114
165	Windows device settings	115
166	Exit Biteaze?	116
167	Backup and recovery	117
168	Replace this PC’s billing data?	118
169	Profile and account security	119
170	Permanently delete this account?	120
171	Verify staff management	121
172	Staff access and PINs	122
173	Finish staff PIN setup	123
174	Preview a voice-typed command	124
175	Confirm voice action	125
176	Review sync conflict	126
177	Sync quarantine	127
178	Support health	128
179	Diagnostics preview	130
180	Legal operations readiness	131

EXPLORE

Screen directory / continued

Select a row to jump to a full-screen design. IDs match the demo, screenshots and implementation ledger.

181	Category dashboard	132
182	Category setup and reports	133
183	Appointment schedule	134
184	Appointment details	135
185	New service or repair job	136
186	Job lifecycle	137
187	Job quotation and Billing review	138
188	Repair-ready message	139
189	Food-service workspace	140
190	Compose food order	141
191	Choose item options	143
192	Running order · T04	145
193	Held food order · #FS-1041	146
194	Transfer table	147
195	Merge running orders	148
196	Split order line	149
197	Routed kitchen tickets	150
198	Food output settings	151
199	Food-service data needs refresh	153
200	QR ordering readiness	154
201	Publish QR menu	155
202	QR menu is live	156
203	Menu saved · customer site pending	157
204	Menu saved · customer site retrying	158
205	Create table QR	159
206	Table 12 QR ready	160
207	Incoming QR orders	161
208	Review accepted QR order	162
209	QR intake unavailable	163
210	Sale attribution	164
211	Quotation review in Billing	165
212	Challan review in Billing	167
213	Source document needs attention	169
214	Discard outcome unknown	170
215	Checkout restored	171
216	Saved and held orders	172

EXPLORE

Screen directory / continued

Select a row to jump to a full-screen design. IDs match the demo, screenshots and implementation ledger.

217	Held-order limit reached	173
218	Saved order changed	174
219	Configure retail line	175
220	Retail line needs correction	177
221	Promotions and order note	178
222	Review policy-gated TCS	179
223	Saved checkout locked	180
224	Checkout save outcome unknown	181
225	Checkout could not be saved	182
226	Checkout discard unresolved	183
227	Review payment	184
228	Payment review unavailable	185
229	Credit warning	186
230	Reserve credit authority	187
231	Manager credit override	188
232	Sale outcome unknown	189
233	Sale completion blocked	190
234	Checkout totals changed	191
235	Sale saved without print	192
236	Sale saved · receipt queued	193
237	Command palette	194
238	Barcode scanner setup	195
239	Test one barcode scan	196
240	Scanner status in the shell	197
241	PLU / shortcode result	198
242	Biteaze update available	199
243	Update waiting for a safe point	200
244	Update ready to restart	201
245	Update service needs attention	203
246	Add this PC	204
247	Finish device handover	205
248	Restore required	206
249	Verify the counter	207
250	Set up a printer	208
251	Account ready	209
252	You are offline	210

EXPLORE

Screen directory / continued

Select a row to jump to a full-screen design. IDs match the demo, screenshots and implementation ledger.

253	Account check unavailable	211
254	Account check cancelled	212
255	Account check unavailable	213
256	This PC was added	214
257	Device handover required	215
258	No device seat available	216
259	You are offline	217
260	Could not add this PC	218
261	Device claim cancelled	219
262	Could not add this PC	220
263	Handover check complete	221
264	Handover check pending	222
265	Check unavailable	223
266	Check cancelled	224
267	Check unavailable	225
268	Invoice counter already checked	226
269	Restore required	227
270	Counter check needs a connection	228
271	Counter check unavailable	229
272	Counter check cancelled	230
273	Counter check unavailable	231
274	Invoice counter verified	232
275	Invoice counter changed	233
276	Local restore check complete	234
277	Account transition required	235
278	Restore required	236
279	Restore requires a connection	237
280	Local data needs recovery	238
281	Could not check local entry	239
282	Local entry check cancelled	240
283	Could not check local entry	241
284	Invoice counter check required	242
285	Use a later invoice number	243
286	Counter outcome cannot be confirmed	244

1920 × 1080

More ways to run your business



Everything around the counter, with the same clear workspace.

Application seam: src/shared/nav-model.ts · source-backed

1920 × 1080

More ways to run your business · continued



Scrolled content. Everything around the counter, with the same clear workspace.

Application seam: src/shared/nav-model.ts · source-backed

1920 × 1080

Supplier directory & account



Search suppliers, inspect payables and open purchases or payments.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Supplier directory & account · continued



Scrolled content. Search suppliers, inspect payables and open purchases or payments.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Add supplier



Create a supplier with the minimum legal and contact details.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Record supplier payment



Apply a payment to the selected supplier account.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Purchase register



Review supplier purchases for a bounded accounting period.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Create purchase



Record a supplier bill and the stock actually received.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Create purchase · continued



Scrolled content. Record a supplier bill and the stock actually received.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Received stock row



Add one existing inventory product to a purchase receipt.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Correct purchase



Append a linked correction while preserving the issued purchase.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Expense history & correction



Review expenses by occurrence date and append a correction or deletion.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Expense history & correction · continued



Scrolled content. Review expenses by occurrence date and append a correction or deletion.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Cash in / cash out



Record a drawer movement and optionally link a cash-out expense.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Financial overview



One period view of purchases, expenses, drawer movements and supplier payable.

Application seam: src/renderer/features/financial/financial-route.ts · source-backed

1920 × 1080

Sales, quotations & challans



Search issued documents without loading an unbounded ledger.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Invoice INV-2026-1042



Inspect issued lines, payment and document completeness.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Document evidence needs review



Keep the issued document visible when source evidence is incomplete or conflicts.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Reprint queue



Review receipt jobs separately from the committed sale.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Detailed A4 invoice



Read-only issued invoice view with explicit print and reprint entry points.

Application seam: src/renderer/features/documents/a4-invoice-view.ts · source-backed

1920 × 1080

Build sales return



Select original quantities and choose the correction document kind.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Confirm sales return



Review an immutable correction preview before committing it.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Void sale preview



Enter a reason, preview the correction and confirm against the issued sale.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Create quotation



Prepare a quotation with up to 200 product or custom lines.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Quotation QUO-2026-028



Review validity and hand the current quotation to Billing.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Existing Billing draft



Resolve a cart conflict before opening a quotation review.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Create delivery challan



Prepare a delivery document with logistics and line details.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Select challans for invoice



Choose open challans with their current identities before Billing review.

Application seam: src/renderer/features/documents/documents-route.ts · source-backed

1920 × 1080

Complete GST credit note



Supply required legal identity and line classifications while money stays frozen.

Application seam: src/renderer/features/documents/document-legal-form.ts · source-backed

1920 × 1080

Complete GST credit note · continued



Scrolled content. Supply required legal identity and line classifications while money stays frozen.

Application seam: src/renderer/features/documents/document-legal-form.ts · source-backed

1920 × 1080

Credit-note correction history



Trace every correction and its verification code without choosing one automatically.

Application seam: src/renderer/features/documents/document-legal-form.ts · source-backed

1920 × 1080

Report catalogue



Choose one of the 23 source-backed reports and a bounded date-time range.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

Building Sales summary



Track a queued or running report with bounded progress and cancellation.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

Sales summary report



Review identity, totals and a dynamically aligned paged result.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

Save report privately



Export a ready report to a local private file.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

Report unavailable



Recover a report error or a released-catalog mismatch without showing stale output.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

Operational overview



See revenue, tenders, expenses and inventory exceptions in one read-only view.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

Build GST filing pack



Select an exclusive period before compiling filing evidence.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

GST filing identity review



Resolve incomplete business and document identity before using the pack.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

GST filing pack summary



Review outward supply, return and credit-note metrics with explicit evidence counts.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

GST relief blockers



Inspect credit-note blocker codes and reasons without hiding affected value.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

Day-close cash count



Count notes and coins, preview reconciliation and save the current close.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

Day-close history



Review variance trends and explicitly re-close a selected historical business date.

Application seam: src/renderer/features/reporting/reporting-route.ts · source-backed

1920 × 1080

Inventory catalogue



Search, filter and page a bounded product window.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Inventory search states



Keep loading, empty and unavailable states visually and semantically distinct.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Create product



Set category, codes, units, prices, tax and stock behavior.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Create product · continued



Scrolled content. Set category, codes, units, prices, tax and stock behavior.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Edit product



Update or delete the loaded product against the latest saved version.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Categories, variants & modifiers



Create or revise catalogue entities with their parent and price or stock effect.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Record stock movement



Move stock in, out, to waste or back as a return.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Stock movement history



Review paged movements and append a compensating undo when authorised.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Inventory review queue



Separate current entities, movements, conflicts and quarantined evidence.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Preview catalogue import



Check every CSV row before applying the import.

Application seam: src/renderer/features/inventory/bulk-import-panel.ts · source-backed

1920 × 1080

Preview catalogue import · continued



Scrolled content. Check every CSV row before applying the import.

Application seam: src/renderer/features/inventory/bulk-import-panel.ts · source-backed

1920 × 1080

Apply or recover import



Continue the same saved import when the last page result is unknown.

Application seam: src/renderer/features/inventory/bulk-import-panel.ts · source-backed

1920 × 1080

Reverse applied import pages



Append source-linked corrections until every applied page is reversed.

Application seam: src/renderer/features/inventory/bulk-import-panel.ts · source-backed

1920 × 1080

Import result states



Keep complete, partial, corrected and failed outcomes visibly distinct.

Application seam: src/renderer/features/inventory/bulk-import-panel.ts · source-backed

1920 × 1080

Import result states · continued



Scrolled content. Keep complete, partial, corrected and failed outcomes visibly distinct.

Application seam: src/renderer/features/inventory/bulk-import-panel.ts · source-backed

1920 × 1080

Build product catalogue



Choose pricing, labels, ordering link and QR caption for a private PDF.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Catalogue ready



Download the private PDF, inspect its order QR and prepare share text.

Application seam: src/renderer/features/inventory/inventory-route.ts · source-backed

1920 × 1080

Customer credit ageing



Find customer balances by name, phone and ageing bucket.

Application seam: src/renderer/features/customers/customer-khata-route.ts · source-backed

1920 × 1080

Customer profile & khata



Edit customer fields independently and inspect a self-consistent running statement.

Application seam: src/renderer/features/customers/customer-khata-route.ts · source-backed

1920 × 1080

Customer profile & khata · continued



Scrolled content. Edit customer fields independently and inspect a self-consistent running statement.

Application seam: src/renderer/features/customers/customer-khata-route.ts · source-backed

1920 × 1080

Prepare khata statement



Open a manual WhatsApp composer while reporting only the outcome the app knows.

Application seam: src/renderer/features/customers/customer-khata-route.ts · source-backed

1920 × 1080

Prepare khata statement · continued



Scrolled content. Open a manual WhatsApp composer while reporting only the outcome the app knows.

Application seam: src/renderer/features/customers/customer-khata-route.ts · source-backed

1920 × 1080

Receive khata payment



Settle against the expected balance and produce a local receipt identity.

Application seam: src/renderer/features/customers/customer-khata-route.ts · source-backed

1920 × 1080

Marketing workspace



Manage coupons, loyalty, customer consent and manual messages.

Application seam: src/renderer/features/marketing/marketing-route.ts · source-backed

1920 × 1080

Coupon details



Edit coupon eligibility and check it for an optional customer.

Application seam: src/renderer/features/marketing/marketing-route.ts · source-backed

1920 × 1080

Loyalty programme



Configure earning and redemption and inspect one customer ledger.

Application seam: src/renderer/features/marketing/marketing-route.ts · source-backed

1920 × 1080

Message consent



Record whether a customer allows messages and keep the change in the audit history.

Application seam: src/renderer/features/marketing/marketing-route.ts · source-backed

1920 × 1080

Message consent · continued



Scrolled content. Record whether a customer allows messages and keep the change in the audit history.

Application seam: src/renderer/features/marketing/marketing-route.ts · source-backed

1920 × 1080

Manual customer message



Preview released template text before opening a manual composer.

Application seam: src/renderer/features/marketing/marketing-route.ts · source-backed

1920 × 1080

Manual customer message · continued



Scrolled content. Preview released template text before opening a manual composer.

Application seam: src/renderer/features/marketing/marketing-route.ts · source-backed

1920 × 1080

Receipt promotion preview



Preview customer-facing coupon and ordering content for the receipt.

Application seam: src/renderer/features/marketing/marketing-route.ts · source-backed

1920 × 1080

Checkout record recovery



Owner-only tools for correcting coupon and loyalty records after a confirmed sale change.

Application seam: src/renderer/features/marketing/marketing-route.ts · source-backed

1920 × 1080

Messages & receipt promotions



Choose the customer-facing content you want to prepare.

Application seam: src/renderer/features/marketing/marketing-route.ts · source-backed

1920 × 1080

Sign in to Biteaze



Open the workspace assigned to this counter.

Application seam: src/renderer/auth-view.ts · source-backed

1920 × 1080

Create a business account



Set up the owner identity and initial business category.

Application seam: src/renderer/auth-view.ts · source-backed

1920 × 1080

Reset your password



Request a secure reset link for the owner account.

Application seam: src/renderer/auth-view.ts · source-backed

1920 × 1080

Continue with Google



Finish authorization in the secure browser window.

Application seam: src/renderer/auth-view.ts · source-backed

1920 × 1080

End User Licence Agreement



Illustrative layout only: production must load the approved, versioned agreement supplied with the installed build.

Application seam: src/renderer/eula-acceptance.ts · source-backed

1920 × 1080

Biteaze could not open



Recover from a renderer, identity, or workspace contract problem.

Application seam: src/renderer/main.ts · source-backed

1920 × 1080

Account deletion in progress



Track an accepted deletion request before sign-in.

Application seam: src/renderer/account-deletion-progress.ts · source-backed

1920 × 1080

Add this PC



Claim this counter only after account readiness requires it.

Application seam: src/renderer/features/onboarding/onboarding-route.ts · source-backed

1920 × 1080

Import products



Preview a mapped product file before any catalog changes.

Application seam: src/renderer/features/onboarding/onboarding-route.ts · source-backed

1920 × 1080

Import products · continued



Scrolled content. Preview a mapped product file before any catalog changes.

Application seam: src/renderer/features/onboarding/onboarding-route.ts · source-backed

1920 × 1080

Review product import



Confirm planned catalog changes and resolve mapping issues.

Application seam: src/renderer/features/onboarding/onboarding-route.ts · source-backed

1920 × 1080

Import customer balances



Preview customer credit balances separately from product data.

Application seam: src/renderer/features/onboarding/onboarding-route.ts · source-backed

1920 × 1080

Restore business data



Resume a bounded restore and show trust separately from progress.

Application seam: src/renderer/features/onboarding/onboarding-route.ts · source-backed

1920 × 1080

Billing readiness



Resolve required setup checks before opening Billing.

Application seam: src/renderer/features/onboarding/onboarding-route.ts · source-backed

1920 × 1080

Setup guide · business and account



Configure the category and account foundation.

Application seam: src/renderer/features/onboarding-wizard/onboarding-wizard-route.ts · source-backed

1920 × 1080

Setup guide · hardware



Record what is configured, simulated, or physically verified.

Application seam: src/renderer/features/onboarding-wizard/onboarding-wizard-route.ts · source-backed

1920 × 1080

Setup guide · business settings



Preview tax, payment, language, and support settings before saving.

Application seam: src/renderer/features/onboarding-wizard/onboarding-wizard-route.ts · source-backed

1920 × 1080

Setup guide · final review



Finish only when every required readiness result is current.

Application seam: src/renderer/features/onboarding-wizard/onboarding-wizard-route.ts · source-backed

1920 × 1080

Discover receipt printers



Choose, confirm, and save a primary receipt printer.

Application seam: src/renderer/features/print-center/print-center-route.ts · source-backed

1920 × 1080

Edit printer and routes



Configure transport, roles, paper, and supported hardware.

Application seam: src/renderer/features/print-center/print-center-route.ts · source-backed

1920 × 1080

Printers and device tests



Inspect configured routes and run capability-aware tests.

Application seam: src/renderer/features/print-center/print-center-route.ts · source-backed

1920 × 1080

Physical printer qualification



Import signed evidence recorded on the actual Windows counter.

Application seam: src/renderer/features/print-center/print-center-route.ts · source-backed

1920 × 1080

Receipt output and reprint



Bind receipt content to a route and committed invoice.

Application seam: src/renderer/features/print-center/print-center-route.ts · source-backed

1920 × 1080

Print job history



Track attempts without confusing transport status with paper output.

Application seam: src/renderer/features/print-center/print-center-route.ts · source-backed

1920 × 1080

Confirm the last print outcome



Resolve an ambiguous attempt before any retry.

Application seam: src/renderer/features/print-center/print-center-route.ts · source-backed

1920 × 1080

Barcode label batch



Select exact products, layout, route, and copy counts.

Application seam: src/renderer/features/barcode-labels/barcode-label-route.ts · source-backed

1920 × 1080

Barcode label batch · continued



Scrolled content. Select exact products, layout, route, and copy counts.

Application seam: src/renderer/features/barcode-labels/barcode-label-route.ts · source-backed

1920 × 1080

Exact label preview



Review the generated layouts before one immutable submission.

Application seam: src/renderer/features/barcode-labels/barcode-label-route.ts · source-backed

1920 × 1080

Label batch needs correction



Preserve the preview while explaining why submission stopped.

Application seam: src/renderer/features/barcode-labels/barcode-label-route.ts · source-backed

1920 × 1080

Operator settings



Control language and business-issued desktop preferences.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Windows device settings



Configure startup, kiosk preference, and safe app exit.

Application seam: src/renderer/features/operator-experience/windows-operations-surface.ts · source-backed

1920 × 1080

Exit Biteaze?



Protect active counter work before closing the app.

Application seam: src/renderer/features/operator-experience/windows-operations-surface.ts · source-backed

1920 × 1080

Backup and recovery



Create, rehearse, and restore encrypted local recovery material.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Replace this PC’s billing data?



Require an explicit destructive restore confirmation.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Profile and account security



Update credentials or end the current authenticated session.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Permanently delete this account?



Confirm owner credentials and the exact deletion phrase.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Verify staff management



Open a bounded management session before changing staff.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Staff access and PINs



Update a verified staff roster with conflict-safe controls.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Finish staff PIN setup



Resume an incomplete create or reset operation.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Preview a voice-typed command



Use Windows voice typing while Biteaze receives text only.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Confirm voice action



Review every proposed mutation before applying it.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Review sync conflict



Resolve only conflicts explicitly marked resolvable.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Sync quarantine



Investigate records that cannot be safely auto-resolved.

Application seam: src/renderer/features/operator-experience/operator-experience-route.ts · source-backed

1920 × 1080

Support health



Give owners bounded diagnostics without customer or staff identities.

Application seam: src/renderer/features/support/support-route.ts · source-backed

1920 × 1080

Support health · continued



Scrolled content. Give owners bounded diagnostics without customer or staff identities.

Application seam: src/renderer/features/support/support-route.ts · source-backed

1920 × 1080

Diagnostics preview



Inspect bounded technical evidence before a private local save.

Application seam: src/renderer/features/support/support-route.ts · source-backed

1920 × 1080

Legal operations readiness



Read internal operating rules and evidence boundaries.

Application seam: src/renderer/features/legal-ops/legal-ops-route.ts · source-backed

1920 × 1080

Category dashboard



Show metrics issued for the selected business category.

Application seam: src/renderer/features/vertical/vertical-route.ts · conditional

1920 × 1080

Category setup and reports



Use category-issued starter counts, catalog labels, and report identifiers.

Application seam: src/renderer/features/vertical/vertical-route.ts · conditional

1920 × 1080

Appointment schedule



Book and filter appointments for an entitled service business.

Application seam: src/renderer/features/vertical/vertical-route.ts · conditional

1920 × 1080

Appointment details



Reschedule or cancel against the latest appointment version.

Application seam: src/renderer/features/vertical/vertical-route.ts · conditional

1920 × 1080

New service or repair job



Capture customer, work, device, money, and promise details.

Application seam: src/renderer/features/vertical/vertical-route.ts · conditional

1920 × 1080

Job lifecycle



Move a selected job through the exact supported status path.

Application seam: src/renderer/features/vertical/vertical-route.ts · conditional

1920 × 1080

Job quotation and Billing review



Link a revision-bound quotation and hand it to Billing for review.

Application seam: src/renderer/features/vertical/vertical-route.ts · conditional

1920 × 1080

Repair-ready message



Prepare a customer message and open a manual composer.

Application seam: src/renderer/features/vertical/vertical-route.ts · conditional

1920 × 1080

Food-service workspace



Open new service orders and continue running tables from one operational view.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Compose food order



Build a dine-in or takeaway order with route-aware modifiers and packaging.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Compose food order · continued



Scrolled content. Build a dine-in or takeaway order with route-aware modifiers and packaging.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Choose item options



Complete every required modifier group before adding this line.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Choose item options · continued



Scrolled content. Complete every required modifier group before adding this line.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Running order · T04



Operate an open order with explicit hold, commit and routed-KOT actions.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Held food order · #FS-1041



A held order stays intact until an operator explicitly resumes it.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Transfer table



Move the whole running order to an available table after a current-state check.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Merge running orders



Combine one running order into another without losing either source identity.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Split order line



Move a bounded quantity into a new order while preserving what remains.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Routed kitchen tickets



Review route-specific output; KOT tickets deliberately omit item prices.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Food output settings



Configure kitchen ticket content separately from receipt price visibility.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Food output settings · continued



Scrolled content. Configure kitchen ticket content separately from receipt price visibility.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Food-service data needs refresh



The last known workspace is retained while current records are restored.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

QR ordering readiness



Check public-menu and intake availability before publishing or receiving orders.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Publish QR menu



Review the exact menu snapshot before publishing a new customer version.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

QR menu is live



The saved menu version is confirmed visible on the customer site.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Menu saved · customer site pending



The new menu version is saved, but customer visibility is not confirmed yet.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Menu saved · customer site retrying



The saved menu is safe while the customer site retries its update.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Create table QR



Generate a table-bound customer link only while QR ordering is live.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Table 12 QR ready



Copy or print the exact table-bound link from a non-payable reference preview.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Incoming QR orders



Receive and accept customer orders without hiding truncation, recovery, or correction markers.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Review accepted QR order



Expose dropped and repriced items before continuing with the resulting running order.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

QR intake unavailable



Keep the last successful queue visible while a new intake attempt is unresolved.

Application seam: src/renderer/features/food-service/food-service-route.ts · source-backed

1920 × 1080

Sale attribution



Keep customer, serving staff and signed-in operator as separate identities.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Quotation review in Billing



Complete a source-bound quotation only after current catalog and customer checks.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Quotation review in Billing · continued



Scrolled content. Complete a source-bound quotation only after current catalog and customer checks.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Challan review in Billing



Invoice selected challans without treating them as a delivery service order.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Challan review in Billing · continued



Scrolled content. Invoice selected challans without treating them as a delivery service order.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Source document needs attention



Resolve changed, unavailable, or ambiguous source items before checkout.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Discard outcome unknown



Preserve the document review until the same discard operation is confirmed.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Checkout restored



Continue a saved checkout after restart with a fresh payment review.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Saved and held orders



Resume or cancel only when the active cart and saved-checkout guards allow it.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Held-order limit reached



Keep the current cart intact and free a slot deliberately before holding it.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Saved order changed



Retain the selected order and cancellation reason while its latest state is refreshed.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Configure retail line



Choose pricing, units, variation, add-ons, quantity, and packaging for a catalog line.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Configure retail line · continued



Scrolled content. Choose pricing, units, variation, add-ons, quantity, and packaging for a catalog line.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Retail line needs correction



Keep every editable choice visible when catalog availability or numeric validation changes.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Promotions and order note



Apply customer-dependent coupon and loyalty against verified totals.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Review policy-gated TCS



Apply TCS only when the current checkout policy explicitly enables it.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Saved checkout locked



Product and promotion edits pause while a saved checkout awaits completion or discard.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Checkout save outcome unknown



Check the same save request without creating a duplicate checkout.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Checkout could not be saved



Separate conflict, permission denial, and business refusal while preserving the cart.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Checkout discard unresolved



Keep checkout locked until the existing discard request has a known result.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Review payment



Confirm the verified payable and attribution before committing a sale.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Payment review unavailable



Retain the saved draft and tender while the latest payment check is restored.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Credit warning



A warning requires explicit acknowledgement; it is not an allowed result.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Reserve credit authority



Reserve current customer credit and bind that reservation to this sale.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Manager credit override



Record an owner or manager override when the current credit limit blocks completion.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Sale outcome unknown



Check the same completion request and prevent an accidental second sale.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Sale completion blocked



Resolve a permission or state conflict without starting a second sale.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Checkout totals changed



Return to a fresh payment review when totals, policy, or cart data changed.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Sale saved without print



A committed sale can complete without implying a receipt job exists.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Sale saved · receipt queued



Keep sale commitment and print-queue status as two separate truths.

Application seam: src/renderer/features/billing/billing-cart-route.ts · source-backed

1920 × 1080

Command palette



Search application commands and expose the selected command’s availability reason.

Application seam: src/renderer/features/keyboard/command-palette.ts · source-backed

1920 × 1080

Barcode scanner setup



Prefer prefix detection; timing-only mode can consume ordinary fast typing.

Application seam: src/renderer/features/scanner/scanner-setup-surface.ts · source-backed

1920 × 1080

Test one barcode scan



Arm one bounded test and show catalog lookup separately from hardware proof.

Application seam: src/renderer/features/scanner/scanner-setup-surface.ts · source-backed

1920 × 1080

Scanner status in the shell



Keep scanner readiness visible without blocking normal keyboard input.

Application seam: src/renderer/features/scanner/scanner-setup-surface.ts · source-backed

PLU / shortcode result



Resolve the confirmed *code + Enter billing shortcut and return focus to Billing.

Application seam: src/renderer/features/keyboard/command-palette.ts · source-backed

1920 × 1080

Biteaze update available



Download a flexible update now or defer it while preserving current work.

Application seam: src/renderer/windows-update-controller.ts · source-backed

1920 × 1080

Update waiting for a safe point



Wait until billing and printing are quiet before applying the downloaded update.

Application seam: src/renderer/windows-update-controller.ts · source-backed

1920 × 1080

Update ready to restart



Restart only after the verified update is ready and active work is safe.

Application seam: src/renderer/windows-update-controller.ts · source-backed

1920 × 1080

Update ready to restart · continued



Scrolled content. Restart only after the verified update is ready and active work is safe.

Application seam: src/renderer/windows-update-controller.ts · source-backed

1920 × 1080

Update service needs attention



Keep the current app open and offer a bounded retry after update failure.

Application seam: src/renderer/windows-update-controller.ts · source-backed

1920 × 1080

Add this PC



This PC must be added to the account before billing can open.

Application seam: src/renderer/account-readiness-presentation.ts · source-backed

1920 × 1080

Finish device handover



The current device handover must finish before billing can open here.

Application seam: src/renderer/account-readiness-presentation.ts · source-backed

1920 × 1080

Restore required



Account data must be restored before billing can open.

Application seam: src/renderer/account-readiness-presentation.ts · source-backed

1920 × 1080

Verify the counter



Counter verification must finish before billing can open.

Application seam: src/renderer/account-readiness-presentation.ts · source-backed

1920 × 1080

Set up a printer



Printer setup must finish before billing can open.

Application seam: src/renderer/account-readiness-presentation.ts · source-backed

1920 × 1080

Account ready



The account-readiness check completed.

Application seam: src/renderer/account-readiness-presentation.ts · source-backed

1920 × 1080

You are offline



Connect to the internet and try the account-readiness check again.

Application seam: src/renderer/account-readiness-presentation.ts · source-backed

1920 × 1080

Account check unavailable



The account-readiness check could not be completed. Please try again.

Application seam: src/renderer/account-readiness-presentation.ts · source-backed

1920 × 1080

Account check cancelled



No account transition was performed.

Application seam: src/renderer/account-readiness-presentation.ts · source-backed

1920 × 1080

Account check unavailable



The account-readiness check could not be completed. Please try again.

Application seam: src/renderer/account-readiness-presentation.ts · source-backed

1920 × 1080

This PC was added



The current-device claim step completed.

Application seam: src/renderer/current-device-claim-presentation.ts · source-backed

1920 × 1080

Device handover required



Finish the current-device handover before trying again.

Application seam: src/renderer/current-device-claim-presentation.ts · source-backed

1920 × 1080

No device seat available



Free a device seat before trying again.

Application seam: src/renderer/current-device-claim-presentation.ts · source-backed

1920 × 1080

You are offline



Connect to the internet and try adding this PC again.

Application seam: src/renderer/current-device-claim-presentation.ts · source-backed

1920 × 1080

Could not add this PC



The current-device claim could not be completed. Please try again.

Application seam: src/renderer/current-device-claim-presentation.ts · source-backed

1920 × 1080

Device claim cancelled



This PC was not added by that attempt.

Application seam: src/renderer/current-device-claim-presentation.ts · source-backed

1920 × 1080

Could not add this PC



The current-device claim could not be completed. Please try again.

Application seam: src/renderer/current-device-claim-presentation.ts · source-backed

1920 × 1080

Handover check complete



Handover admission is proven. Billing stays closed until remaining checks complete.

Application seam: src/renderer/handover-admission-presentation.ts · source-backed

1920 × 1080

Handover check pending



Billing remains closed. Try the check again later; no data was changed.

Application seam: src/renderer/handover-admission-presentation.ts · source-backed

1920 × 1080

Check unavailable



Billing remains closed. Try the check again later.

Application seam: src/renderer/handover-admission-presentation.ts · source-backed

1920 × 1080

Check cancelled



Billing remains closed. Start a new check when you are ready.

Application seam: src/renderer/handover-admission-presentation.ts · source-backed

1920 × 1080

Check unavailable



Billing remains closed. Try the check again later.

Application seam: src/renderer/handover-admission-presentation.ts · source-backed

1920 × 1080

Invoice counter already checked



The counter proof is current. Billing stays closed until remaining checks complete.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

1920 × 1080

Restore required



Restore the required history before checking the invoice counter.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

1920 × 1080

Counter check needs a connection



Billing stays closed. Reconnect before starting a new check.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

1920 × 1080

Counter check unavailable



Billing stays closed. Start a new check later.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

1920 × 1080

Counter check cancelled



Nothing was confirmed. Billing stays closed.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

1920 × 1080

Counter check unavailable



Billing stays closed. Start a new check later.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

1920 × 1080

Invoice counter verified



The counter proof was recorded. Billing stays closed until remaining checks complete.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

1920 × 1080

Invoice counter changed



The counter changed during verification. Billing stays closed; start a new check.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

1920 × 1080

Local restore check complete



Local admission is proven. Billing stays closed until the remaining account checks complete.

Application seam: src/renderer/restore-entry-presentation.ts · source-backed

1920 × 1080

Account transition required



Entry remains closed. Finish the local account transition; no data was changed.

Application seam: src/renderer/restore-entry-presentation.ts · source-backed

1920 × 1080

Restore required



Entry remains closed. Complete the restore before continuing; no data was changed.

Application seam: src/renderer/restore-entry-presentation.ts · source-backed

1920 × 1080

Restore requires a connection



Entry remains closed. Connect to complete the restore; no data was changed.

Application seam: src/renderer/restore-entry-presentation.ts · source-backed

1920 × 1080

Local data needs recovery



Entry remains closed. Use the recovery flow; no data was changed.

Application seam: src/renderer/restore-entry-presentation.ts · source-backed

1920 × 1080

Could not check local entry



Entry remains closed. The check could not be completed; no data was changed.

Application seam: src/renderer/restore-entry-presentation.ts · source-backed

1920 × 1080

Local entry check cancelled



Entry remains closed. The check was cancelled; no data was changed.

Application seam: src/renderer/restore-entry-presentation.ts · source-backed

1920 × 1080

Could not check local entry



Entry remains closed. The check could not be completed; no data was changed.

Application seam: src/renderer/restore-entry-presentation.ts · source-backed

1920 × 1080

Invoice counter check required



Confirm a permitted forward-only next invoice number.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

1920 × 1080

Use a later invoice number



Correct a proposal that would move invoice numbering backward.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

1920 × 1080

Counter outcome cannot be confirmed



Stop after an invoice-counter submission has an unknown outcome.

Application seam: src/renderer/invoice-counter-verification-presentation.ts · source-backed

More ways to run your business · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

More ways to run your business · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Supplier directory & account · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Supplier directory & account · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Create purchase · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Create purchase · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Sales, quotations & challans · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Sales, quotations & challans · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Create quotation · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Create quotation · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Report catalogue · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Report catalogue · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Inventory catalogue · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Inventory catalogue · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Create product · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Create product · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Customer credit ageing · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Customer credit ageing · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Marketing workspace · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Marketing workspace · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Sign in to Biteaze · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Sign in to Biteaze · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Create a business account · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Create a business account · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Account deletion in progress · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Account deletion in progress · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Discover receipt printers · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Discover receipt printers · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Confirm the last print outcome · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Confirm the last print outcome · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Barcode label batch · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Barcode label batch · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Operator settings · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Operator settings · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Support health · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Support health · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Category dashboard · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Category dashboard · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

New service or repair job · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

New service or repair job · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Food-service workspace · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Food-service workspace · 1366 × 768

Biteaze for Windows / Sample workspace · Design reference 02

Biteaze Demo Store
Main outlet / Counter 01

Sample workspace | Search commands | SO Sample Owner, Owner

Overview
Billing
Service
Documents
Inventory
Reports
More
Settings

FOOD SERVICE

- Food-service workspace
- Compose food order
- Choose item options
- Running order · T04
- Held food order · #FS-1041
- Transfer table
- Merge running orders
- Split order line
- Routed kitchen tickets
- Food output settings
- Food-service data needs refresh

FOOD SERVICE

Food-service workspace

Open new service orders and continue running tables from one operational view.

Compose order | Refresh

Menu items	Open orders	Held	Kitchen routes
61	08	02	03
Published catalog	6 dine-in · 2 takeaway	Awaiting operator	All configured

Start an order

Current menu and routes

Order type: Dine-in

Table number: T04

Required for dine-in

Menu item: Paneer Tikka · ₹280

Kitchen route: Tandoor

Running now

Last refreshed 12:42 PM

T04 · #FS-1042 — 9 items · ₹945 · OPEN — Open

Takeaway · #FS-1041 — 2 items · ₹520 · HELD — Resume

T12 · #FS-1039 — 6 items · ₹780 · OPEN — Open

Local reference · Synthetic records | Sync review | Print center | Windows desktop · Phase 2

Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Compose food order · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Compose food order · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

QR ordering readiness · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

QR ordering readiness · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Sale attribution · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Sale attribution · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Configure retail line · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Configure retail line · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Saved checkout locked · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Saved checkout locked · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Sale outcome unknown · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Sale outcome unknown · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Command palette · 1280 × 720



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.

Command palette · 1366 × 768



Content scrolls within the workspace or dialog body. Local data tables can scroll horizontally. Dialog actions remain outside the scrolling body. The browser viewport models effective pixels; native Windows DPI, Narrator and physical devices still require separate verification.