

Linkific Systems Engineering Architecture Handbook - Page 1

Section 1.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.

The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0001-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 2

Section 2.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.


The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0002-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 3

Section 3.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.

The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0003-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 4

Section 4.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.

The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0004-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 5

Section 5.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.

The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0005-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 6

Section 6.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.

The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0006-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 7

Section 7.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.


The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0007-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 8

Section 8.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.

The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0008-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 9

Section 9.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.

The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0009-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 10

Section 10.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.

The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0010-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 11

Section 11.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.


The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0011-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 12

Section 12.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.

The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0012-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 13

Section 13.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.


The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0013-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.



Linkific Systems Engineering Architecture Handbook - Page 14

Section 14.1: Distributed Pipeline Operations and Ingestion Protocol.

This section outlines operational parameters for production retrieval systems.

All daily technical tasks must be completed and submitted by 6:00 PM IST each evening.

Dense representations are generated by sentence-transformers/all-MiniLM-L6-v2 yielding 384 dimensions.

The sliding window chunking algorithm uses a default size of 800 characters with 100 characters overlap.

ChromaDB persists vector collections in-memory utilizing the HNSW cosine similarity space.

System audit verification tag: LINKIFIC-SEC-0014-AUDIT-VERIFIED.

Interns are required to follow code formatting guidelines and maintain test coverage above 85 percent.

For urgent assistance, interns should reach out via the official engineering Slack channel #internship-support.

