

5a

```
<html>
```

```
<head>
```

```
<title>Popcorn Order Form</title>
```

```
<script>
```

```
function validateForm() {
```

```
    var name = document.getElementById("name").value;
```

```
    var address = document.getElementById("address").value;
```

```
    if (name === "" || address === "") {
```

```
        alert("Please enter your name and address.");
```

```
        return false;
```

```
    }
```

```
    var quantities = document.getElementsByClassName("quantity");
```

```
    for (var i = 0; i < quantities.length; i++) {
```

```
        var quantity = quantities[i].value;
```

```
        if (isNaN(quantity) || quantity <= 0) {
```

```
            alert("Please enter a valid quantity for all products.");
```

```
            return false;
```

```
        }
```

```
    }
```

```
    return true;
```

```
}
```

```
function calculateTotal() {
```

```
    var products = [
```

```
        { id: "small", price: 100 },
```

```
        { id: "medium", price: 70 },
```

```
        { id: "large", price: 50 }
```

```
    ];
```

```
var total = 0;
```

```
products.forEach(product => {
```

```
    let quantity = document.getElementById(product.id).value;
```

```
    let subtotal = quantity * product.price;
```

```
    document.getElementById(product.id + "Total").innerText = "$" + subtotal;
```

```
    total += subtotal;
```

```
});  
  
document.getElementById("grandTotal").innerText = "$" + total;  
  
}
```

```
function clearForm() {  
  
    document.getElementById("orderForm").reset();  
  
    document.getElementById("smallTotal").innerText = "$0";  
  
    document.getElementById("mediumTotal").innerText = "$0";  
  
    document.getElementById("largeTotal").innerText = "$0";  
  
    document.getElementById("grandTotal").innerText = "$0";  
  
}
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<h2>Sales Order Form</h2>
```

```
<form name="myForm" onsubmit="return validateForm()" method="get" action="5b.html">
```

```
<table>
```

```
<tr>
```

```
<td>Name:</td>
```

```
<td><input type="text" id="name" name="name"></td>
```

```
</tr>
```

```
<tr>
```

```
<td>Address:</td>
```

```
<td><input type="text" id="address" name="address" required></td>
```

```
</tr>
```

```
<tr>
```

```
<td>City, State, Zip:</td>
```

```
<td><input type="text" name="cityStateZip" required></td>
```

```
</tr>
```

```
</table>
```

```
<h3>Order Details</h3>
```

```
<table border="1">
```

```

<tr>

    <th>Product</th>

    <th>Price</th>

    <th>Quantity</th>

    <th>Total</th>

</tr>

<tr>

    <td>Caramel Popcorn</td>

    <td>$100</td>

    <td><input type="text" id="small" size="2" value="0" oninput="calculateTotal()" name="Caramel"></td>

    <td id="smallTotal">$0</td>

</tr>

<tr>

    <td>Cheese Popcorn</td>

    <td>$70</td>

    <td><input type="text" id="medium" size="2" value="0" oninput="calculateTotal()" name="Cheese"></td>

    <td id="mediumTotal">$0</td>

</tr>

<tr>

    <td>Butter Popcorn</td>

    <td>$50</td>

    <td><input type="text" id="large" size="2" value="0" oninput="calculateTotal()" name="Butter"></td>

    <td id="largeTotal">$0</td>

</tr>

<tr>

    <td colspan="3"><strong>Grand Total</strong></td>

    <td id="grandTotal">$0</td>

</tr>

</table>

```

Payment Method</h3>

<input type="radio" name="payment" value="credit" required> Credit Card

<input type="radio" name="payment" value="debit"> Debit Card

<input type="radio" name="payment" value="paypal"> PayPal

<input type="radio" name="payment" value="cash"> Cash on Delivery

```
<br><br>

<button type="submit">Submit Order</button>

<button type="button" onclick="clearForm()">Clear Order</button>

</form>

</body>

</html>
```

5b

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Order Summary</title>

  <link rel="stylesheet" href="5a.html">

  <script>

    document.addEventListener("DOMContentLoaded", function() {

      // Fetching the URL parameters

      var urlParams = new URLSearchParams(window.location.search);

      // Collecting form data

      var formData = {

        Name: urlParams.get("name"),

        Address: urlParams.get("address"),

        City: urlParams.get("cityStateZip"),

        CarmelPopcorn: urlParams.get("Caramel"),

        CarmelNutPopcorn: urlParams.get("Cheese"),

        ToffeePopcorn: urlParams.get("Butter"),

        Payment: urlParams.get("payment")

      };

      // Displaying the data

      document.getElementById("name").innerText = formData.Name;

      document.getElementById("address").innerText = formData.Address;

      document.getElementById("city").innerText = formData.City;

      document.getElementById("carmelPopcorn").innerText = formData.CarmelPopcorn;
```

```
        document.getElementById("carmelNutPopcorn").innerText = formData.CarmelNutPopcorn;

        document.getElementById("toffeePopcorn").innerText = formData.ToffeePopcorn;

        document.getElementById("payment").innerText = formData.Payment;

    });
</script>
</head>
<body>
    <h2>Order Summary</h2>
    <p><strong>Name:</strong> <span id="name"></span></p>
    <p><strong>Address:</strong> <span id="address"></span></p>
    <p><strong>City:</strong> <span id="city"></span></p>
    <p><strong>Carmel Popcorn:</strong> <span id="carmelPopcorn"></span></p>
    <p><strong>Carmel Nut Popcorn:</strong> <span id="carmelNutPopcorn"></span></p>
    <p><strong>Toffee Nut Popcorn:</strong> <span id="toffeePopcorn"></span></p>
    <p><strong>Payment Method:</strong> <span id="payment"></span></p>
</body>
</html>
```