

VPC Dashboard
Resources
You are using the following Amazon VPC resources in the Mumbai Region (ap-south-1):
VPCs
2
Subnets
3
Route Tables
4
Internet Gateways
1
Filters
Select a VPC
Find a VPC
Name
VPC ID
State
CIDR block
VPC-A
vpc-0a1b2c3d4e5f6a7b8
Available
10.10.0.0/16
VPC-B
vpc-0b1c2d3e4f5a6b7c8d
Available
10.20.0.0/16

C > Your VPCs > Create VPC

Create VPC

A VPC is an isolated portion of the AWS cloud populated by AWS resources, such as EC2 instances.

Name tag

VPC-A

IPv4 CIDR block


10.10.0.0/16


Tenancy


Default


▸ Tags - optional


Cancel Create VPC


VPC > Subnets > Create subnet
VPC
VPC-A (vpc-0a1b2c3d4e5f6a7b8)
Subnet settings
Subnet name
public-subnet-a
Availability Zone
ap-south-1a
IPv4 CIDR block
10.10.1.0/24
Cancel
Create subnet
Subnets (2)
Find subnets
Name
Subnet ID
AZ
CIDR block
public-subnet-a
ap-south-1a
10.10.1.0/24
private-subnet-a
ap-south-1a
10.10.2.0/24


aws
VPC
VPC Dashboard
Virtual private cloud
Your VPCs
Subnets
Route Tables
Internet Gateways
Egress-only Internet Gateways
Carrier Gateways
DHCP Options Sets
Elastic IPs
Managed Prefix Lists
Internet gateways (1)
Name
ID
State
igw-vpc-a
vpc-0a1b2c3d4e5f6a7b8
Attached
Route tables (1)
Find subnets
Name
Subnet ID
AZ
rtb-public-a
sub-0123e4b5c6d7e8f9
VPC-A
Route table: rtb-public-a
Edit routes
Routes
Subnet associations
Destination
Target
10.10.0.0/16
local
0.0.0.0/0
igw-0a1b2c3d4e5f6a7b8


aws
VPC
VPC Dashboard
Virtual private cloud
Route Tables
Internet Gateways
Egress-only Internet Gateways
Carrier Gateways
DHCP Options Sets
Elastic IPs
Managed Prefix Lists
Create VPC • Create VPC
Name tag
VPC-8
IPv4 CIDR block
10.20.0.0/16
Tenancy
Default
Tags - optional
Cancel
Create VPC
Subnets (1)
Find subnets
Name
Subnet ID
AZ
CIDR block
private-subnet-b
ap-south-1b


EC2
Instances
Instance Types
Launch Templates
Savings plans
Reservations
Savings Plan Rates
Instances (3)
Connect
Instance state
Actions
Launch instances
Find instances
Name
Instance ID
Instance state
Instance type
Availability Zone
Public IPv4
bastion
i-0a1b2c3d4e5f6a7b8
Running
t2.micro
ap-south-1a
54.201.12.34
app-a
i-0b1c2d3e4f5g6h7i8
Running
t2.micro
ap-south-1a
app-b
i-0c1d2e3f4g5h6i7j8
Running
t2.micro
ap-south-1b


aws
VPC > Peering connections
VPC
VPC Dashboard
Virtual private cloud
Your VPCs
Subnets
Route Tables
Internet Gateways
Egress-only Internet
Carrier Gateways
DHCP Options Sets
Create peering connection
Requester VPC
VPC-A (vpc-0a1b2c3d4e5f6a7b8)
Accepter VPC
VPC-B (vpc-0f9e8d7c6b5a4e3d2)
Peering connection name
vpc-peering-1
Create peering connection
Peering connections (1)
Name
Status
Requester VPC
Accepter VPC
vpc-peering-1
Pending acceptance
vpc-0a1b2c3d4e5f6a7b8
vpc-0f9e8d7c6b5a4e3d2
Accept request
vpc-peering-1
Reject
Accept

Route table: rtb-private-a (VPC-A)

Routes | Subnet associations

Destination	Target
10.10.0.0/16	local
10.20.0.0/16	pcx-0f1e2d3c4b5a6e7d8

Edit routes

Route table: rtb-private-b (VPC-B)

Routes | Subnet associations

Destination	Target
10.20.0.0/16	local
10.10.0.0/16	pcx-0f1e2d3c4b5a6e7d8

Edit routes

Connect to bastion (public IP)

```
ssh -i shri-key.pem ec2-user@54.201.12.34
Last login: Thu Oct 10 10:15:22 2026 from 10.10.1.10
[ec2-user@ip-10-10-1-10 ~]$
```

Ping App-A (private IP from bastion)

```
ping 10.10.2.10
64 bytes from 10.10.2.10: icmp_seq=1 ttl=64 time=0.532 ms
```

SSH to App-A (from bastion)

```
ssh -i shri-key.pem ec2-user@10.10.2.10
Last login: Thu Oct 10 10:20:45 2026 from 10.10.1.10
[ec2-user@ip-10-10-2-10 ~]$
```

Ping App-B (from App-A)

```
ping 10.20.1.10
64 bytes from 10.20.1.10: icmp_seq=1 ttl=64 time=0.628 ms
```