Matoshri College of Engineering and Research Centre, Eklahare, Nashik.

Department Of Artificial Intelligence & Data Science Engineering

Project Synopsis

Title of Project Dissertation	**AI DEEPGUARD DETECTION**
Branch and Faculty	Faculty of Science & Technology
Name of College	Matoshri College of Engineering & Research Centre, Nashik
Name of the Students	1. Ruturani Maske 2. Gayatri Ahire 3. Kajal Kasar 4. Sakshi Salve
PRN No.	1. 72248390C 2. 72248140D 3. 72248336J 4. 72248494B
Email ID	1. ruturanimaske123@gmail.com 2. ahiregayatri889@gmail.com 3. kasarkajal972@gmail.com 4. sakshisalve891@gmail.com
Mobile Number	1. 9156848403 2. 9834745763 3. 9373385274 4. 7447571944
College PUN Code	
College Code	
Sign of the Student	1. 2. 3. 4.
Name of the Guide	**Dr. Ranjit M. Gawande**
Sign of the Guide	
Name of the Project Coordinator	Mr. Mahesh T. Dhande
Name of the Head of Department	Dr. Ranjit M. Gawande
Sign of the Head of Department	
Date of Submission	

Academic Year: 2026–2027

SYNOPSIS

of

PROJECT TITLE

AI DEEPGUARD DETECTION

by

Ruturani Maske (72248390C)

Gayatri Ahire (72248140D)

Kajal Kasar (72248336J)

Sakshi Salve (72248494B)

Under the guidance of

Dr. Ranjit M. Gawande

in

partial fulfilment of the degree of

Bachelor of Artificial Intelligence & Data Science Engineering

Matoshri College of Engineering and Research Centre, Nashik

Department of Artificial Intelligence & Data Science Engineering

Under



Savitribai Phule Pune University, Pune

2026–2027

INDEX

ACKNOWLEDGEMENT **4**

Abstract **5**

1 Introduction **6**

1.1 Existing System 6

1.2 Significance and Background 7

1.3 Scope 7

1.4 Limitations 8

1.5 Proposed System 8

1.6 Advantages of Proposed System 9

2 Literature Survey **10**

2.1 Summary Table of Survey 11

3 Motivation **12**

4 Problem Formulation and Objectives **13**

4.1 Problem Statement 13

4.2 Project Objectives 13

5 Methodology **15**

5.1 Research Design 15

5.2 Data Collection Methods 16

5.3 Data Analysis Techniques 16

5.4 System Workflow 17

5.5 Technology Used 17
5.6 System Architecture 18

6 Expected Results and Discussion **20**
6.1 Expected Performance Evaluation 21
6.2 Discussion 21

7 Conclusion **22**

References **23**

FIGURE INDEX

5.1 System Architecture of AI DeepGuard Detection 19

ACKNOWLEDGEMENT

I express my heartfelt gratitude towards **Dr. Ranjit M. Gawande**, Project Guide at Matoshri College of Engineering & Research Centre, Nashik, for providing valuable guidance, encouragement, and continuous support throughout the development of the project dissertation entitled **"AI DeepGuard Detection"**.

I humbly thank **Dr. Ranjit M. Gawande**, Head of the Department of Artificial Intelligence & Data Science Engineering, for his valuable guidance and support throughout this project.

I am also thankful to **Mr. Mahesh T. Dhande**, Project Coordinator, and all the faculty members and staff of MCOERC, Nashik, for their valuable suggestions, technical support, and encouragement during the project work.

I would also like to express my sincere gratitude to the Principal and management of Matoshri College of Engineering and Research Centre, Nashik, for providing the necessary facilities and academic environment required for completing this work.

Finally, I express my sincere thanks to my family members, friends, and colleagues who directly or indirectly supported and encouraged me throughout the development of this project.

Ruturani Maske (72248390C)

Gayatri Ahire (72248140D)

Kajal Kasar (72248336J)

Sakshi Salve (72248494B)

Abstract

The rapid advancement of artificial intelligence has made it possible to generate highly realistic manipulated facial images, commonly known as deepfakes. These images can be difficult to identify through manual inspection and may affect digital trust, privacy, security, and information authenticity. **AI DeepGuard Detection** is proposed as an AI-based web application for detecting whether an uploaded facial image is real or manipulated. The system performs image preprocessing and face detection before applying a deep learning model for Real/Fake classification. It provides a confidence score and explainable analysis using Grad-CAM and heatmap visualization. The application also provides a result dashboard, detection history, report generation, user authentication, database storage, and an administrator dashboard. The system is implemented using Flask with HTML, CSS, and JavaScript. The proposed solution aims to provide an accessible, user-friendly, and explainable platform for preliminary deepfake image analysis.

Keywords: Deepfake Detection, Artificial Intelligence, Deep Learning, Face Detection, Grad-CAM, Explainable AI, Image Classification, Computer Vision, Flask.

Introduction

Deepfake technology represents a significant development in artificial intelligence-based media generation and manipulation. Deep learning techniques can be used to modify facial identities, expressions, and visual characteristics, resulting in synthetic content that can appear highly realistic. The increasing quality and accessibility of these technologies make the identification of manipulated content an important challenge in digital media forensics.

Deepfake detection systems generally analyze visual patterns, facial characteristics, texture inconsistencies, frequency information, blending artifacts, or other learned representations to distinguish genuine content from manipulated content. Research has demonstrated that deep learning-based approaches can effectively detect facial manipulations, although generalization to unseen manipulation techniques remains a major challenge.

The proposed **AI DeepGuard Detection** system focuses on image-based facial deepfake detection. A user can upload an image through a web interface, after which the system performs preprocessing and face detection. The detected facial information is provided to a deep learning classification model that predicts whether the input is Real or Fake.

In addition to classification, the proposed system provides a confidence score and explainability through Grad-CAM/heatmap visualization. This enables the user to understand which image regions contributed to the model prediction. The system also maintains detection history, generates reports, and provides separate user and administrator functionalities.

The application uses Flask as the backend framework and HTML, CSS, and JavaScript for the frontend. A database is used for authentication, user records, detection history, and related results.

1.1 Existing System

Existing deepfake detection approaches primarily focus on developing machine learning and deep learning models that classify manipulated and genuine facial content. Several methods use convolutional neural networks, frequency-domain information, facial

artifacts, local relationships, or specialized image representations.

Although these approaches can achieve strong performance on benchmark datasets, many systems are primarily research-oriented and do not provide an integrated user-facing application. Users may need technical knowledge to execute models, prepare datasets, interpret outputs, or analyze detection results.

Another limitation is that many deep learning detectors operate as black-box classifiers. They may provide a prediction without clearly showing which regions of an image influenced the decision. Therefore, there is a need for a practical detection platform that combines classification with explainability and user-oriented functionality.

1.2 Significance and Background

Deepfake detection is significant because manipulated facial images can be used for misinformation, impersonation, fraud, identity manipulation, unauthorized content generation, and other forms of digital abuse.

The background of this project lies in the application of artificial intelligence, computer vision, deep learning, and explainable artificial intelligence to digital media verification. A practical detection system should not only classify an image but should also communicate the result in an understandable form.

AI DeepGuard Detection addresses this requirement by combining automated facial analysis with confidence scoring and visual explanation.

1.3 Scope

The scope of the proposed system includes:

- Detection of deepfake facial images.
- Face detection from uploaded images.
- Real/Fake classification.
- Confidence score generation.
- Deepfake analysis.
- Grad-CAM and heatmap visualization.
- Result dashboard.

- Detection history.
- Detection report generation.
- User authentication and login.
- Database management.
- Administrator dashboard.
- User-friendly web-based interface.

1.4 Limitations

The proposed system has the following limitations:

- The system is primarily focused on image-based deepfake detection.
- Detection performance depends on the quality and diversity of the training dataset.
- Highly sophisticated or previously unseen manipulation techniques may reduce detection reliability.
- Poor-quality, heavily compressed, blurred, or partially occluded images may affect detection performance.
- The confidence score represents model confidence and should not be treated as absolute proof of authenticity.
- The system is intended as an automated preliminary analysis tool rather than a replacement for professional forensic investigation.

1.5 Proposed System

The proposed AI DeepGuard Detection system provides an integrated web-based platform for analyzing facial images.

The system accepts an uploaded image and performs preprocessing and face detection. The detected facial region is then analyzed by a deep learning model. The model generates a Real/Fake prediction and confidence score.

For improved interpretability, Grad-CAM/heatmap visualization is generated to indicate image regions that contributed to the model decision. The result dashboard presents the prediction, confidence score, analysis, detected face, and visualization.

The system stores detection information in a database, allowing users to access previous detection records. Reports can also be generated from the detection results. Authentication mechanisms provide secure access, while the administrator dashboard enables system monitoring and management.

1.6 Advantages of Proposed System

- Automated deepfake image detection.
- Face-based image analysis.
- Real/Fake classification.
- Confidence score for predictions.
- Explainable prediction using Grad-CAM/heatmap.
- User-friendly web interface.
- Detection history management.
- Report generation.
- Secure user authentication.
- Persistent database storage.
- Administrator monitoring and management.
- Centralized detection workflow.

Literature Survey

Deepfake detection has developed rapidly with the advancement of deep learning and generative artificial intelligence. Existing research has explored CNN-based classifiers, manipulation-specific detection, generalizable facial forgery detection, local feature relationships, and explainable forensic analysis.

Rössler et al. introduced FaceForensics++, a large-scale benchmark for facial manipulation detection containing multiple manipulation techniques and different compression levels. The work demonstrated the importance of standardized datasets and domain-specific knowledge for automated facial forgery detection.

Li et al. proposed Face X-Ray, an image representation designed to identify blending boundaries in forged facial images. The method aims to improve generalization by focusing on intrinsic blending evidence rather than relying solely on artifacts associated with a particular manipulation technique.

Chen et al. proposed Local Relation Learning for Face Forgery Detection. Their method considers relationships among local facial regions using multi-scale patch similarity and combines RGB and frequency-domain information. The work highlights the importance of local relationships and frequency information for robust facial forgery detection.

Tariq et al. investigated general deepfake detection through a generalized framework and emphasized the problem of transferability and generalization to unseen deepfake generation methods. Their CLRNet approach combines spatial and temporal information to improve generalization.

Silva et al. proposed an explainable hierarchical ensemble for deepfake forensics. Their approach combines deep learning detection with explainable analysis and Grad-CAM, demonstrating the value of providing interpretable information alongside automated predictions.

These studies indicate that deepfake detection requires not only strong classification performance but also generalization, interpretability, and practical usability. The proposed AI DeepGuard Detection system builds upon these concepts by integrating deepfake classification, face detection, confidence scoring, Grad-CAM/heatmap visualization, and a complete web-based management interface.

2.1 Summary Table of Survey

S.N.	Year	Title	Author Details	Aim / Objective	Algorithm / Method	Dataset	Result	Future Direction
1	2024	LAA-Net: Localized Artifact Attention Network for Quality-Agnostic and Generalizable Deepfake Detection	D. Nguyen et al.	Detect high-quality deepfakes by focusing on localized artifact-prone regions and improving generalization.	LAA-Net, Multi-task Learning, E-FPN, Heatmap Attention	Celeb-DF and other bench-marks	Achieved superior AUC and Average Precision compared with existing approaches.	Improve robustness against unseen manipulations and difficult real-world image conditions.
2	2025	SIDA: Social Media Image Deepfake Detection, Localization and Explanation with Large Multimodal Model	Z. Huang et al.	Detect deepfakes, localize manipulated regions, and provide explanations for social-media images.	Large Multimodal Model, Mask Prediction, Image Detection and Localization	SID-Set and other bench-marks	SID-Set contains 300K authentic and AI-generated images; SIDA achieved superior performance across diversified settings.	Improve multimodal reasoning, localization accuracy, and generalization to emerging AI-generated content.
3	2026	Deepfake Face Detection Using Hybrid Bag-of-Visual-Words and Multi-CNN Feature Fusion	M. Alrahhal et al.	Improve deepfake face detection by combining handcrafted forensic features with deep semantic representa-tions.	BoVW, HOG, SURF, FAST, BRISK, ResNet-50, MobileNet, ShuffleNet, SVM	Six benchmark datasets	Achieved up to 97.55% accuracy with strong cross-dataset robustness.	Improve generalization, forensic inter-pretability, and robustness against new manipulation techniques.

Motivation

The rapid development of generative artificial intelligence has significantly increased the quality and accessibility of synthetic media. Realistic facial manipulations can be difficult to identify through visual inspection, creating challenges for digital media authenticity and trust.

Many existing detection techniques focus primarily on classification accuracy. However, a practical system should also provide understandable results, confidence information, visualization, and historical records.

The motivation behind AI DeepGuard Detection is therefore to develop a unified platform that combines deepfake detection with explainable artificial intelligence and user-oriented functionality.

The proposed system provides a Real/Fake prediction together with a confidence score and Grad-CAM/heatmap visualization. This can help users understand the regions of an image that influenced the model's decision.

The integration of authentication, database storage, detection history, report generation, and an administrator dashboard further transforms the detection model into a complete web-based application suitable for academic demonstration and practical experimentation.

Problem Formulation and Objectives

4.1 Problem Statement

The availability of advanced artificial intelligence techniques has made it possible to create highly realistic manipulated facial images. Such images may be difficult to distinguish from genuine images using conventional manual inspection.

Existing deepfake detection approaches can provide effective classification but may suffer from limitations related to generalization, interpretability, usability, and integration into accessible applications. Many approaches provide a prediction without sufficient explanation of the visual regions responsible for the decision.

Therefore, the problem addressed by this project is to design and develop an AI-based web application capable of analyzing facial images, detecting potential deepfake manipulation, classifying images as Real or Fake, providing a confidence score, and generating explainable visual evidence using Grad-CAM/heatmaps.

The system should also provide authentication, database storage, detection history, report generation, and administrative management through an easy-to-use web interface.

4.2 Project Objectives

The objectives of AI DeepGuard Detection are:

1. To develop an AI-based system for detecting deepfake facial images.
2. To detect and extract faces from uploaded images.
3. To classify facial images as Real or Fake.
4. To generate a confidence score for every prediction.
5. To perform deepfake analysis on the uploaded image.
6. To implement Grad-CAM/heatmap visualization for explainable prediction.

7. To develop an interactive result dashboard.
8. To maintain detection history for authenticated users.
9. To provide detection report generation.
10. To develop a user-friendly web interface.
11. To implement secure user login and authentication.
12. To store users and detection results in a database.
13. To develop an administrator dashboard for monitoring and management.

Methodology

The proposed system follows a sequential methodology consisting of data preparation, image preprocessing, face detection, deep learning-based classification, explainability, result presentation, and database management.

5.1 Research Design

The research design consists of the following major stages:

1. Dataset collection and preparation.
2. Image preprocessing.
3. Face detection and extraction.
4. Deep learning model training or integration.
5. Real/Fake classification.
6. Confidence score generation.
7. Deepfake analysis.
8. Grad-CAM/heatmap generation.
9. Result presentation.
10. Detection history storage.
11. Report generation.
12. User and administrator management.

5.2 Data Collection Methods

The system requires genuine and manipulated facial image samples for model development and evaluation. Publicly available deepfake and facial forgery datasets can be used for research and experimentation.

The data can be organized into Real and Fake classes. Images are processed to obtain relevant facial regions before model training and evaluation.

Appropriate preprocessing techniques may include:

- Image resizing.
- Pixel normalization.
- Face detection.
- Face cropping.
- Data augmentation.
- Training, validation, and testing split.

5.3 Data Analysis Techniques

The deep learning model analyzes visual features of facial images and performs binary classification.

The system evaluates the prediction using suitable classification metrics such as:

- Accuracy.
- Precision.
- Recall.
- F1-score.
- Confusion matrix.

The model prediction is also accompanied by a confidence score.

5.4 System Workflow

The proposed workflow is:

1. User logs into the system.
2. User uploads a facial image.
3. Flask receives the uploaded image.
4. Image preprocessing is performed.
5. Face detection identifies the facial region.
6. The processed face is passed to the deep learning model.
7. The model predicts Real or Fake.
8. Confidence score is calculated.
9. Deepfake analysis is generated.
10. Grad-CAM/heatmap is generated.
11. Results are displayed through the dashboard.
12. Detection details are stored in the database.
13. The user can view detection history.
14. A detection report can be generated.

5.5 Technology Used

- **Python:** Backend and AI development.
- **Flask:** Web application backend.
- **HTML5:** Webpage structure.
- **CSS3:** Interface styling and responsive design.
- **JavaScript:** Client-side interaction and dynamic functionality.
- **Deep Learning:** Real/Fake image classification.
- **Computer Vision:** Image and facial analysis.

- **Grad-CAM:** Explainable AI visualization.
- **Database:** User and detection data storage.

5.6 System Architecture

The system consists of the following major components:

- User Interface
- Flask Backend
- Authentication Module
- Image Processing Module
- Face Detection Module
- Deep Learning Model
- Real/Fake Prediction Module
- Confidence Score Module
- Deepfake Analysis Module
- Grad-CAM/Heatmap Module
- Result Dashboard
- Database
- Detection History
- Report Generation
- Admin Dashboard




Figure 5.1: System Architecture of AI DeepGuard Detection

Expected Results and Discussion

The proposed AI DeepGuard Detection system is expected to provide an automated mechanism for identifying potentially manipulated facial images.

After uploading an image, the system is expected to detect the face and process it through the deep learning model. The final result should classify the image as either Real or Fake and display a corresponding confidence score.

The system is also expected to provide a Grad-CAM/heatmap visualization. The visualization will help identify the regions of the image that contributed significantly to the model's prediction.

The result dashboard is expected to provide a clear presentation of:

- Uploaded image.
- Detected face.
- Real/Fake prediction.
- Confidence score.
- Deepfake analysis.
- Grad-CAM/heatmap.
- Detection date and time.

Detection information will be stored in the database and made available through the detection history module. Users will be able to review previous detection results and generate reports.

The administrator dashboard is expected to provide system-level monitoring of users and detection activities.

6.1 Expected Performance Evaluation

The deep learning model will be evaluated using standard classification metrics.

$$Accuracy = \frac{TP + TN}{TP + TN + FP + FN} \tag{6.1}$$

where:

- TP = True Positive
- TN = True Negative
- FP = False Positive
- FN = False Negative

Precision, recall, and F1-score will also be considered to obtain a broader evaluation of the model.

6.2 Discussion

The proposed system is designed to combine detection accuracy with interpretability and usability. Unlike a basic classifier that only returns a binary result, AI DeepGuard Detection provides a confidence score and visual explanation.

Grad-CAM/heatmap visualization can help users understand which facial regions contributed to the classification. This is particularly useful because deep learning models may otherwise behave as black-box systems.

The integrated database, history, report, authentication, and administration modules further improve the practical usability of the system.

Conclusion

AI DeepGuard Detection proposes an AI-based web application for detecting potentially manipulated facial images. The system integrates deep learning, computer vision, explainable artificial intelligence, and web technologies into a unified platform.

The proposed system performs face detection and Real/Fake classification while providing a confidence score for the prediction. Grad-CAM and heatmap visualization are incorporated to provide an interpretable representation of the regions influencing the model's decision.

The system also includes a result dashboard, detection history, report generation, authentication, database integration, and an administrator dashboard. Flask is used for backend development, while HTML, CSS, and JavaScript are used to provide the web interface.

The proposed solution can serve as a practical academic implementation for studying deepfake detection and explainable AI. However, detection results should be interpreted as model-based assessments rather than definitive forensic proof.

Future development can extend the system toward video deepfake detection, improved cross-dataset generalization, multimodal deepfake detection, real-time analysis, additional explainability techniques, and more advanced forensic analysis.

References

[1] A. Rössler, D. Cozzolino, L. Verdoliva, C. Riess, J. Thies, and M. Nießner, "FaceForensics++: Learning to Detect Manipulated Facial Images," *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*, pp. 1–11, 2019.

[2] L. Li, J. Bao, T. Zhang, H. Yang, D. Chen, F. Wen, and B. Guo, "Face X-Ray for More General Face Forgery Detection," *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 5001–5010, 2020. DOI: 10.1109/CVPR42600.2020.00505.

[3] S. Chen, T. Yao, Y. Chen, S. Ding, J. Li, and R. Ji, "Local Relation Learning for Face Forgery Detection," *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 35, no. 2, pp. 1081–1088, 2021. DOI: 10.1609/aaai.v35i2.16193.

[4] S. Tariq, S. Lee, and S. S. Woo, "One Detector to Rule Them All: Towards a General Deepfake Attack Detection Framework," *Proceedings of the Web Conference (WWW '21)*, pp. 3625–3637, 2021. DOI: 10.1145/3442381.3449809.

[5] S. H. Silva, M. Bethany, A. M. Votto, et al., "Deepfake Forensics Analysis: An Explainable Hierarchical Ensemble of Weakly Supervised Models," *Forensic Science International: Synergy*, vol. 4, 100217, 2022. DOI: 10.1016/j.fsisyn.2022.100217.

[6] D. Nguyen, N. Mejri, I. P. Singh, P. Kuleshova, M. Astrid, A. Kacem, E. Ghorbel, and D. Aouada, "LAA-Net: Localized Artifact Attention Network for Quality-Agnostic and Generalizable Deepfake Detection," *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 17395–17405, 2024.

[7] Z. Huang, J. Hu, X. Li, Y. He, X. Zhao, B. Peng, B. Wu, X. Huang, and G. Cheng, "SIDA: Social Media Image Deepfake Detection, Localization and Explanation with Large Multimodal Model," *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 28831–28841, 2025. DOI: 10.1109/CVPR52734.2025.02685.