

# Cucumber Report

24-Nov-2022, 3:30:56 pm

**Start : Nov 24, 3:30:38.484 pm**

**End : Nov 24, 3:30:52.639 pm**

**Duration : 14.155 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 2**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 5**


**FAILED - 1**

**SKIPPED - 0**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Hotelspage</u>	14.155 s	1	0	1	0	2	1	1	0
<u>Homepage</u>	14.138 s	2	2	0	0	4	4	0	0

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@RegTest	3	2	1	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Hotelspage</u>	1	0	1	0	14.155 s
2	<u>Homepage</u>	2	2	0	0	14.138 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Hotelspage</u>	<u>Hotel page Validation</u>	2	1	1	0	14.152 s
2	<u>Homepage</u>	<u>Homepage ticket booking</u>	2	2	0	0	14.137 s
3	<u>Homepage</u>	<u>Homepage Validation</u>	2	2	0	0	14.134 s

## Hotelspage

<b>FAILED</b>	<b>DURATION - 14.155 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 3:30:38.484 pm // 3:30:52.639 pm /					

## Hotel page Validation

<div>FAILED</div> <div>DURATION - 14.152 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:30:38.487 pm // 3:30:52.639 pm /</div>				
<div>Hotelspage</div>				
<div>@RegTest</div>				

#	Step / Hook Details	Status	Duration
1	Given I enter the url "https://www.yatra.com"	PASSED	6.430 s
2	When i click on hotel search button  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because "this.byHotelsSearchButton" is null at spicejet.Pages.HotelsPage.clickHotelsSearchButton(HotelsPage.java:16) at steps.hotelspageSteps.iClickHotelsSearchButton(hotelspageSteps.java:12) at ?.i click on hotel search button(file:///C:/Users/HD273UW/project/Selenium-Automation-practice_testproject_site/src/test/java/features/hotelspage.feature:8) * Not displayable characters are replaced by '?'.  	FAILED	0.018 s
	AFTER_STEP - steps.Hooks.AddScreenshot(io.cucumber.java.Scenario)  image  	PASSED	0.488 s
	AFTER - steps.Hooks.afterScenario()	FAILED	0.499 s



#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.2.1', revision: 'ac4d0fdd4a' System info: host: 'IN3243059W1', ip: '192.168.0.104', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d182896e78ff00d02f4ddea43bcd12b3, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HD273UW\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:62391}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62391/devtoo..., se.cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:551)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:610)  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:447)  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:291)  at steps.Hooks.afterScenario(Hooks.java:25)</p> <p>Caused by: java.util.concurrent.ExecutionException: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: no further information: localhost/[0:0:0:0:0:0:0:1]:58384</p> <p>at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:396)  at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2096)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:551)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:610)  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:447)  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:291)  at steps.Hooks.afterScenario(Hooks.java:25)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:577)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.TestCase.run(TestCase.java:90)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)</p>		

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:577)</p> <p>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)</p> <p>at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)</p> <p>at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)</p> <p>at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)</p> <p>at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)</p> <p>at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)</p> <p>at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539)</p> <p>at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635)</p> <p>at java.base/java.lang.Thread.run(Thread.java:833)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException: Connection refused: no further information: localhost/[0:0:0:0:0:0:0:1]:58384</p> <p>at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)</p> <p>at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)</p> <p>at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:98)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$1(DriverCommandExecutor.java:105)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768)</p> <p>... 3 more Caused by: java.net.ConnectException: Connection refused: no further information: localhost/[0:0:0:0:0:0:0:1]:58384</p> <p>at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179)</p> <p>at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onFailure(NettyChannelConnector.java:108)</p> <p>at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28)</p> <p>at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20)</p> <p>at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:578)</p> <p>at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:571)</p> <p>at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:550)</p> <p>at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:491)</p> <p>at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:616)</p> <p>at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:609)</p>		





#	Step / Hook Details	Status	Duration
	<pre>at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:117) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.fulfillConnectPromise(AbstractNioChannel.java:321) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:337) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:995) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) ... 1 more Caused by: io.netty.channel.AbstractChannel\$AnnotatedConnectException: Connection refused: no further information: localhost/ [0:0:0:0:0:0:1]:58384 Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:672) at java.base/sun.nio.ch.SocketChannelImpl.finishConnect(SocketChannelImpl.java:946) at io.netty.channel.socket.nio.NioSocketChannel.doFinishConnect(NioSocketChannel.java:337) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.finishConnect(AbstractNioChannel.java:334) at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:710) at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:658) at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:584) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:496) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:995) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.base/java.lang.Thread.run(Thread.java:833)</pre>		

## Homepage



<b>PASSED</b>	<b>DURATION - 14.138 s</b>	Scenarios		Steps	
/ 3:30:38.491 pm // 3:30:52.629 pm /		Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 4 Pass - 4 Fail - 0 Skip - 0	4

## Homepage ticket booking

<div>PASSED</div>	<div>DURATION - 14.137 s</div>		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:30:38.492 pm // 3:30:52.629 pm /				
Homepage				
@RegTest				

#	Step / Hook Details	Status	Duration
1	Given I enter the url "https://www.yatra.com"	PASSED	6.051 s
2	When I click on Hotels	PASSED	0.011 s

### Homepage Validation

<b>PASSED</b>	DURATION - 14.134 s		<b>Steps</b> Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 3:30:38.494 pm // 3:30:52.628 pm /				
Homepage				
@RegTest				

#	Step / Hook Details	Status	Duration
1	Given I enter the url "https://www.yatra.com"	PASSED	5.205 s
2	When I click and enter the origin city	PASSED	0.005 s