

API FUNDAMENTALS ASSIGNMENT:

Task 1:

a) And b)

The screenshot shows a REST client interface with the following components:

- Method and URL:** GET `https://jsonplaceholder.typicode.com/posts/1`
- Buttons:** Send, Docs, Params, Authorization, Headers, Body, Scripts, Settings, Cookies
- Query Params Table:**

Key	Value	Description	Bulk Edit	...
Key	Value	Description		
- Response Status:** 200 OK • 416 ms • 1.27 KB • [Lock Icon] • [More Icon]
- Response Format:** JSON (with Preview and Visualize options)
- Response Body (JSON):**

```
1 {
2   "userId": 1,
3   "id": 1,
4   "title": "sunt aut facere repellat provident occaecati excepturi optio reprehenderit",
5   "body": "quia et suscipit\nsuscipit recusandae consequuntur expedita et cum\nreprehenderit molestiae ut ut quas totam\nnostrum rerum est autem sunt rem eveniet architecto"
6 }
```

c) Because it is a simple get request and doesn't require extra information.

Task 2:

GET <https://jsonplaceholder.typicode.com/comments?postId=1> Send

Docs Params Authorization Headers 6 Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit	...
✓ postId	1			
Key	Value	Description		

Body Cookies Headers 26 Test Results 200 OK • 285 ms • 1.77 KB • ...

{ } JSON Preview Visualize

```
1  [
2    {
3      "postId": 1,
4      "id": 1,
5      "name": "id labore ex et quam laborum",
6      "email": "Eliseo@gardner.biz",
7      "body": "laudantium enim quasi est quidem magnam voluptate ipsam eos\ntempora quo
          necessitatibus\ndolor quam autem quasi\nreiciendis et nam sapiente accusantium"
8    },
9    {
10     "postId": 1,
11     "id": 2,
12     "name": "quo vero reiciendis velit similique earum",
13     "email": "Jayne_Kuhic@sydney.com",
14     "body": "est natus enim nihil est dolore omnis voluptatem numquam\net omnis occaecati quod ullam
          at\nvoluptatem error expedita pariatur\nnihil sint nostrum voluptatem reiciendis et"
15   },
16   ]
```

a)

https://jsonplaceholder.typicode.com/comments

GET https://jsonplaceholder.typicode.com/comments?postId=1

Params Authorization Headers 6 Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit	...
✓ postId	1			
Key	Value	Description		

Body Cookies Headers 26 Test Results 200 OK • 93 ms • 1.77 KB

{ } JSON Preview Visualize

```
1 [
2   {
3     "postId": 1,
4     "id": 1,
5     "name": "id labore ex et quam laborum",
6     "email": "Eliseo@gardner.biz",
7     "body": "laudantium enim quasi est quidem magnam voluptate ipsam eos\ntempora quo
8       necessitatibus\ndolor quam autem quasi\nreiciendis et nam sapiente accusantium"
9   },
10  {
11    "postId": 1,
12    "id": 2,
13    "name": "quo vero reiciendis velit similique earum",
14    "email": "Jayne_Kuhic@sydney.com",
15    "body": "est natus enim nihil est dolore omnis voluptatem numquam\net omnis occaecati quod ullam
16      at\nvoluptatem error expedita pariatur\nnihil sint nostrum voluptatem reiciendis et"
```

b)

GET <https://jsonplaceholder.typicode.com/todos?userId=1&completed=false> Send

Docs Params Authorization Headers 6 Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit	...
✓ userId	1			
✓ completed	false			
Key	Value	Description		

Body Cookies Headers 23 Test Results 200 OK • 977 ms • 1.35 KB

{ } JSON Preview Visualize

```

1  [
2    {
3      "userId": 1,
4      "id": 1,
5      "title": "delectus aut autem",
6      "completed": false
7    },
8    {
9      "userId": 1,
10     "id": 2,
11     "title": "quis ut nam facilis et officia qui",
12     "completed": false
13   },
14   {
15     "userId": 1,
16     "id": 3,
17     "title": "fugiat veniam minus",
18     "completed": false
19   }
20 ]

```

- c)
- d) Using The params ensures to filter out only the result we want.

Task 3:

a) <https://jsonplaceholder.typicode.com/posts> Save Share

POST <https://jsonplaceholder.typicode.com/posts> Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

Headers 8 hidden

Key	Value	Description	Bulk Edit	Presets	...
✓ Content-Type	application/json				
Key	Value	Description			

b)

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify


```

1  {
2    "title": "Fist one",
3    "body": "Hello World",
4    "userId": 7
5  }

```


c)

d)



Task 4:


a)




b)

- c) Content type is used for server to know what format the request will come from body. JSONPlaceholder accepts this anyway but it might fail for other API.

Task 5:



a)



b)

c) Put replaces the whole resource with the provided data while patch updates only the specified fields.

Task 6:

a)

GET <https://jsonplaceholder.typicode.com/comments?postId=1> Send

Docs Params Authorization Headers 6 Body Scripts Settings Cookies

Headers 6 hidden

Key	Value	Description	Bulk Edit	Presets	...
Key	Value	Description			

Body Cookies Headers 26 Test Results 200 OK • 280 ms • 1.77 KB

b)

POST <https://jsonplaceholder.typicode.com/comments> Send

Docs Params Authorization Headers 8 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "name": "Harsh",
3   "email": "harsh@example.com",
4   "body": "Feedback",
5   "postId": 1
6 }
```

Body Cookies Headers 25 Test Results 201 Created • 495 ms • 1.3 KB

c)


POST <https://jsonplaceholder.typicode.com/comments> Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

Headers 8 hidden

Key	Value	Description	Bulk Edit	Presets	...
✓ Content-Type	application/json				
Key	Value	Description			

Body Cookies Headers 25 Test Results 201 Created • 326 ms • 1.29 KB



d)
e)

a	200 OK
b	201 CREATED
c	201 CREATED
d	201 CREATED

f) The authorization header before accepting the request will have to verification of user's identity. It will return 403 Forbidden code prevent the form being submitted.