

# Rajalakshmi Engineering College

Name: Shriraksha Gomathisankar  
Email: 240701509@rajalakshmi.edu.in  
Roll no: 240701509  
Phone: 9884741324  
Branch: REC  
Department: CSE - Section 7  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 1\_Q8

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

In the Kingdom of Finance, the royal treasury is managed by the treasurer, Sir Cedric. Sir Cedric tracks the daily expenses of the kingdom using an expense report that lists three major categories: food, clothing, and utilities. However, the King wants to know if the average daily expense is greater than at least two of these categories to ensure the kingdom is spending wisely.

Your task is to help Sir Cedric determine if the average daily expense is greater than two of the categories. Specifically, you need to calculate the average of the three expenses and check if it is greater than any two categories.

Note: Use the ternary operator

### ***Input Format***

Three integers a, b, and c represent the daily expenses for food, clothing, and utilities. Each integer is provided on a single line.

### ***Output Format***

The average of the three expenses, rounded to two decimal places.

A message indicating whether the average is greater than at least two of the expense categories.

1. If the average is greater than the two smallest monthly expenses, print "Average is greater than both X and Y," where X and Y are the two smallest expenses.
2. Otherwise, display "Average is not greater than two smallest expenses".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 4

6

10

Output: 6.67

Average is greater than both 4 and 6

### ***Answer***

```
// You are using Java
import java.util.*;

public class Main{
    public static void main(String[] args){
        Scanner in = new Scanner(System.in);
        float a = in.nextFloat(), b = in.nextFloat(), c = in.nextFloat();
        float avg = (a + b + c) / 3;
        System.out.printf("%.2f", avg);

        if(avg > a && avg > b)
            System.out.printf("\nAverage is greater than both %.0f and %.0f", a, b);
        else if(avg > b && avg > c)
```

```
        System.out.printf("\nAverage is greater than both %.0f and %.0f", b, c);
    else if(avg > a && avg > c)
        System.out.printf("\nAverage is greater than both %.0f and %.0f", a, c);
    else
        System.out.println("\nAverage is not greater than two smallest
expenses");
    }
}
```

**Status :** Correct

**Marks :** 10/10